



- NOTES:
1. ALL CAST IRON SOIL PIPE, AND FITTINGS SHALL BEAR THE COLLECTIVE TRADEMARK OF THE CAST IRON SOIL PIPE INSTITUTE (CISPI), AND BE LISTED BY NSF INTERNATIONAL.
 2. DWV LOOPS INSTALLED IN ANY OTHER DIRECTION THAN HANGING DOWN MUST HAVE THE 180 deg RETURN SUPPORTED. (SEE MANUFACTURER'S INSTALLATION INSTRUCTIONS).

06/02/20

NOTICE: THE INFORMATION ON THIS PAGE PROVIDES GENERAL GUIDELINES. IT SHOULD BE USED ONLY AS A REFERENCE AND NOT AS A GAURANTEE OF PERFORMANCE. SPECIFIC INSTALLATION INSTRUCTIONS AND TECHNIQUES MAY BE REQUIRED AS A RESULT OF LOCAL PLUMBING AND BUILDING CODES, ENGINEERING SPECIFICATIONS AND INSTRUCTIONS.

CPF-7

**CAST IRON DWV/STORM
PIPE W/ "LOOP" TYPE
EXPANSION/SEISMIC
JOINT**

CHARLOTTE
PIPE AND FOUNDRY COMPANY