

DIMENSIONAL CATALOG

ConnecTite® Push-Fit DWV Fittings

ABS-DWV Pipe and Fittings

PVC-DWV Pipe and Fittings

PVC Sewer Pipe

PVC Schedule 30 DWV Thin Wall 3.25 in. 0.D. Pipe and Fittings

(Updated July 10, 2025)

You can't beat the system.®

© 1977-2025 Charlotte Pipe and Foundry Company



Plastic DWV Pipe and Fitting Dimensions

This catalog accurately reflects dimensional information to the best of our knowledge. If the dimensions on your job are critical, please verify dimensional information with our factory.

This dimensional catalog accurately reflects our product line at the time the catalog was printed. However, we add and delete items on an ongoing basis to better serve our customers. Please refer to our current list price sheets for an accurate listing of items offered.

Charlotte Pipe® products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.



All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

Table of Contents

	Page
ABS "Foam Core" Schedule 40 DWV Pipe Data	4
ABS Plus® "Foam Core" Schedule 40 DWV Pipe Data	5
PVC "Foam Core" Schedule 40 DWV Pipe Data	6
PVC Schedule 40 DWV Pipe Data	7
D 3034 PVC Sewer Pipe Data	8
PVC D 2729 Sewer and Drain Pipe Data	9
ConnecTite® Push-Fit DWV Fittings	10-11
PVC and ABS DWV Fittings Dimensions	12-66
PVC Thin Wall Sch. 30 Pipe Data	67
PVC Thin Wall Sch. 30 Fittings	
Dimensions	ó8-74
Certification	75-76
Warranty	77



Download our Tech Tools App for dimensional info, tech calculators and more on your mobile device.



ABS Foam Core Pipe

ABS Schedule 40 DWV Pipe (For Non-Pressure Applications)



ABS SCHEDULE 40 FOAM CORE (BLACK) PLAIN END ASTM F 62							
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID (FT.)	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)	
ABS 3112	1½" x 10'	03132	2590	1.900	0.145	27.1	
ABS 3112	1½" x 20'	03133	5180	1.900	0.145	27.1	
ABS 3200	2" x 10'	03134	1670	2.375	0.154	37.7	
ABS 3200	2" x 20'	03135	3340	2.375	0.154	37.7	
ABS 3300	3" x 10'	03136	750	3.500	0.216	74.5	
ABS 3300	3" x 20'	03137	1500	3.500	0.216	74.5	
ABS 3400	4" x 10'	03138	480	4.500	0.237	107.1	
ABS 3400	4" x 20'	03139	960	4.500	0.237	107.1	
ABS 3600	6" x 10'	03140	200	6.625	0.280	187.8	
ABS 3600	6" x 20'	03141	400	6.625	0.280	187.8	

NSF Listed. Meets All Requirements of ASTM F 628.



NOTICE

NOT FOR PRESSURE

Do not use ABS / ABS Plus® / PVC cellular core (foam core) pipe for pressure applications. The use of cellular core pipe in pressure applications may result in system failure and property damage.

A WARNING

Testing with or use of compressed air or gas in ABS / CPVC / PVC pipe or fittings can result in explosive failures and cause severe injury or death.

ailures and cause severe injury or death.

• NEVER test with or transport/store compressed air or gas in ABS / CPVC /

PVC pipe or fittings.

NEVER test ABS / CPVC / PVC pipe or fittings with compressed air or gas, or air over water boosters.

 ONLY use ABS / CPVC / PVC pipe or fittings for water or approved chemicals.
 Refer to warnings on PPFA's website and

ASTM D 1785.



ABS Plus[®] Foam Core DWV Pipe

ABS Plus is a registered trademark of Charlotte Pipe and Foundry Company.

ABS Plus Schedule 40 DWV Pipe (For Non-Pressure Applications)



ABS PLUS SC	HEDULE 40 FO	AM CORE (PLAIN ENG) AS	TM F 1488	
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID (FT.)	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)
APA 17112	1½" x 10'	12495	2590	1.900	0.145	31.4
APA 17112	1½" x 20'	12494	5180	1.900	0.145	31.4
APA 17200	2" x 10'	12497	1670	2.375	0.154	41.9
APA 17200	2" x 20'	12496	3340	2.375	0.154	41.9
APA 17300	3" x 10'	12499	750	3.500	0.216	84.0
APA 17300	3" x 20'	12498	1500	3.500	0.216	84.0
APA 17400	4" x 10'	12501	480	4.500	0.237	118.80
APA 17400	4" x 20'	12500	960	4.500	0.237	118.80

NSF Listed. Meets All Requirements of ASTM F 1488.



NOT FOR PRESSURE

Do not use ABS / ABS Plus® / PVC cellular core (foam core) pipe for pressure applications. The use of cellular core pipe in pressure applications may result in system failure and property damage.

Testing with or use of compressed air or gas in ABS / CPVC / PVC pipe or fittings can result in explosive

over water boosters.

failures and cause severe injury or death. NEVER test with or transport/store compressed air or gas in ABS / CPVC /

PVC pipe or fittings. NEVER test ABS / CPVC / PVC pipe or fittings with compressed air or gas, or air

ONLY use ABS / CPVC / PVC pipe or fittings for water or approved chemicals. Refer to warnings on PPFA's website and

ASTM D 1785.



PVC Foam Core Pipe

PVC Schedule 40 DWV Pipe (For Non-Pressure Applications)



PVC SCHEDU	JLE 40 FOAM C	ORE (WHITI	E) PLAIN	END	AS	TM F 891
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID (FT.)	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)
PVC 4112	1½" x 10'	04178	1650	1.900	0.145	32.3
PVC 4112	1½" x 20'	04177	3300	1.900	0.145	32.3
PVC 4200	2" x 10'	04174	1110	2.375	0.154	43.9
PVC 4200	2" x 20'	04173	2220	2.375	0.154	43.9
PVC 4300	3" x 10'	03934	1130	3.500	0.216	89.7
PVC 4300	3" x 20'	03935	1000	3.500	0.216	89.7
PVC 4400	4" x 10'	03936	670	4.500	0.237	123.8
PVC 4400	4" x 20'	03937	1340	4.500	0.237	123.8
PVC 4600	6" x 10"	03938	330	6.625	0.280	235.0
PVC 4600	6" x 20"	03939	660	6.625	0.280	235.0
PVC 4800	8" x 20'	03941	360	8.625	0.322	371.0
PVC 4910	10" x 20'	03942	220	10.750	0.365	566.3
PVC 4912	12" x 20'	03943	80	12.750	0.406	700.0

PVC SCHED	PVC SCHEDULE 40 FOAM CORE (WHITE) BELL-END						
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID (FT.)	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)	
PVC 4300B	3" x 20'	04782	1000	3.500	0.216	89.7	
PVC 4400B	4" x 10'	04783	670	4.500	0.237	123.8	
PVC 4400B	4" x 20'	04784	1340	4.500	0.237	123.8	
PVC 4600B	6" x 10"	09904	330	6.625	0.280	235.0	
PVC 4600B	6" x 20"	04786	660	6.625	0.280	235.0	

NOTE: When ordering, please specify plain end or bell end.

NSF Listed. Meets All Requirements of ASTM F 891.

NOTICE

NOT FOR PRESSURE

Do not use ABS / ABS Plus® / PVC cellular core (foam core) pipe for pressure applications. The use of cellular core pipe in pressure applications may result in system failure and property damage.

△ WARNING

Testing with or use of compressed air or gas in ABS / CPVC / PVC pipe or fittings can result in explosive failures and cause severe injury or death.



- NEVER test with or transport/store compressed air or gas in ABS / CPVC / PVC pipe or fittings.
 NEVER test ABS / CPVC / PVC pipe or
- NEVER test ABS / CPVC / PVC pipe or fittings with compressed air or gas, or air over water boosters.
 ONLY use ABS / CPVC / PVC pipe or
- Refer to warnings on PPFA's website and ASTM D 1785.

 Refer to warnings on PPFA's website and ASTM D 1785.



PVC Schedule 40 DWV Pipe

PVC Schedule 40 DWV Pipe



PVC SCHEDU	LE 40 (WHITE)	PLA	IN END	PVC 11	20 A	STM D 2665
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)
PVC 7100*	11/4"x10'	03945	2120′	1.660	.140	42.4
PVC 7100*	11/4"x20'	03946	4240′	1.660	.140	42.4
PVC 7112*	1½"x10'	03947	1650′	1.900	.145	51.8
PVC 7112*	1½"x20'	03948	3300′	1.900	.145	51.8
PVC 7200*	2"x10"	03949	1110′	2.375	.154	69.5
PVC 7200*	2"x20"	03950	2220′	2.375	.154	69.5
PVC 7300*	3"x10'	03951	1130′	3.500	.216	144.2
PVC 7300*	3"x20"	03952	1000′	3.500	.216	144.2
PVC 7400†	4"x10"	03953	670′	4.500	.237	205.5
PVC 7400†	4"x20"	03954	1340′	4.500	.237	205.5
PVC 7500†	5"x20'	04837	760′	5.563	.258	272.5
PVC 7600†	6"x10"	03955	330′	6.625	.280	361.2
PVC 7600†	6"x20"	03956	660′	6.625	.280	361.2
PVC 7800†	8"x10"	13087	140′	8.625	.322	543.6
PVC 7800†	8"x20"	03958	280′	8.625	.322	543.6
PVC 7910†	10"x20'	03959	220′	10.750	.365	770.7
PVC 7912†	12"x20'	03961	120′	12.750	.406	1019.0
PVC 7914†	14"x20'	04862	60′	14.000	.437	1205.0
PVC 7916†	16"x20'	04918	60′	16.000	.500	1575.7

^{*} Dual Marked ASTM D 1785 & ASTM D 2665.

† Triple Marked ASTM D 1785 & ASTM D 2665 & ASTM F 480.

NSF Listed. Meets All Requirements of ASTM D 1784, ASTM D 1785, and ASTM D 2665.



A WARNING

Testing with or use of compressed air or gas in ABS / CPVC / PVC pipe or fittings can result in explosive failures and cause severe injury or death.

 NEVER test with or transport/store compressed air or gas in ABS / CPVC / PVC pipe or fittings.

 NEVER test ABS / CPVC / PVC pipe or fittings with compressed air or gas, or air over water boosters.
 ONLY use ABS / CPVC / PVC pipe or

 ONLY use ABS / CPVC / PVC pipe or fittings for water or approved chemicals.
 Refer to warnings on PPFA's website and ASTM D 1785.



PVC Sewer Pipe

PVC SDR 35 PSM Pipe

ASTM D 3034 & ASTM F 477

SDR-35	GASKETED - PS 46						
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID (FT.)	LAYING LENGTH	WT. PER 100 FT. (LBS.)	AVG. OD (IN.)	MIN. WALL (IN.)
S/M 6004G	4"x14"	11920	938	14'-0"	110.4	4.215	.120
S/M 6004G	4"x20"	04012	1340	20′-0″	109.7	4.215	.120
S/M 6006G	6"x14"	11921	462	14′-0″	249.6	6.275	.180
S/M 6006G	6"x20"	04016	660	20′-0″	247.0	6.275	.180
S/M 6008G	8"x14"	11922	196	14'-0"	451.0	8.400	.240

Weight is approximate and is for shipping purposes only.

SDR-35	SOLVENT WELD - PS 46						
PART NO.	NOM. SIZE	NOM. SIZE UPC # QTY. PER LAYING WT. PER AVG. OD MIN. WALL (IN.) (IN.) (IN.)					
S/M 6004	4"x10'	04008	670	10′-0″	108.3	4.215	.120
S/M 6004	4"x20'	04009	1340	20′-0″	108.3	4.215	.120
S/M 6006	6"x10'	04013	330	10′-0″	241.7	6.275	.180
S/M 6006	6"x20'	04014	660	20′-0″	241.7	6.275	.180

Weight is approximate and is for shipping purposes only.

Meets All Requirements of ASTM D 3034.

SDR 35 Gaskets meet or exceed ASTM F 477. Gasketed joints meet ASTM D 3212.



NOTICE

NOT FOR PRESSURE

Do not use PVC Sewer pipe for pressure applications. The use of sewer pipe in pressure applications may result in system failure and property damage.

A WARNING

Testing with or use of compressed air or gas in ABS / CPVC / PVC pipe or fittings can result in explosive failures and cause severe injury or death.

ilures and cause severe injury or death.

• NEVER test with or transport/store compressed air or gas in ABS / CPVC /

over water boosters.

compressed air or gas in ABS / CPVC / PVC pipe or fittings. NEVER test ABS / CPVC / PVC pipe or fittings with compressed air or gas, or air

 ONLY use ABS / CPVC / PVC pipe or fittings for water or approved chemicals.
 Refer to warnings on PPFA's website and

ASTM D 1785.



PVC Sewer and Drain Pipe

PVC ASTM D 2729 Pipe

	SOLVENT WELD BELLED END ASTM D 2729						2729
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID	AVG. OD (IN.)	MIN. WALL (IN.)	BELL DEPTH (IN.)	WT. PER 100 FT. (LBS.)
PVC 30030	3" x 10'	10903	1130′	3.250	0.070	3.00	52.8
PVC 30040	4" x 10'	10905	670′	4.215	0.075	3.50	70.4
PVC 30060	6" x 10'	15149	330′	6.275	0.100	4.00	129.0

Perforated PVC ASTM D 2729 Pipe

	SOLVENT WELD BELLED END ASTM D 2729					2729	
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER Skid	AVG. OD (IN.)	MIN. WALL (IN.)	BELL DEPTH (IN.)	WT. PER 100 FT. (LBS.)
PVC 30030P	3" x 10'	11814	1130′	3.250	0.070	3.00	52.8
PVC 30040P	4" x 10'	11815	670′	4.215	0.075	3.50	70.4

Perforated pipe is supplied with two rows of 1/2'' diameter holes every five inches. Rows are parallel to the pipe axis and are 120° apart.

Weight is approximate and is for shipping purposes only.

Pipe listed in this section meets or exceeds the requirements of ASTMD 2729.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.



NOTIC

NOT EOD DDESSIDE

Do not use PVC Sewer pipe for pressure applications. The use of sewer pipe in pressure applications may result in system failure and property damage.

A WARNING

Failure to follow safety precautions may result in misapplication or improper installation and testing which can cause severe personal injury and / or property damage. Primers and cements are extremely flammable and may be explosive. Do not store or use near heat or open

- be explosive. Do not store or use near heat or open flame, or death or serious injury may occur.


 Solvent fumes created during the joining process are heavier than air and may be trapped in newly installed
- piping systems.
 Ignition of the solvent vapors caused by spark or flame
- may result in injury or death from explosion or fire.
- Read and obey all manufacturers' warnings and any instructions pertaining to primers and cements.
- Provide adequate ventilation to reduce fire hazard and to minimize inhalation of solvent vapors when working with cements, primers and new piping systems.



PART NO. CTT 100

ConnecTite Coupling


	HUB X HUB					
SIZE	A	В				
11/2	1/8	215/32				
2	1/8	219/32				
3	6/32	321/32				



PART NO. CTT 300

ConnecTite 1/4 Bend

	HUB X HUB					
SIZE	A					
11/2	13/4					
2	2 ⁵ / ₁₆					
3	3					



PART NO. CTT 321

ConnecTite 1/8 Bend

HUB X HUB		
SIZE	A	
11/2	13/32	
2	1 ¹⁵ / ₃₂	
3	111/16	




ConnecTite is a registered trademark of Charlotte Pipe and Foundry Company.

^{*} ConnecTite fittings may be used in PVC-DWV and ABS-DWV systems.



PART NO. CTT 400 ConnecTite Sanitary Tee


	ALL HUB			
SI	ZE	A	В	
11/2	1:	23/32 2	221/32	
2	2	%2 3	3 ¹⁹ / ₃₂	
3	3	1/32 4	²⁵ / ₃₂	



PART NO. CTT 800 S

ConnecTite Closet Flange

HUB				
SIZE	Α	В	С	D
4 x 3	7	215/32	⁷ / ₁₆	123/32




^{*} ConnecTite fittings may be used in PVC-DWV and ABS-DWV systems.



PVC and ABS DWV Fittings

HUB DIMENSIONS



SIZE	A	В	С	D
11/2	1.910	1.895	.687	.156
2	2.385	2.370	.750	.156
3	3.515	3.495	1.500	.218
4	4.515	4.495	1.750	.250
6	6.647	6.614	3.000	.281

D١	1	•

SIZE	A	В	C	D
11/4	1.675	1.650	.687	.156
11/2	1.915	1.895	.687	.156
2	2.390	2.370	.750	.156
3	3.520	3.495	1.500	.218
4	4.520	4.495	1.750	.250
6	6.647	6.614	3.000	.281
8	8.655	8.610	4.000	.322
10	10.776	10.737	5.000	.365
12	12.778	12.736	6.000	.406
14	14.035	13.985	7.000	.437
16	16.045	15.980	8.000	.500



Coupling HUB X HUB			
SIZE	SIZE A B		
11/4	1/8	15/8	
11/2 (PVC)	1/8	19/16	
1½ (ABS)	1/8	15/8	
2 (PVC)	15/64	13/4	
2 (ABS)	1/8	113/16	
3	3/16	33/16	
4	1/4	33/4	
6	1/4	61/4	
8 (PVC)	1/4	81/4	
10 (PVC)	5/16	10%	
12 (PVC)	3/8	137/16	
14 ^(F) (PVC)	3	17	
16 ^(F) (PVC)	3 %	19 %	



(F) Fabricated



Female Adapter

i ciliale Adaptei			
	FPT X HUB		
SIZE	A		
11/4 (PVC)	1/8		
11/2 (PVC)	1/4		
11/2 (ABS)	³ / ₁₆		
2 (PVC)	1/4		
2 (ABS)	5/32		
3 (PVC)	⁵ / ₁₆		
3 (ABS)	7/32		
4	11/32		
6 (PVC)	1/4		
6 (ABS)	3/32		
8 (PVC)	9/16		
10 ^(F) (PVC)	2 1/8		
12 ^(F) (PVC)	3 3/16		



PART NO. PVC 101 X

Female Adapter with Cleanout Plug

FPT X HUB		
SIZE		
8 (PVC)	See Part No. 101 and 106	
10 ^(F) (PVC)		
12 ^(F) (PVC)		

(F) Fabricated



PART NO. 102 Pipe Increaser–Reducer

нив х нив			
SIZE	A	N	
1½ x 2 (PVC)	25/32	17/32	
11/2 x 2 (ABS)	23/32	5/8	
1½ x3	311/32	13/32	
2 x 3 (PVC)	35/32	7/8	
2 x 3 (ABS)	317/32	11/8	
2 x 4 (PVC)	4	13/8	
2 x 4 (ABS)	41/16	13/8	
3 x 4	43/16	¹⁵ / ₁₆	
3 x 6 (PVC)	61/2	2	
4 x 6 (PVC)	69/32	13/4	
4 x 8 (PVC)	71/2	123/32	
6 x 8 (PVC)	813/32	113/32	
4 x 10** (PVC)	11 ²⁵ / ₆₄	415/32	
4 x 12** (PVC)	133/8	519/32	
4 x 14 ^(F) (PVC)	19	93/4	
4 x 16 ^(F) (PVC)	205/8	101/4	
6 x 10 (PVC)	927/32	17/8	
6 x 12** (PVC)	133/8	43/8	
6 x 14 ^(F) (PVC)	203/4	1015/32	
6 x 16 ^(F) (PVC)	221/8	1023/32	
8 x 10 (PVC)	103/4	11/16	
8 x 12 (PVC)	123/4	21/16	
8 x 14 ^(F) (PVC)	221/2	113/8	
8 x 16 ^(F) (PVC)	241/4	121/8	
10 x 12 (PVC)	123/4	111/16	
10 x 14 ^(F) (PVC)	173/4	53/4	
10 x 16 ^(F) (PVC)	25	12	
12 x 14 ^(F) (PVC)	16 ¹¹ / ₁₆	33/16	
12 x 16 ^(F) (PVC)	203/4	67/16	
14 x 16 ^(F) (PVC)	197/8	47/16	



⁽F) Fabricated

^{**} Assembled from two molded components



Trap Adapter—Male, Less Washer & Metal Nut


DWV SPIGOT X TUBULAR SLIP		
SIZE	A	
1½ x 1¼ (PVC)	13/64	
11/2	13/64	
2	3/16	



PART NO. 103 P

Trap Adapter—Male, with Washer & Polyethylene Nut


	DWV SPIGOT X TUBULAR SLIP		SLIP
SIZE A			
	1½ x 1¼	13/64	
	11/2	13/64	
Ī	2 (PVC)*	³ / ₁₆	



PART NO. 103 R

Trap Adapter—Male, with 11/2" PVC Nut & Washer & 11/2" x 11/4" Washer


DWV SPIG	DWV SPIGOT X TUBULAR SLIP WITH PVC NUT		
SIZE	A		
11/2	3/16		



PART NO. 103 W

Trap Adapter-Male, with Washer & PVC Nut

DWV SPIGOT X TUBULAR SLIP WITH PVC NUT				
SIZE	A			
1½ x 1¼	13/64			
11/2	13/64			
2	3/16			




^{*} Plastic nut on 2" fitting



PART NO. 103 X

Trap Adapter-Male, with Washer & **Chrome Nut**

DWV SPIGOT X TUBULAR SLIP		
SIZE	Α	
11/2 x 11/4	13/64	
11/2	13/64	_
2 (PVC)	3/16	



PART NO. 104

Trap Adapter-Female


DWV HUB X TUBULAR SLIP		
SIZE	Α	
1½ x 1¼	5/16	
11/2	3/16	



PART NO. 104 P

Trap Adapter-Female, with Washer & Polyethylene Nut


	DWV HUB X TUBULAR SLIP		
SIZE A			
	11/4 (PVC)	3/16	
	1½ x 1¼	5/16	
	11/2	3/16	



PART NO. 104 R

Trap Adapter-Female, with 11/2" PVC Nut & Washer & 11/2" x 11/4" Washer

DMA HOR Y LOROTAK 2FIL MILH LAC NOT		
SIZE	A	
11/2	3/16	






PART NO. 104 W

Trap Adapter—Female, with Washer & PVC Nut

DWV HUB X TUBULAR SLIP WITH PVC NUT

DWVIIOD	DWY HOD X TODOLAR SEIL WITH I VC NOT		
SIZE	Α		
11/4 (PVC)	3/16		
1½ x 1¼	5/16		
11/2	3/16		
2	3/32	_	




PART NO. 104 X

Trap Adapter—Female, with Washer & Chrome Nut

DWV HUB X TUBULAR SLIP

DMA UND Y INDOPRICAL 2FILE		
SIZE	A	
11/4 (PVC)	³ / ₁₆	
1½ x 1¼	⁵ / ₁₆	
11/2	3/16	
2	3/32	



PART NO. 105

Fitting Cleanout Adapter

SPIGOT X FPT			
SIZE A B			
11/4 (PVC)	3/16	3/4	
1½ (PVC)	5/32	3/4	
1½ (ABS)	3/16	23/32	
2 (PVC)	5/32	7/8	
2 (ABS)	1/16	27/32	
3 (PVC)	7/32	114/32	
3 (ABS)	7/32	15/32	
4 (PVC)	1/4	7/8	
4 (ABS)	7/32	19/32	
6 (PVC)	5/16	11/16	
8 (PVC)	3/8	11/2	
10 ^(F) (PVC)	¹⁵ / ₁₆	121/32	
12 ^(F) (PVC)	11/8	2	




(F) Fabricated



PART NO. 105 X

Fitting Cleanout Adapter with Cleanout Plug

SIZE	A	
For dimensions see	e part number	s 105 and 106.



PART NO. 106

Cleanout Plug

мрт			
SIZE	A	В	
11/2	13/8	5/8	
2	13/8	5/8	
21/2 (ABS)	11/2	3/4	
3	13/4	3/4	
4	17/8	7/8	
6 (PVC)	2	1	
6 (ABS)	17/8	31/32	
8 (PVC)	23/8	13/8	
10 (PVC)	27/16	17/16	
12 (PVC)	217/32	117/32	



PART NO. PVC 106 A

Cleanout Plug with O-Ring

	MP		
SIZE	Α	В	
2	19/16	11/16	
3	1 ¹⁵ / ₁₆	23/32	
4	2	3/4	





Flush Bushing

SPIGOT X HUB				
С	SEE IMAGE NO.			
1/4	2			
5/16	2			
5/16	1			
3/16	2			
5/32	1			
1	1			
25/ ₃₂	2			
7/8	1			
23/32	2			
11/8	1			
13/16	2			
1/2	2			
1/4	2			
13/4	2			
121/32	2			
27/8	1			
15/8	1			
47/16	11			
35/32	1			
11/2	1			
55/32	1			
45/32	1			
21/2	1			
11/2	1			
	t 1/4 5/16 5/16 3/16 5/16 3/16 5/32 1 25/32 7/8 23/32 11/8 13/16 1/2 1/4 13/4 121/32 27/8 47/16 35/32 11/2 55/32 45/32 21/2			



Image No. 1



Image No. 2

^{**} Assembled from two molded components



PART NO. PVC 107

Concentric Reducer Bushing

	SPIGOT X H	IUB	
SIZE	С		
14 x 4 ^(F) (PVC)	8		
14 x 6 ^(F) (PVC)	863/64		
14 x 8 ^(F) (PVC)	97/16		
14 x 10 ^(F) (PVC) 95/8		
14 x 12 ^(F) (PVC	73/8		
16 x 4 ^(F) (PVC)	83/4		
16 x 6 ^(F) (PVC)	91/4		
16 x 8 ^(F) (PVC)	101/4		
16 x 10 ^(F) (PVC) 101//8		
16 x 12 ^(F) (PVC) 105//8		
16 x 14 ^(F) (PVC) 91/4		



PART NO. 108

Flush Bushing (Cleanout Adapter)

	SPIGOT X FPT				
SIZE	С				
2 x 1½	5/16				
8 x 6 ^(CP) (PVC)	15/8				



PART NO. PVC 108 X

Flush Bushing (Cleanout Adapter) with Plug

SPIGOT				
SIZE	Α	В	С	
10 x 8 (PVC)	23/8	13/8	3 1/8	
12 x 8 (PVC)	2 3/8	1 3/8	4 1/8	



⁽F) Fabricated

⁽CP) PVC 108, 8"x6" is available only as a component part of PVC 444X.

Note: If PVC or ABS is not listed for a specific size, that size fitting is available in PVC and ABS materials. and the dimensions listed are the same for both materials.



PART NO. 109

Male Adapter

MPT X HUB See Part Number 104

SEE PART NUMBER 104				
SIZE	A	SEE IMAGE NO.		
11/4 (PVC)	3/16	1		
11/4 x 11/2 (PVC)	³ / ₁₆	1		
11/2	3/16	1		
2	3/16	2		
3	3/8	2		
4	3/8	2		



Image No. 1



Image No. 2

PART NO. 110

Flush Cleanout Plug

& PVC 110 B

Flush Cleanout Plug with Threaded Brass Insert

	MPI		
SIZE	A	В	
2 (PVC)	5/8	1/2	
2 (ABS)	11/16	1/2	
3 (PVC)	3/4	3/4	
3 (ABS)	²⁷ / ₃₂	3/4	
4 (PVC)	3/4	3/4	
4 (ABS)	7/8	3/4	





PART NO. PVC 110 A

Flush Cleanout Plug with O-Ring

			-	_
MPT				
SIZE	A	В		
2	27/32	21/32		
3	11/32	¹³ / ₁₆		
4	1	3/4		





Male Fitting Adapter

MPT X SPIGOT			
SIZE	Α	В	
11/2	113/16	3/4	
11/2 x 11/4 (PVC)	111/16	11/16	
2 (PVC)	115/16	7/8	
2 (ABS)	17/8	7/8	
3 (PVC)	31/16	11/2	



PART NO. PVC 113

Tray Plug Adapter

HOD			
SIZE	Α	В	
11/2 (PVC)	29/16	17/32	



PART NO. ABS 113 S

Tray Plug Adapter

	SPIGOT			
Ī	SIZE	Α	В	
Ī	1½ (ABS)	35/16	1/4	



PART NO. ABS 114

Threaded Cap

FPT .				
SIZE	Α			
11/6/ARS)	7/0			



(F) Fabricated



PART NO. PVC 115


Adapter Coupling SDR 35 HUB X DWV HUB

_	ODIN	331105	X DITT HOD
	SIZE	Α	
	8 ^(F) (PVC)	13/4	
	10 ^(F) (PVC)	31/2	
	10 x 8 ^(F) (PVC)	31/2	
	12 ^(F) (PVC)	1	



PART NO. 116

Cap SOCKET			
SIZE	A	С	
11/2 (PVC)	111/16	13/32	
11/2 (ABS)	11/4	11/16	
2 (PVC)	127/32	15/32	
2 (ABS)	13/16	31/32	
3 (PVC)	215/16	1 29/32	
3 (ABS)	23/32	$1^{27}/_{32}$	
4 (PVC)	31/8	21/32	
4 (ABS)	211/32	13/4	
6 (PVC)	43/4	35/8	
6 (ABS)	315/32	31/32	
8 (PVC)	613/32	4	
10 (PVC)	73/4	5	
12 (PVC)	97/16	6	
14 ^(F) (PVC)	51/2	51/16	
16 ^(F) (PVC)	53/4	51/4	



PART NO. 117

Adapter Coupling

(Adapts Sewer and Drain Spigot to DWV Spigot)

HUB X HUB		
SIZE	Α	
3 x 3** (PVC)	1/8	
4 x 3	3/4	
4 x 4 (PVC)	1/2	
4 x 4 (ABS)	3/8	



⁽F) Fabricated

^{**} Assembled from two molded components



PART NO. PVC 117 X

Adapter Bushing

(Adapts Sewer and Drain Hub to DWV Spigot)

SPG X HUB		В
SIZE	Α	
4 x 3 (PVC)	1/4	



PART NO. 118

Adapter Bushing

(Adapts DWV Hub to Sewer and Drain Spigot)

DWV SPIGOT X HUB			
SIZE	A	В	
3	1/4	13/4	
4	1/4	2	



PART NO. 119

No-Hub Adapter

(Adapts Cast Iron No-Hub Spigot to DWV Spigot)

SPIGOT X HUB
A
127/32
1 ²³ / ₃₂
1%
111/16
1 ¹³ ⁄ ₁₆
1 ²⁷ / ₃₂
25/32





PART NO. PVC 120

Adapter Bushing

DWV SPIGOT X SDR 35 HUB		
SIZE	Α	
8 ^(F) (PVC)	5/8	
10 ^(F) (PVC)	5/8	
12 ^(F) (PVC)	5/8	



PART NO. 122

Spigot Adapter, Cast Iron

(Adapts Cast Iron Spigot to DWV Spigot)

	HUB X HUB	
SIZE	A	
2 x 2	3/8	
3 x 3 (PVC)	7/16	
4 x 4 (PVC)	1/2	
4 x 4 (ABS)	7/16	



PART NO. 123

Hub Adapter, Cast Iron

(Adapts DWV Spigot to Cast Iron Hub)

		HUB X SPIGUT	
Ξ	SIZE	A	
	2 x 2 ^(P)	323/32	
	3 x 3 ^(P) (PVC)	45/64	
Ξ	4 x 4 ^(P)	4 ²⁵ / ₆₄	



⁽P) Plain End: Joint can be made with compression gasket only.


Note: If PVC or ABS is not listed for a specific size, that size fitting is available in PVC and ABS materials, and the dimensions listed are the same for both materials.



PART NO. PVC 123 R

Hub Adapter, Cast Iron, Increaser (Adapts DWV Spigot to Cast Iron Hub)

	HUB X	SPIGOT
SIZE	Α	
1½ x 2 ^(P) (PVC)	31/2	
3 x 4 ^(P) (PVC)	4	



PART NO. 130

Repair Coupling

	HUB X HUB	
SIZE	A	
1½ (PVC)	15/8	
1½ (ABS)	11/2	
2 (PVC)	17/8	
2 (ABS)	1 ¹³ / ₁₆	
3	33/16	
4 (PVC)	33/4	
4 (ABS)	317/32	
6 (PVC)	61/4	
8 ^(F) (PVC)	83/16	
10 ^(F) (PVC)	103/16	
12 ^(F) (PVC)	123/16	




⁽P) Plain End: Joint can be made with compression gasket only.

⁽F) Fabricated



PART NO. PVC 131


	Test Ca	P ^(C1)	
SIZE	A		
1½ (PVC)	9/32		
2 (PVC)	9/32		
3 (PVC)	5/16		
4 (PVC)	3/8		



PART NO. PVC 132

Outside Diameter Test Cap^[C2]

SIZE	A	
11/2 (PVC)	9/16	
2 (PVC)	9/16	
3 (PVC)	9/16	
4 (PVC)	9/16	



PART NO. 300

1/4 Bend

(Sanitary 90° EII) ALL HUB SIZE Δ 11/4 (PVC) 19/16 11/2 13/4 2 (PVC) 25/16 2 (ABS) 21/4 3 31/16 4 37/8 6 5 8 (PVC) 6 10 (PVC) 99/32 12 (PVC) 11 14(F) (PVC) 163/4 16(F) (PVC) 209/16



⁽C1) Inserts into pipe

⁽C2) Inserts over pipe

⁽F) Fabricated



PART NO. PVC 300 A

Short 1/4 Bend^(N)

	(90° EII) ALL HUB	
SIZE	В	
8 ^(N) (PVC)	41/2	
10 ^(N) (PVC)	61/4	
12 ^(N) (PVC)	7 5/ ₁₆	



PART NO. 300 R

1/4 Bend, Reducing


	ALL HUB			
SIZE	Α	В		
2 x 1½	27/16	25/16		



PART NO. 300S

1/4 Bend with Side Inlet

HUB X HUB				
SIZE	Α	В	С	
3 x 3 x 1½ (PVC)	35/64	11//8	¹⁵ / ₁₆	
3 x 3 x 2	35/64	17/8	¹⁵ / ₁₆	




(N) Not a sanitary pattern



PART NO. PVC 301

Vent 1/4 Bend, Street

SIZE	Α	В	
8 ^(F) (PVC)	41/2	131/2	
10 ^(F) (PVC)	61/4	183/4	
12 ^(F) (PVC)	75/16	18 ¹³ / ₁₆	



PART NO. 302

1/4 Bend, Street (Sanitary 90° Street EII)

SFIGULA HUB				
Α	В			
15/8	25/16			
13/4	21/2			
25/16	33/16			
31/16	49/16			
37/8	55/8			
53/16	81/8			
61/8	10			
147/16	193/4			
16¾	19			
161/4	23%16			
197/8	237/16			
	15/8 13/4 25/16 31/16 37/8 53/16 61/8 147/16 163/8 161/4	15/8 25/16 13/4 2½ 25/16 33/16 31/16 49/16 37/8 55/8 53/16 81/8 61/8 10 147/16 193/4 163/8 19		



⁽F) Fabricated



1/4 Bend, with Low Heel Inlet

ALL HUB			
SIZE	Α	В	
3 x 3 x 1½ (PVC)	31/16	43/16	
3 x 3 x 1½ (ABS)	31/16	41/8	
3 x 3 x 2	31/16	47/16	
4 x 4 x 2	37/8	57/16	



PART NO. 304

Long Sweep 1/4 Bend


	HUB X HUB	
SIZE	A	
11/2	23/4	
2	31/4	
3 (PVC)	41/16	
3 (ABS)	4	
4	4 ¹⁵ / ₁₆	
6 (PVC)	9	



PART NO. PVC 305

Long Sweep 1/4 Bend with High Heel Inlet

SIZE	Α	В	С	
3 x 3 x 2 (PVC)	41/16	55/8	21/4	





Long Sweep 1/4 Bend with Low Heel Inlet

	SIZE	Α	В	
3	3 x 3 x 1½ (ABS)	4	419/32	
3	x 3 x 2 (PVC)	41/16	415/16	
3	x 3 x 2 (ABS)	315/16	413/16	



PART NO. 309

Long Sweep 1/4 Bend, Street

HUB X SPIGOT			•
SIZE	Α	В	
11/2 (PVC)	23/4	319/32	
11/2 (ABS)	225/32	315/32	
2	31/4	41/8	
3	45/32	5%16	
4 (PVC)	415/16	611/16	
	1½ (PVC) 1½ (ABS) 2 3	SIZE A 1½ (PVC) 2¾ 1½ (ABS) 2²5/₃2 2 3¼ 3 45/₃2	SIZE A B 1½ (PVC) 2¾ 3¹⅓2 1½ (ABS) 2²⁵⅓2 3¹⁵⅓2 2 3¼ 4⅓8 3 4⁵⅓2 5⁵⅓6



PART NO. 310

1/4 Bend, Street with Low Heel Inlet

110	HUB X SPIGOT X HUB				
SIZE	Α	В	С		
3 x 3 x 2	31/16	515/16	49/16		





PART NO. PVC 311

Long Sweep 1/4 Bend, with Side Inlet

ALL HUB				
SIZE	Α	В	С	
3 x 3 x 2 (PVC)	41/16	13/8	13/4	





PART NO. 319

1/6 Bend

SIZE	HÙB X HÚB A	
11/2	1	
	157	
2 (PVC)	15/16	
2 (ABS)	11/4	
3	111/16	
4 (PVC)	21/16	
4 (ABS)	2	



PART NO. 320

1/6 Bend, Street

(60° Street EII) HUB X SPIGOT			
SIZE	A	В	
11/2	1	13/4	
2	15/16	23/16	
3	111/16	33/16	
4 (PVC)	21/16	313/16	





	1/8 Bend (45° EII) HUB X HUB	
SIZE	A	
11/4 (PVC)	1	
11/2	11/8	
2	11/2	
3	13/4	
4	23/16	
6	21/16	
8 (PVC)	21/16	
10 (PVC)	31/8	
12 (PVC)	331/64	



PART NO. 323

14(F) (PVC)

16(F) (PVC)

1/8 Bend, Street

81/4

105/16

(45° Street EII) SPIGOT X HUB SIZE В 11/4 (PVC) 13/4 11/2 (PVC) 11/8 17/8 11/2 (ABS) 11/16 17/8 11/2 23/16 2 (PVC) 2 (ABS) $1^{15}/_{32}$ 21/8 13/4 31/4 4 23/16 315/16 6 (PVC) 21/16 55/64 5 6 (ABS) 21/16 2 63/32 8 (PVC) 10 (PVC) 31/8 85/32 331/64 12 (PVC) 91/2 14(F) (PVC) 93/8 159/16 16(F) (PVC) 105/16 181/2



(F) Fabricated



1/16 Bend

(22 ¹ / ₂ ° EII) HUB X HUB		
SIZE	A	
11/2	1/2	
2 (PVC)	11/16	
2 (ABS)	1/2	
3	¹³ / ₁₆	
4	1	
6	11/2	
8 (PVC)	11/2	
10 (PVC)	2	
12 (PVC)	2	
14 ^(F) (PVC)	51/4	
16 ^(F) (PVC)	5 ¹³ / ₁₆	



PART NO. 326

1/16 Bend, Street

[221/2° Street EII] SPIGOT X HUB SIZE Α R 11/2 1/2 11/4 2 11/16 11/2 3 13/16 25/16 4 1 $2^{3}/_{4}$ 6 (PVC) 11/2 53/64 17/16 57/16 8 (PVC) 10(F) (PVC) 511/16 113/4 51/2 141/16 12(F) (PVC) 14(F) (PVC) 69/16 $13^{7}/_{8}$ 16(F) (PVC) 85/16 163/4




(F) Fabricated



Double 1/4 Bend

	LL HUB		
SIZE	Α	В	
11/2	13/4	13/4	
2 (PVC)	25/16	25/16	
2 (ABS)	21/4	25/16	
3 (PVC)	31/16	31/16	
3 (ABS)	3	3	
2 x 1½ x 1½ (PVC)	115/16	23/16	
2 x 1½ x 1½ (ABS)	129/32	2	



PART NO. PVC 328

1/32 Bend

HUB X HUB		
SIZE	A	
8 ^(F) (PVC)	51/8	
10 ^(F) (PVC)	57/8	
12 ^(F) (PVC)	5 ¹¹ / ₁₆	



⁽F) Fabricated



Closet Bend, Reducing

_	HUB X HUB					
	SIZE					
	3 x 4 (PVC)	3	33/8			
	3 x 4 (ABS)	33/32	37/16			



PART NO. 330

Closet Bend, Reducing

HUB X SPIGUT					
SIZE	A	В			
3 x 4	5	311/32			



PART NO. 330 X

Closet Bend, Reducing with Test Cap

HUB X SPIGOT					
SIZE	Α	В			
3 x 4	5	311/32			



PART NO. 331

Vent Ell

(90° Short Turn Ell)

` HUB X HUB					
SIZE	A				
11/2	13/16				
2	11/2				
3	17/8				





Vent Ell, Street (90° Short Turn Street Ell)

HUB X SPIGOT					
SIZE	Α	В			
11/2 (PVC)	17/32	115/16			
11/2 (ABS)	13/16	115/16			
2	11/2	23/8			
3 (PVC)	17/8	31/2			



PART NO. 400

Sanitary Tee

SIZE	Α	В	
11/4 (PVC)	19⁄16	25/16	
1½ (PVC)	13/4	23/4	
11/2 (ABS)	123/32	221/32	
2 (PVC)	25/16	311/16	
2 (ABS)	25/16	319/32	
3 (PVC)	31/16	47/8	
3 (ABS)	31/32	413/16	
4	37/8	61/8	
6	5	81/2	
8 (PVC)	6	101/2	
10 ^(F) (PVC)	16 ¹³ / ₃₂	161/2	
12 ^(F) (PVC)	191/8	191/2	




(F) Fabricated



PART NO. PVC 400 A

Straight Tee ^(N)

ALL HUB							
Α	В	С	E				
9	41/2	41/2	41/2				
121/2	61/4	61/4	65/16				
147/16	77/32	77/32	71/4				
21	101/2	101/2	115/8				
237/8	11 ¹⁵ / ₁₆	11 ¹⁵ / ₁₆	143/16				
	9 12½ 14½ 21	A B 9 4½ 12½ 6¼ 14¼ 7⅓ 21 10½	A B C 9 4½ 4½ 12½ 6¼ 6¼ 147¼ 7½32 7½32 21 10½ 10½				



PART NO. 401

Sanitary Tee, Reducing

	ALL HUB		•
SIZE	Α	В	С
2 x 1½ x 1½ (PVC)	23/16	31/8	115/16
2 x 1½ x 1½ (ABS)	25/32	31/16	129/32
2 x 1½ x 2 (PVC)	25/16	311/16	25/16
2 x 1½ x 2 (ABS)	29/32	319/32	21/4
2 x 2 x 1½ (PVC)	23/16	31/32	115/16
2 x 2 x 11/2 (ABS)	23/16	3	115/16
3 x 3 x 1½ (PVC)	29/16	211/16	13/4
3 x 3 x 1½ (ABS)	21/2	25/8	123/32
3 x 3 x 2 (PVC)	27/8	35/16	21/8
3 x 3 x 2 (ABS)	27/8	31/4	21/32
4 x 4 x 11/2 (PVC)	31/4	31/16	2
4 x 4 x 2	35/16	33/16	21/16
4 x 4 x 3 (PVC)	39/16	43/4	3
4 x 4 x 3 (ABS)	317/32	421/32	231/32
6 x 6 x 4 (PVC)	4 ²⁷ / ₃₂	63/64	3 ²⁵ / ₃₂
6 x 6 x 4 (ABS)	49/32	5 ²⁵ / ₃₂	319/32
8 x 8 x 4** (PVC)	91/8	107/16	6
8 x 8 x 6** (PVC)	73/4	1031/64	63/64



⁽F) Fabricated

⁽N) Not a sanitary pattern


^{**} Assembled from two molded components



PART NO. PVC 401 A

Straight Tee, Reducing (N)

ALL	ALL HUB					
SIZE	A	В	С			
8 x 8 x 4 ^{(N)**} (PVC)	77/8	101/2	51/4			
8 x 8 x 6 ^{(N)**} (PVC)	67/8	101/2	51/4			
10 x 10 x 4 ^{(N)**} (PVC)	91/4	103/8	53/16			
10 x 10 x 6 ^{(N)**} (PVC)	8	103//8	53/16			
10 x 10 x 8 ^(N) (PVC)	611/32	103//8	53/16			
12 x 12 x 4 ^{(N)***} (PVC)	927/32	101/4	51/8			
12 x 12 x 6 ^{(N)**} (PVC)	829/32	101/4	51/8			
12 x 12 x 8 ^(N) (PVC)	75/32	101/4	51/8			
12 x 12 x 10 ^(N) (PVC)	73/16	127/16	67/32			
14 x 14 x 4 ^{(N)(F)} (PVC)	1011/16	10	5			
14 x 14 x 6 ^{(N)(F)} (PVC)	111/4	12	6			
14 x 14 x 8 ^{(N)(F)} (PVC)	115/8	15	71/2			
14 x 14 x 10 ^{(N)(F)} (PVC)	12	17	81/2			
14 x 14 x 12 ^{(N)(F)} (PVC)	123⁄8	19	91/2			
16 x 16 x 4 ^{(N)(F)} (PVC)	1215/16	103//8	5 ³ ⁄ ₁₆			
16 x 16 x 6 ^{(N)(F)} (PVC)	121/4	14	7			
16 x 16 x 8 ^{(N)(F)} (PVC)	125/8	16	8			
16 x 16 x 10 ^{(N)(F)} (PVC)	13	18	9			
16 x 16 x 12 ^{(N)(F)} (PVC)	137/16	193/4	97/8			



⁽F) Fabricated

⁽N) Not a sanitary pattern

^{**} Assembled from two molded components

^{***} Assembled from three molded components



Sanitary Tee, Street

	SPIGOT X HUB X HUB							
SIZE	Α	В	С					
11/2 (PVC)	13/4	31/2	21/2					
11/2 (ABS)	123/32	313/32	215/32					
2 (PVC)	25/16	49/16	37/32					
2 (ABS)	25/16	415/32	31/8					
3	3	63/8	49/16					
4	37/8	77/8	55/8					



PART NO. 404

Sanitary Tee, Street Reducing

SPIGOT X HUB X HUB						
SIZE	Α	В	С			
2 x 1½ x 1½ (PVC)	25/32	4	227/32			
2 x 1½ x 1½ (ABS)	23/16	4	23/4			
2 x 1½ x 2 (ABS)	25/16	$4^{17}/_{32}$	31/8			
2 x 2 x 1½ (PVC)	21/8	4	27/8			
2 x 2 x 1½ (ABS)	25/32	315/16	27/8			
3 x 3 x 1½	29/16	43/16	31/4			
3 x 3 x 2	27/8	43/4	35/8			
4 x 4 x 2 (PVC)	35/16	4 ¹⁵ / ₁₆	313/16			





Tee Cross


ALL HUB						
SIZE	Α	В	С			
6 x 6 x 4 x 4 ^(F) (PVC)	511/16	91/4	45/8			
6 x 6 x 6 x 6(F) (PVC)	61/8	103/4	53/8			
8 x 8 x 4 x 4 ^(F) (PVC)	65/16	87/8	47/16			
8 x 8 x 6 x 6 ^(F) (PVC)	77/32	107/8	5 ⁷ /16			
8 x 8 x 8 x 8 (F) (PVC)	85/16	131/8	6%16			
10 x 10 x 4 x 4 ^(F) (PVC)	73/4	12	6			
10 x 10 x 6 x 6 ^(F) (PVC)	81/2	111/2	53/4			
10 x 10 x 8 x 8 ^(F) (PVC)	87/8	131/2	63/4			
10 x 10 x 10 x 10 ^(F) (PVC)	8	183//8	93/16			
12 x 12 x 4 x 4 ^(F) (PVC)	87/8	10	5			
12 x 12 x 6 x 6 ^(F) (PVC)	93/4	12	6			
12 x 12 x 8 x 8 ^(F) (PVC)	97/8	153/4	77/8			
12 x 12 x 10 x 10 ^(F) (PVC)	101/4	16	8			
12 x 12 x 12 x 12 ^(F) (PVC)	91/8	21	101/2			



PART NO. 416

Sanitary Tee with Left Side Inlet

ALL HUB					
SIZE	Α	В	С		
3 x 3 x 3 x 1½	31/16	47/8	311/16		
3 x 3 x 3 x 2 (PVC)	31/16	47/8	311/16		
3 x 3 x 3 x 2 (ABS)	31/32	413/16	323/32		
4 x 4 x 4 x 2 (PVC)	37/8	61/8	5		



(F) Fabricated



Sanitary Tee with Right Side Inlet

ALL HUB					
SIZE	Α	В	С		
3 x 3 x 3 x 1½	31/16	47/8	311/16		
3 x 3 x 3 x 2 (PVC)	31/16	47/8	311/16		
3 x 3 x 3 x 2 (ABS)	31/32	427/32	35/8		
4 x 4 x 4 x 2 (PVC)	37/8	61/8	5		
, ,					





PART NO. 418 Sanitary Tee with Left & Right Side Inlets

ALL HUB					
SIZE	Α	В	С		
3 x 3 x 3 x 2 x 2	31/16	47/8	311/16		
4 x 4 x 4 x 2 x 2 (PVC)	37/8	61/8	5		






PART NO. 428

Double Sanitary Tee

(Sanitary Cross) ALL HUB					
SIZE	Α	В			
11/2 (PVC)	13/4	23/4			
11/2 (ABS)	123/32	25/8			
2 (PVC)	25/16	311/16			
2 (ABS)	25/16	39/16			
3	31/16	47/8			
4 (PVC)	37/8	61/8			
4 (ABS)	3 ²⁷ / ₃₂	61/32			





Double Sanitary Tee, Reducing (Sanitary Cross)

ALL HUB					
SIZE	Α	В	С		
2 x 2 x 1½ x 1½ (PVC)	23/16	31/8	115/16		
2 x 2 x 1½ x 1½ (ABS)	25/32	35/32	2		
3 x 3 x 1½ x 1½ (PVC)	29/16	211/16	13/4		
3 x 3 x 1½ x 1½ (ABS)	21/2	219/32	15/8		
3 x 3 x 2 x 2 (PVC)	27/8	35/16	21/8		
3 x 3 x 2 x 2 (ABS)	229/32	37/32	25/32		
4 x 4 x 2 x 2 (PVC)	35/16	33/16	21/16		
4 x 4 x 2 x 2 (ABS)	39/32	31/8	2		
4 x 4 x 3 x 3 (PVC)	39/16	43/4	3		
4 x 4 x 3 x 3 (ABS)	35/8	421/32	231/32		



PART NO. PVC 431

Double Sanitary Tee Street, Reducing (Sanitary Cross)

| SPIGOT X HUB X H





SIZE

4 x 4 x 4 x 4 x 2 (PVC)

Double Sanitary Tee with Side Inlet (Sanitary Cross)

ALL HUB R С 3 x 3 x 3 x 3 x 2 (PVC) 31/16 47/8 311/16

61/8

5

37/8

—A——A—
ВС
A
- -




PART NO. PVC 439

Double Sanitary Tee with Left & Right Side Inlets

(Sanitary Cross)

ALL HUB					
SIZE	A	В	С		
3x3x3x3x2x2 (PVC)	31/16	47/8	311/16		
4x4x4x4x2x2 (PVC)	37/8	61/8	5		





PART NO. 441

Vent Tee				
	ALL H	IUB		
SIZE	Α	В		
11/2 (PVC)	13/16	23/8		
1½ (ABS)	17/32	213/32		
2	11/2	3		
3 (PVC)	17/8	33/4		
3 (ABS)	1 ¹⁵ / ₁₆	33/4		
4 (PVC)	21/2	5		





PART NO. PVC 444 A

Cleanout Tee with O-Ring Plug

	HUB X HUB X FPT		
SIZE	A	В	С
2	21/4	3	11/2
3	211/16	37/8	115/16
4	33/8	51/8	29/16



See Part No. PVC 106 A for plug dimensions.

PART NO. 444 X

Cleanout Tee with Cleanout Plug

HUB	X HUB X FF	T T	-
SIZE	A	В	С
11/2	115/16	23/8	13/16
2	21/4	3	11/2
3	211/16	37/8	115/16
4	33/8	51/8	29/16
6 (PVC)	4	8	4
6 x 6 x 4** (PVC)	8	8	4
8 (PVC)	51/4	101/2	55/32
8 x 8 x 4 ^(F) (PVC)	73/4	91/4	45/8
8 x 8 x 6*** (PVC)	101/2	101/2	51/4
10 (PVC)	81/4	121/2	61/4
10 x 10 x 4 ^(F) (PVC)	87/8	93/4	47/8
10 x 10 x 6 ^(F) (PVC)	105/8	113/4	57/8
10 x 10 x 8 (PVC)	103/8	103/8	53/16
12 (PVC)	91/4	143//8	73/16
12 x 12 x 4 ^(F) (PVC)	911/16	10	5
12 x 12 x 6** (PVC)	95/16	121/8	61/16
12 x 12 x 8 (PVC)	115/32	101/4	61/32
12 x 12 x 10 ^(F) (PVC)	135/16	121/2	61/4



See Part No. 106 for plug dimensions.

⁽F) Fabricated

^{**} Assembled from two molded components

^{***} Assembled from three molded components



Cleanout Tee

HUB X HUB X FPT					
SIZE	Α	В	С		
11/2 (PVC)	1 ¹⁵ / ₁₆	23/8	13/16		
11/2 (ABS)	131/32	21/2	11/4		
2	21/4	3	11/2		
3 (PVC)	211/16	37/8	115/16		
3 (ABS)	211/16	313/16	115/16		
4 (PVC)	33/8	5½	29/16		
4 (ABS)	33/8	5	21/2		
6 (PVC)	4	8	4		
8 (PVC)	51/4	101/2	55/32		
10 (PVC)	81/4	121/2	61/4		
10 x 10 x 6 ^(F) (PVC)	105/8	113/4	57/8		
12 (PVC)	91/4	143/8	73/16		



PART NO. PVC 445 A

Flush Cleanout Tee with O-Ring

For dimensions see Part Numbers 445 and 110 A.



PART NO. PVC 445 X

Flush Cleanout Tee with Cleanout Plug

For dimensions see Part Numbers 445 and 110.



(F) Fabricated



Horizontal Twin Tee

ALL HUB					
SIZE	Α	В	С	D	
3 x 3 x 1½ x 1½ (PVC)	7/8	13/4	13/32	29/16	






PART NO. 448

Two-Way Cleanout

ALL HUB		
SIZE	A	
3	41/16	
4	415/16	
6 (PVC)	61/8	



PART NO. PVC 449

Sanitary Tee with 2" Left Hand Sanitary Inlet on Center


builturg infection conten				
ALL HUB				
SIZE	Α	В		
2 (PVC)	25/16	311/16		






PART NO. 500 Double Fixture Fitting

ALL HUB					
SIZE	Α	В	С		
2 (PVC)	31/2	45/8	41/4		
2 (ABS)	315/32	417/32	47/32		
2 x 1½ x 1½ x 1½ (PVC)	27/8	31/2	31/8		
2 x 1½ x 1½ x 1½ (ABS)	$2^{27}/_{32}$	39/16	33/32		
2 x 1½ x 2 x 2 (ABS)	315/32	417/32	47/32		
2 x 2 x 1½ x 1½ (PVC)	27/8	31/2	31/8		
2 x 2 x 1½ x 1½ (ABS)	$2^{27}/_{32}$	313/32	31/16		
3 (PVC)	415/16	63/4	61/4		
3 (ABS)	47/8	65/8	61/8		
3 x 2 x 3 x 3 (ABS)	47/8	65/8	61/4		



PART NO. 501 Combination Wye & 1/8 Bend (One Piece)

ALL HUB						
SIZE	SIZE A B C					
11/2 (PVC)	315/16	31/2	315/16			
11/2 (ABS)	37/8	31/2	313/16			
2 (PVC)	51/8	47/16	51/8			
2 (ABS)	55/32	47/16	5			
3 (PVC)	7%16	61/2	7 %16			
3 (ABS)	717/32	615/32	77/16			
4 (PVC)	10	81/2	10			
4 (ABS)	931/32	815/32	927/32			






PART NO. 502 Combination Wye & 1/8 Bend, Reducing

(One Piece)


ALL	HUD		
SIZE	Α	В	С
2 x 11/2 x 11/2 (PVC)	43/16	31/2	315/16
2 x 1½ x 1½ (ABS)	41/8	317/32	33/4
2 x 2 x 1½ (PVC)	43/16	31/2	315/16
2 x 2 x 1½ (ABS)	41/8	37/16	37/8
3 x 3 x 1½	43/4	31/2	315/16
3 x 3 x 2	511/16	47/16	51/8
4 x 4 x 2	61/16	47/16	51/16
4 x 4 x 3 (PVC)	81/16	61/2	79/16
4 x 4 x 3 (ABS)	729/32	613/32	75/16
6 x 6 x 4 (PVC)	*	*	*



PART NO. PVC 503

Combination Wye & 1/8 Bend

ALL HUB SIZE С В 6[∞] (PVC) 1115/32 101/8 119/64 8° (PVC) 1419/32 141/8 $14^{23}/_{32}$ 10[∞] (PVC 181/2 161/2 181/4 211/2 12[∞] (PVC) 191/2 211/2 14^{(F)∞} (PVC) 367/₈ 321/2 373/16 16^{(F)∞} (PVC 391/2 351/2 3913/16



^{*} Refer to PVC 504 for dimensional data


⁽F) Fabricated


 [∞] Fitting shipped with street bend strapped to fitting.



Combination Wye & 1/8 Bend, Reducing

(Two Pieces)
ALL HUB





⁽¹⁾ One piece short pattern

⁽F) Fabricated


[§] Fitting shipped with any required bushing(s) installed, street bend strapped to fitting; assembled from molded components.



Double Combination Wye & 1/8 Bend

(Three Pieces or Five Pieces)
ALL HUB


SIZE	Α	В	С
2 x 2 x 1½ x 1½ (PVC)	47/8	43//8	415/16
3 (PVC)	71/2	65/8	79/16
3 x 3 x 2 x 2 (PVC)	65/64	415/16	511/64
4 (PVC)	913/32	81/4	95/32
4 x 4 x 2 x 2 (PVC)	75/16	5	6
4 x 4 x 3 x 3 (PVC)	819/64	65/8	719/32
6 x 6 x 4 x 4§ (PVC)	107/16	101//8	111/8



PART NO. PVC 515

Combination Wye & 1/8 Bend with Left Side Inlet

ALL HUB					
SIZE	В	С	D	Е	
3 x 3 x 3 x 2 (PVC)	65/16	731/64	51/4	33/8	17/8







PART NO. PVC 516

Combination Wye & 1/8 Bend with Right Side Inlet

ALL HUB					
SIZE A B C D E					
3 x 3 x 3 x 2 (PVC)	65/16	731/64	51/4	33/8	17/8








Combination Wye & 1/8 Bend with Left & Right Side Inlets

ALL HUB					
SIZE	Α	В	С	D	Е
3x3x3x2x2 (PVC)	65/16	731/64	51/4	33/8	17/8



PART NO. 600

Wye
(45° Wye)

ALL HÜB				
SIZE	Α	В	С	
11/4 (PVC)	35/8	11/16	29/16	
11/2 (PVC)	4	11/8	27/8	
11/2 (ABS)	41/32	11//8	215/16	
2	5	13/8	35/8	
_ 3	65/8	15/8	5	
4 (PVC)	81/4	17/8	63//8	
4 (ABS)	81/16	13/4	65/16	
6 (PVC)	103/16	13/4	87/16	
6 (ABS)	915/16	123/32	83/16	
8 (PVC)	141/8	23/8	113/4	
10 (PVC)	16½	27/8	135/8	
12 (PVC)	197/16	31/2	16	
14 ^(F) (PVC)	313/8	8	221/4	
16 ^(F) (PVC)	365/16	103/4	253/16	



(F) Fabricated



Wye, Reducing (45°Wye) ALL HUB

	ALL HUD		
SIZE	Α	В	С
2 x 1½ x 1½ (PVC)	31/2	11/16	215/16
2 x 1½ x 1½ (ABS)	47/32	11/32	33/8
2 x 1½ x 2	41/2	1	37/16
2 x 2 x 1½ (PVC)	43/8	11/16	37/16
2 x 2 x 1½ (ABS)	41/4	11/32	33/8
3 x 3 x 1½ (PVC)	41/4	1/2	45/16
3 x 3 x 1½ (ABS)	43/16	1/2	49/32
3 x 3 x 2 (PVC)	5	7/8	45/8
3 x 3 x 2 (ABS)	5	¹³ / ₁₆	421/32
4 x 4 x 1½**	5	0	6
4 x 4 x 2 (PVC)	431/32	11/32	517/32
4 x 4 x 2 (ABS)	5	1/4	5%16
4 x 4 x 3 (PVC)	65/8	11/16	6
4 x 4 x 3 (ABS)	619/32	1	6
6 x 6 x 3 (PVC)	71/8	1/4	71/2
6 x 6 x 4 (PVC)	67/8	³ ⁄ ₁₆	71/2
6 x 6 x 4 (ABS)	625/32	7/32	7 ½16
8 x 8 x 4 (PVC)	101/2	1	91/2
8 x 8 x 6 (PVC)	101/2	1	913/16
10 x 10 x 4** (PVC)	141/4	13//8	15 ¹⁵ / ₁₆
10 x 10 x 6** (PVC)	141/4	13//8	15
10 x 10 x 8 (PVC)	141/4	13//8	131/16



Part No. 601 Continued next page

^{**} Assembled from two molded components.



PART NO. 601, continued

Wye, Reducing

ALL HUB						
SIZE	A	В	С			
12 x 12 x 4** (PVC)	131/2	1/2	16 ²³ / ₃₂			
12 x 12 x 6** (PVC)	131/2	1/2	15 ²⁹ / ₆₄			
12 x 12 x 8 (PVC)	1319/32	1/2	137/8			
12 x 12 x 10 (PVC)	171/16	17/8	15³/ ₃₂			
14 x 14 x 4(F) (PVC)	12³⁄8	1 ³⁷ / ₆₄	15 ²³ / ₆₄			
14 x 14 x 6(F) (PVC)	15 ⁵¹ / ₆₄	¹⁵ / ₆₄	18 ³⁷ / ₆₄			
14 x 14 x 8(F) (PVC)	15 ⁴⁹ / ₆₄	31/64	16 ⁵¹ / ₆₄			
14 x 14 x 10 ^(F) (PVC)	18 ⁵⁷ / ₆₄	$3^{43}/_{64}$	18 ²⁹ / ₃₂			
14 x 14 x 12 ^(F) (PVC)	257/8	59/16	20			
16 x 16 x 4 ^(F) (PVC)	1211/16	19/16	151/4			
16 x 16 x 6(F) (PVC)	153/4	3/16	173/16			
16 x 16 x 8 ^(F) (PVC)	187/16	19⁄16	18¾			
16 x 16 x 10 ^(F) (PVC)	23	31/2	195/8			
16 x 16 x 12 ^(F) (PVC)	263/8	41/2	213/4			
16 x 16 x 14 ^(F) (PVC)	271/2	51/4	239/16			



PART NO. 602

Wye, Street (45° Wye)

SPIGOT X HUB X HUB SIZE В С Α 11/2 (PVC) 43/4 17/8 27/8 17/8 11/2 (ABS) 45/8 227/32 57/8 21/4 35/8 3 5 81/8 31/8 4 (PVC) 915/16 35/8 61/4 929/32 4 (ABS) 35/8 61/4



⁽F) Fabricated

^{**} Assembled from two molded components.



Wye, Street, Reducing


	SPIGOT X HUB X HUB					
	SIZE	Α	В	С		
	3 x 3 x 1½ (PVC	5) 53/4	2	47/32		
	3 x 3 x 2	61/2	23/8	45/8		
	4 x 4 x 2 (PVC)	623/32	21/8	515/64		
Ī	4 x 4 x 3	83/8	213/16	6		



PART NO. 611

Double Wye

ALL HUB					
SIZE	Α	В	С		
11/2 (PVC)	4	11/8	27/8		
11/2 (ABS)	315/16	15/32	2 ²⁷ / ₃₂		
2 (PVC)	5	13/8	35/8		
2 (ABS)	5	11/2	311/16		
3 (PVC)	65/8	15/8	5		
3 (ABS)	617/32	19/16	5		
4 (PVC)	81/4	17/8	63//8		
4 (ABS)	85/32	115/16	65/16		
6 (PVC)	103/16	13/4	87/16		
8 ^(F) (PVC)	191/16	47/8	135/8		
10 ^(F) (PVC)	221/16	511/16	161/4		
12 ^(F) (PVC)	195/16	67/8	251/8		
14 ^(F) (PVC)	287/16	71/8	203/8		




PART NO. PVC 611 S

Double Wye with 2" Side Inlet

(Double 45° Wye)

ALL HUB				
SIZE	Α	В	С	D
3 x 3 x 3 x 2 (PVC)	65/8	15/8	5	13/4





(F) Fabricated



PART NO. 612 Double Wye, Reducing

(Double 45° Wye)






(F) Fabricated



Wye with Left Side Inlet


ALL HUB					
SIZE	Α	В	С	D	E
3 x 3 x 3 x 2 (PVC)	65/8	15/8	5	21/4	13/4
4 x 4 x 4 x 2 (PVC)	81/4	11//8	63/8	21/2	35/16



PART NO. PVC 626

Wye with Right Side Inlet


ALL HUB						
SIZE	Α	В	С	D	Е	
3 x 3 x 3 x 2 (PVC)	65/8	15/8	5	21/4	13/4	
4 x 4 x 4 x 2 (PVC)	81/4	17/8	63/8	21/2	35/16	



PART NO. 700

Return Bend

Notarii Bella						
	HUB X HUB					
SIZE	Α	В	С			
11/2 (PVC)	31/2	13/4	13/4			
11/2 (ABS)	315/32	117/32	117/32			
2	5	21/4	21/4			
3 (PVC)	63/4	31/16	31/16			
3 (ABS)	625/32	231/32	231/32			
4 (PVC)	81/2	311/16	311/16			
4 (ABS)	87/16	311/16	311/16			






PART NO. ABS 704 P

Tail Piece Adapter with Plastic Nut & Packing Ring


SPIGOT X SLIP			
SIZE	A		
11/2 (ABS)	23/16		



PART NO. 706 X

P-Trap with Solvent Weld Joint


HUB X HUB				
SIZE	Α	В	С	
11/2	45/8	355/64	131/64	
2	619/32	43/4	21/4	
3	815/16	627/32	31/16	
4	1113/64	83/16	311/16	



PART NO. 707 X

P-Trap with Cleanout & Solvent Weld Joint

HUB X HUB					
SIZE	Α	В	С		
11/2 (PVC)	45/8	315/16	13/4		
1½ (ABS)	421/32	31/2	19/16		
2 (PVC)	63/4	411/16	25/16		
2 (ABS)	625/32	411/16	21/4		







PART NO. 708 P

P-Trap with Union & Plastic Nut

HUB X HUB				
SIZE	Α	В	С	
11/4 (PVC)	49/16	31/2	13/8	
11/2 (PVC)	45/8	315/16	13/4	
11/2 (ABS)	$4^{29}/_{32}$	$4^{3}/_{32}$	19/16	
2 (PVC)	613/16	47/8	23/8	
2 (ABS)	625/32	45/8	21/4	




ABS 708P, 11/2" ONLY



PART NO. 708 X P-Trap with Union & Chrome Nut


HUB X HUB				
SIZE	Α	В	С	
11/2 (PVC)	45/8	315/16	13/4	
11/2 (ABS)	4 ²⁹ / ₃₂	43/32	19⁄16	



PART NO. PVC 709 X

P-Trap with Cleanout, Union & Chrome Nut


HUB X HUB					
SIZE	Α	В	С		
11/2 (PVC)	45/8	315/16	11/2		





Low Profile P-Trap with Solvent Weld


HUB X HUB					
SIZE	A	В	С		
2 (PVC)	613/16	49/16	23/8		



PART NO. 711 P

L.A. Pattern P-Trap Furnished with a 1½" and 1½" x 1¼" Polyethylene Nut/Washer Combination


SLIP Union X HUB					
SIZE	Α	В	С		
1½ (PVC)	43/4	415/64	37/16		
11/2 (ABS)	49/16	41/8	317/32		



PART NO. 711 W

L.A. Pattern P-Trap Furnished with a 11/2" ABS or PVC Nut, a 11/2" Washer and a 11/2" x 11/4" Washer


SLIP Union X HUB					
SIZE	Α	В	С		
11/2 (PVC)	43/4	415/64	37/16		
11/2 (ABS)	55/32	415/64	345/64		



PART NO. PVC 711 X

L.A. Pattern P-Trap Furnished with a $1^{1/2}$ " Chrome Nut, a $1^{1/2}$ " Washer and a $1^{1/2}$ " $1^{1/4}$ " Washer

41144	- / - / .	- /				
SLIP Union X HUB						
SIZE	Α	В	С			
11/2 (PVC)	43/4	415/64	37/16			





PART NO. 720 X


Drum Trap нив х нив					
SIZE	Α	В			
3 x 6 x 1½ (PVC)	413/16	111/16			
3 x 6 x 1½ (ABS)	421/32	123/32			



PART NO. 800 & 800 K

Closet Flange


HUB END				
SIZE	Α	В	С	
4 x 3 (PVC) (OI)	7	11/4	7/16	
4 x 3 (ABS)	7	11/4	7/16	
4 x 4*	7	11/4	7/16	



PART NO. 800 S

Closet Flange with Stop


HUB END					
SIZE	Α	В	С	D	
4 x 3 (PVC) (OI)	7	21/4	7/16	11/2	
4 x 3 (ABS)	7	21/4	7/16	11/2	



PART NO. 801

Closet Flange, Reducing

SPIGOT					
SIZE	Α	В	С	D	
4 x 3 (PVC)	7	23/4	121/32	7/16	
4 x 3 (ABS)	71/32	23/4	19/16	7/16	



⁽OI) For PVC only, fits over 3" pipe or inside 4" pipe.


^{*} Part No. 800K, 4x4" is not available in ABS.



PART NO. ABS 808

Male Closet Flange


MPT					
SIZE	Α	В	С		
4 x 3 (ABS)	7	211/16	15/32		



PART NO. PVC 810 K

Closet Flange, Adjustable with Plastic Ring


HUB END					
SIZE	Α	В	С		
4 x 3 (PVC) (OI)	7	11/8	7/16		



PART NO. ABS 811 P

Closet Flange, Adjustable with Plastic Ring


HUB END						
SIZE	Α	В	С			
4 x 3 (ABS)	7	11/8	7/16			
4 x 4 (ABS)	7	11/8	7/16			



PART NO. 811

Closet Flange, Adjustable with Metal Ring

HUB END							
SIZE	Α	В	С				
4 x 3 (PVC) (OI)	7	11/4	1/4				
4 x 3 (ABS)	7	11/4	1/4				
4 x 4	7	11/8	1/4				




(OI) For PVC only, fits over 3" pipe or inside 4" pipe.



PART NO. PVC 811 K

Closet Flange, Adjustable with Metal Ring


HUB END					
SIZE	Α	В	С		
4 x 3 (PVC) (OI)	7	11/4	1/4		



PART NO. 812

Closet Flange, Adjustable with Metal Ring


SPIGOT						
SIZE	Α	В	С			
4 x 3 (PVC)	7	25/8	1/4			
4 x 3 (ABS)	7	23/4	1/4			
4 x 4 (PVC)	7	25/8	1/4			
4 x 4 (ABS)	7	213/32	1/4			



PART NO. 812 P

Closet Flange, Adjustable with Plastic Ring


SPIGOT						
SIZE	Α	В	С			
4 x 3 (PVC)	7	25/8	1/4			
4 x 3 (ABS)	7	23/4	1/4			
4 x 4 (PVC)	7	25/8	7/16			



PART NO. 815

Flush Closet Flange

нив						
SIZE	Α	В	С			
4 x 3 (PVC) (OI)	7	27/8	7/16			
4 x 3 (ABS)	7	27/8	7/16			




⁽OI) For PVC only, fits over 3" pipe or inside 4" pipe.



PART NO. 815 K

Flush Closet Flange with Knockout

SIZE	Α	В	С	
4 x 3 (PVC) (OI)	7	27/32	7/16	
4 x 3 (ABS)	7	27/32	7/16	



PART NO. 820

Offset Closet Flange, Adjustable with Metal Ring [11/2" Offset)

HUB SIZE В С D E 4 x 3 (PVC) (OI) 7 45/16 1/4 11/2 25/16 4 x 3 (ABS) 45/16 1/4 11/2 25/16 7



PART NO. 820 P

Offset Closet Flange , Adjustable with Plastic Ring

[1 1/2" Offset]

1100						
	SIZE	Α	В	С	D	Е
	4 x 3 (PVC) (OI)	7	45/16	⁷ / ₁₆	11/2	25/16
	4 x 3 (ABS)	7	45/16	7/16	11/2	25/16



PART NO. ABS 824

Closet Flange, Adjustable with Metal Ring & 4" Extended Spigot

SPIGOT					
SIZE	Α	В	С		
4 (ABS)	7	411/16	1/4		




(OI) For PVC only, fits over 3" pipe or inside 4" pipe.



Swivel Tray Plug Adapter with Washer


	SPG X FPT					
Ξ	SIZE	A	В			
	11/2	123/32	15/32			



PART NO. ABS 900 X

Swivel Tray Plug Adapter with Washer, Extended


SPG X FPT				
SIZE				
11/2 (ABS)	27/16	15/32		



PART NO. ABS 910

Swivel Tray Plug Adapter with Washer

H X FPT				
SIZE	Α	В		
11/2 (ABS)	1 ¹³ / ₁₆	9/16		





Thin Wall PVC DWV Pipe

PVC Thin Wall Schedule 30 Pipe

PVC SCHEDULE 30 (White) PLAIN END ASTM						
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)
PVC 9300	3"x10'	03963	1250′	3.25	.125	80.2

Weight is approximate and is for shipping purposes only.

Pipe listed in this section meets or exceeds the requirements of ASTM D 2949.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.



Testing with or use of compressed air or gas in ABS / CPVC / PVC pipe or fittings can result in explosive failures and cause severe injury or death.

NEVER test with or transport/store compressed air or gas in ABS / CPVC /


- PVC pipe or fittings.

 NEVER test ABS / CPVC / PVC pipe or fittings with compressed air or gas, or air over water boosters.
 - ONLY use ABS / CPVC / PVC pipe or fittings for water or approved chemicals. · Refer to warnings on PPFA's website and
 - ASTM D 1785



PVC Thin Wall Schedule 30 Fittings

HUB DIMENSIONS



PVC Thin Wall SCH 30 Fittings Hub Dimensional Tolerances

SIZE	A	В	С	D
3.25 O.D.	3.265	3.245	1.500	0.140
3.23 U.D.	±.008	±.008	MIN.	MIN.

IPS Hub Dimensional Tolerances

SIZE	A	В	С	D
11/2	1.915	1.894	0.750	0.156
1 /2	+.010/005	±.006	MIN.	MIN.
2	2.390	2.369	0.875	0.156
2	+.010/005	±.006	MIN.	MIN.
3	3.520	3.498	1.500	0.218
3	+.010/005	±.008	MIN.	MIN.
	4.520	4.491	1.500	0.250
7	+.010/005	±.009	MIN.	MIN.



Coupling нив х нив				
SIZE	Α	В	С	
3	3/16	37/32	117/32	



PART NO. PVC 1101

Female Adapter

FTP X HUB				
SIZE	Α	В	С	
3	3/16	11/2	117/32	



PART NO. PVC 1102

Pipe Increaser-Reducer


	HUB X HUB			
SIZE	A	В	С	N
1½ x 3	23/4	3/4	11/2	11/4
2 x 3	23/4	7/8	11/2	11/4
4 x 3	47/32	19⁄16	13/4	27/32



PART NO. PVC 1105X

Fitting Cleanout Adapter with Cleanout Plug

	SPIGUI		
SIZE	Α	В	
3	7/32	117/32	



PART NO. PVC 1109

Male Adapter

MPT X HUB				
SIZE	Α	В	С	
3	5/16	11/2	11/2	





Reducer Bushing


HUB X SPIGOT				
SIZE	Α	В	С	
3 x 1½	25/16	11/2	3/4	
3 x 2	27/16	11/2	29/32	
4 x 3	21/8	13/4	15/8	



PART NO. PVC 1116

Can

SOCKET			
SIZE	A	С	
3	25/16	115/16	



PART NO. PVC 1117

Adapter Coupling (Adapts S&D Hub to DWV Hub)

SPIGOT X SPIGOT				
SIZE	Α			
4 x 3	9/16			



PART NO. PVC 1129

Hub Adapter

(Auapis 3	II 3 Hub t	0.3 1111111 111	aii i ihe i	
	SPIGOT	X HUB		
SIZE	Α	В		
3 x 3	11/2	125/32		



PART NO. PVC 1130

Repair Coupling

	HUB X HUE	3
SIZE	A	
3	33/16	





1/4 Bend

2/ 1 20114			
	HUB X	HUB	
SIZE	Α	В	
3	27/8	117/32	



PART NO. PVC 1302

1/4 Bend, Street

SPIGOT X HUB				
SIZE	A	В	С	
3	27/8	49/32	117/32	



PART NO. PVC 1319

1/6 Bend

	HUB X HUB	
SIZE	A	
3	11/2	



PART NO. PVC 1321

1/8 Bend


HUB X HUB			
SIZE	Α	В	
3	11/32	117/32	



PART NO. PVC 1323

1/8 Bend, Street

SPIGOT X HUB				
SIZE	A	В	С	
3	11/32	217/32	117/32	





1/16 Rend

1/ 10 DC114				
		HUB X HUB		
	SIZE	A		
	3	11/16		



PART NO. PVC 1400

Sanitaru Tee

HUB X HUB				
SIZE	Α	В	С	
3	231/32	41/2	117/32	



PART NO. PVC 1401

Sanitary Tee, Reducing

HUB X HUB					
SIZE	Α	В	С	D	Е
3 x 1½	29/16	211/16	111/16	11/2	3/4
3 x 2	27/32	33/8	131/32	11/2	7/8



PART NO. PVC 1418

Sanitary Tee with Right & Left Side Inlets ALL HUB					
SIZE	Α	В	С		
3 x 3 x 3 x 1½ x 1½	215/16	413/32	215/16		
3 x 3 x 3 x 2 x 2	215/16	∆13/ ₂₂	215/16		







Double Sanitary Tee, Reducing

HUB X HUB					
SIZE	Α	В	С	D	E
3 x 1½	21/4	221/32	125/32	117/32	25/32



PART NO. PVC 1444 X

Cleanout Tee with Cleanout Plug


 HUB X HUB X FTP				
SIZE	Α	В	С	
3	23/4	33/4	17/8	



See Part No. 106 for plug dimensions.

PART NO. PVC 1600


Wye нив х нив						
SIZE	A	В	С	D		
3	47/8	3/4	41/8	117/32		



PART NO. PVC 1601

Wye, Reducing


	HOR X HOR					
	SIZE	Α	В	С	D	Е
	3 x 1½	311/16	3/8	31/2	117/32	²⁵ / ₃₂
•	3 x 2	311/16	1/4	43/8	117/32	7/8



PART NO. PVC 1611

Double Wue


HUB X HUB						
SIZE	A	В	С	D		
3	429/32	¹³ / ₁₆	41/8	117/32		





Closet Flange


HUB					
SIZE	Α	В	С	D	
4 x 3	7	11/4	7/16	19/16	



PART NO. PVC 1800 K

Closet Flange


HUB					
SIZE	Α	В	С	D	
4 x 3	7	11/4	7/16	19/16	



PART NO. PVC 1811

Closet Flange, Adjustable with Metal Ring


J	•	, HO	В		·
SIZE		Α	В	С	D
4 x 3		63/4	11/4	1/4	11/2



PART NO. PVC 1812

Closet Flange, Adjustable with Metal Ring

SPIGOT					
SIZE	Α	В	С	D	
4 x 3	63/4	11/4	1/4	11/2	
	SIZE 4 x 3	SIZE A 4 x 3 63/4	SPIGOT SIZE A B 4 x 3 63/4 11/4	SPIGOT SIZE A B C 4 x 3 63/4 11/4 1/4	





This is to certify that all Plastic Pipe and Fittings manufactured by Charlotte Pipe and Foundry Company are manufactured in the United States and conform to the following standards:

PVC SCH. 40 SOLID WALL PIPE

ASTM D 1784, ASTM D 1785, ASTM D 2665 FHA UM 79a FEDERAL SPECIFICATION L-P-320a NSF STANDARD NO. 14 AND 61

PVC SCH. 40 DWV CELLULAR CORE PIPE

ASTM D 4396, ASTM F 891 NSF STANDARD NO. 14

PVC SCH. 40 DWV FITTINGS

ASTM D 1784, ASTM D 2665, ASTM D 3311, ASTM F 1866 FHA UM 79a FEDERAL SPECIFICATION L-P-320a NSF STANDARD NO. 14

ConnecTite® PUSH-FIT DWV FITTINGS

ASME A112.4.4, IAPMO IGC 334 NSF STANDARD NO. 14

PVC SDR-21 AND SDR-26 PRESSURE PIPE

ASTM D 1784, ASTM D 2241 NSF STANDARD NO. 14 AND 61

PVC SCH. 40 PRESSURE FITTINGS

ASTM D 1784, ASTM D 2466 NSF STANDARD NO. 14 AND 61

PVC SCH. 40 WELL CASING PIPE

ASTM D 1784, ASTM F 480 NSF STANDARD NO. 14 AND 61

PVC SCH. 80 PIPE

ASTM D 1784, ASTM D 1785, PVC 1120 NSF STANDARD NO. 14 AND 61

PVC SCH. 80 FITTINGS

ASTM D 1784, ASTM D 2467, ASTM D 2464, ASTM F 1970 NSF STANDARD NO. 14 AND 61



PVC SDR 35 SEWER MAIN PIPE

ASTM D 1784, ASTM D 3034 SDR 35 ASTM D 3212, ASTM F 477

PVC SEWER AND DRAIN PIPE

ASTM D 1784, ASTM D 2729

PVC THIN WALL PIPE & FITTINGS

ASTM D 1784, ASTM D 2949 NSF STANDARD NO. 14

CPVC FLOWGUARD GOLD® CTS PIPE & FITTINGS

ASTM D 1784, ASTM D 2846 FHA UM-61a NSF STANDARD NO. 14. AND 61 CSA LISTED ON SPECIFIED ITEMS

CPVC CHEMDRAIN® SCH. 40 PIPE & FITTINGS

ASTM D 1784, ASTM F 2618 NSF STANDARD NO. 14

CORZAN® CPVC SCH. 80 PIPE

ASTM D 1784, ASTM F441/F 441M NSF STANDARD NO. 14. AND 61

ABS SCH. 40 DWV CELLULAR CORE PIPE

ASTM D 3965, ASTM F 628 NSF STANDARD NO. 14

ABS PLUS® SCH. 40 DWV CELLULAR CORE PIPE

ASTM D 3965, ASTM D 4396, ASTM F 1488 NSF STANDARD NO. 14

ABS SCH. 40 DWV FITTINGS

ASTM D 3965, ASTM D 2661, ASTM D 3311 FHA UM 79a FEDERAL SPECIFICATION L-P-322b NSF STANDARD NO. 14



LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (S) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any product and any other incidental, consequential, or punitive damages. This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose. No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company Attention: Technical Services 2109 Randolph Road Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

5/19/23







P0 B0X 35430

CHARLOTTE

NORTH CAROLINA 28235

PHONE (704) 348-6450

(800) 572-4199

FAX (800) 553-1605

WWW.CHARLOTTEPIPE.COM

