



# No-Hub

Large Diameter: 6" – 15"

List Price Schedule HP-NH-LD-422  
Effective April 1, 2022  
(Updated May 1, 2023)  
Supersedes Price Schedule HP-NH-LD-122

Possession of this price list shall not be construed as an offer to sell the products listed.

Charlotte Pipe and "You can't beat the system" are registered trademarks, and Edge HP Iron is a trademark of Charlotte Pipe and Foundry Company.

©2020 -2023 Charlotte Pipe and Foundry Company



## >> Edge HP Iron™ No-Hub (Hubless) Large Diameter Cast Iron Soil Pipe and Fittings

Please contact Customer Service or refer to Excel and HTML price sheets on [www.charlottepipe.com](http://www.charlottepipe.com) for crate and half-crate quantities.

ASTM A 888 & CISPI 310

Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
------	---------------	--------	-----------------	------	---------------	--------	-----------------

### Part No. HP NH 2 Edge HP No-Hub Pipe



6"x10'	16077	117.9	<b>\$635.50</b>
8"x10'	16078	170.9	<b>988.20</b>
10"x10'	16079	254.6	<b>1,679.20</b>
12"x10'	16080	318.1	<b>2,439.40</b>
15"x10'	16081	492.6	<b>3,564.80</b>



### Part No. HP NH 4 Edge HP Quarter Bend

6	15413	15.0	<b>\$156.60</b>
8	15414	23.1	<b>426.20</b>



### Part No. HP NH 12 Edge HP Eighth Bend

6	15422	9.1	<b>\$101.90</b>
8	15423	14.9	<b>293.60</b>
10	15951	31.7	<b>558.20N</b>
12	15973	33.3	<b>1,128.20N</b>
15	15981	62.0	<b>2,250.90N</b>



### Part No. HP NH 14 Edge HP Sixteenth Bend

6	15427	6.7	<b>\$110.20</b>
8	15612	12.0	<b>175.40N</b>



### Part No. HP NH 16 Edge HP Short Sweep

6	15431	18.0	<b>\$180.50</b>
8	15432	28.8	<b>467.20</b>
10	15965	53.4	<b>852.10N</b>
12	15975	61.3	<b>2,661.10N</b>
15	15983	105.6	<b>3,485.60N</b>



### Part No. HP NH 18 Edge HP Long Sweep

6	15613	23.3	<b>\$282.40N</b>
---	-------	------	------------------

**N = Non-stock item; Contact customer service for availability.**

See page 4 for pipe bundle quantities.

Charlotte Pipe® products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

Charlotte Pipe and Foundry Company strongly recommends that its cast iron pipe and fittings be joined with shielded hubless couplings manufactured in accordance with CISPI 310 or ASTM C 1540. Failures in installations using couplings not recommended by Charlotte Pipe® are not the responsibility of this Company.

**You can't beat the system.®**

Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
------	------------------	--------	--------------------	------	------------------	--------	--------------------



**Part No. HP NH 20  
Edge HP Wye**

6x2	15615	9.8	<b>\$147.80</b>
6x3	15616	12.5	<b>186.50</b>
6x4	15442	14.6	<b>191.90</b>
6	15443	19.7	<b>240.50</b>
8x3	15617	17.5	<b>300.90N</b>
8x4	15444	22.0	<b>329.80</b>
8x6	15445	28.3	<b>405.80</b>
8	15446	36.3	<b>566.10</b>
10x4	15968	32.9	<b>871.30N</b>
10x6	15970	42.1	<b>911.90N</b>
10x8	15972	56.1	<b>1,094.40N</b>
10	15966	74.9	<b>1,256.50N</b>
12	15976	97.0	<b>2,474.40N</b>
15	15984	189.5	<b>5,755.30N</b>



**Part No. HP NH 21  
Edge HP Double Wye**

6x4	15624	16.4	<b>\$328.90N</b>
6	15625	27.4	<b>407.20N</b>
8	15626	45.4	<b>1,198.80N</b>
8x4	15627	23.0	<b>580.60N</b>
8x6	15628	31.3	<b>790.10N</b>



**Part No. HP NH 22  
Edge HP Combination Wye and  
Eighth Bend**

6x2	15457	10.9	<b>\$186.50</b>
6x3	15458	14.7	<b>226.10</b>
6x4	15459	18.4	<b>216.50</b>
6	15460	30.0	<b>368.10</b>
8x4	15461	25.1	<b>448.70</b>
8x6	15462	35.4	<b>671.20</b>
8	15463	49.3	<b>861.40</b>



**Part No. HP NH 28  
Edge HP Sanitary Tee**

6x2	15470	9.9	<b>\$168.80</b>
6x3	15642	11.5	<b>171.80N</b>
6x4	15643	12.0	<b>176.80N</b>
6	15644	13.4	<b>233.10N</b>
8x3	15645	17.9	<b>485.40N</b>
8x4	15646	21.6	<b>498.20N</b>
8x6	15647	24.0	<b>544.80N</b>
8	15648	30.8	<b>945.10N</b>



**Part No. HP NH 30  
Edge HP Sanitary Cross**

6x4	15652	14.8	<b>\$300.90N</b>
6	15653	21.0	<b>454.70N</b>
8x4	15654	22.0	<b>728.20N</b>
8	15655	37.9	<b>1,050.00N</b>



**Part No. HP NH 36 S  
Edge HP Test Tee with Southern  
Raised-Head Brass Plug Installed**

IPS TAP

6	6	15672	23.9	<b>\$538.20N</b>
8	8	15673	40.6	<b>1,026.90N</b>

**N = Non-stock item; Contact customer service for availability.**

Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
------	------------------	--------	--------------------	------	------------------	--------	--------------------




**Part No. HP NH 40 A  
Edge HP Short Reducer**

6x2	15677	4.0	<b>\$90.90N</b>
6x3	15480	3.9	<b>89.10</b>
6x4	15481	4.1	<b>89.10</b>
8x2	15678	7.0	<b>140.90N</b>
8x3	15679	7.3	<b>130.20N</b>
8x4	15482	7.7	<b>137.20</b>
8x6	15483	8.0	<b>152.60</b>
10x4	15967	14.1	<b>269.60N</b>
10x6	15969	13.3	<b>285.10N</b>
10x8	15971	14.9	<b>334.20N</b>
12x4	15978	19.1	<b>557.80N</b>
12x6	15979	18.4	<b>597.80N</b>
12x8	15980	17.3	<b>614.60N</b>
12x10	15977	18.9	<b>624.90N</b>
15x4	15987	32.4	<b>1,205.10N</b>
15x6	15988	31.8	<b>1,137.50N</b>
15x8	15989	32.2	<b>1,309.10N</b>
15x10	15985	32.2	<b>1,356.40N</b>
15x12	15986	30.5	<b>1,329.50N</b>



**Part No. HP NH 42  
Edge HP P Trap**

6	15487	33.6	<b>\$416.60</b>
---	-------	------	-----------------



**Part No. HP NH 50  
Edge HP Blind Plug**

6	15491	3.2	<b>\$66.60</b>
8	15687	6.5	<b>177.10N</b>
10	15964	14.7	<b>261.20N</b>
12	15974	17.6	<b>413.60N</b>
15	15982	29.4	<b>710.00N</b>



**Part No. HP NH 52 S  
Edge HP Tapped Ferrule with  
Southern Raised-Head Brass Plug  
Installed**

IPS TAP				
6	5	15688	9.4	<b>\$225.20N</b>
8	6	15689	13.9	<b>495.50N</b>

**N = Non-stock item; Contact customer service for availability.**

**! WARNING**

Testing with or use of compressed air or gas in Cast Iron pipe or fittings can result in explosive failures and cause severe injury or death.

**AIR/GAS**

- NEVER test with or transport/store compressed air or gas in Cast Iron pipe or fittings.
- NEVER test Cast Iron pipe or fittings with compressed air or gas.
- ONLY use Cast Iron pipe and fittings for drain, waste and vent or sanitary sewer applications.

Note: Dimensions and tolerances for No-Hub pipe and fittings are published in Charlotte Pipe’s Cast Iron Dimensional Catalog and also Charlotte Pipe’s Cast Iron Technical Manual.

**TEN FOOT PIPE BUNDLES NO-HUB PIPE**

Size	Pieces	Weight	Height
6 x 10	18	2120	23"
8 x 10	8	1367	22"
10 x 10	6	1528	26"
12 x 10	6	1908	29"
15 x 10	2	985	19"

Weights are approximate and are for shipping purposes only.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

**CHARLOTTE® CAST IRON SOIL PIPE AND FITTINGS  
SPECIFICATIONS**

This is to certify that products manufactured by Charlotte Pipe and Foundry, Cast Iron Division, are manufactured in the United States and conform to the following standards:

**EDGE HP NO-HUB (HUBLESS) PIPE AND FITTINGS**

All cast iron soil pipe and fittings shall be marked with the collective trademark of the Cast Iron Soil Pipe Institute (CISPI).  
CISPI Standard 301  
ASTM A 888  
Meets the performance requirements of EN 877  
Listed by NSF® International to the UP Code  
ISO 9001:2015 Certified

**NO-HUB (HUBLESS) COUPLINGS**

Cast Iron Soil Pipe Institute Standard No. 310  
ASTM C 1277  
Certified by NSF® International

**NO-HUB (HUBLESS) HEAVY DUTY COUPLINGS**

ASTM C 1540  
Factory Mutual 1680

Charlotte Pipe products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

## TERMS AND CONDITIONS OF SALE

Terms and Conditions of Sale can be found at [https://charlottepipe.com/terms\\_and\\_conditions.aspx](https://charlottepipe.com/terms_and_conditions.aspx)

### LIMITED WARRANTY

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any defective product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company  
Attention: Technical Services  
2109 Randolph Road  
Charlotte, North Carolina 28207

**Purchaser must obtain a return materials authorization** and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

4/20/21

Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.

# CHARLOTTE

**PIPE AND FOUNDRY COMPANY®**

PO BOX 35430

CHARLOTTE


NORTH CAROLINA 28235

PHONE (704) 348-6450

(800) 438-6091

FAX (800) 553-1605

[WWW.CHARLOTTEPIPE.COM](http://WWW.CHARLOTTEPIPE.COM)



All products manufactured by  
Charlotte Pipe and Foundry Company  
are proudly made in the U.S.A.

