

List Price Schedule HP-NH-SD-921 Effective September 1, 2021 (Updated December 6, 2021)

Supersedes Price Schedule HP-NH-SD-1220

Part No. HP NH 6

Edge HP Quarter Bend with 2"



Possession of this price list shall not be construed as an offer to sell the products listed.

Charlotte Pipe and "You can't beat the system" are registered trademarks, and Edge HP Iron is a trademark of Charlotte Pipe and Foundry Company.

©2020-2021 Charlotte Pipe and Foundry Company

>> Edge HP Iron[™] No-Hub (Hubless) Small Diameter Cast Iron Soil Pipe and Fittings

Please contact Customer Service or refer to Excel and HTML price sheets on www.charlottepipe.com for crate and half-crate quantities.



ASTM A 888 & CISPI 301

Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each

Part No. HP NH 2 Edge HP No-Hub Pipe					
🚓 UPC® The Quiet P.	ipe® USA CHARLOTI	TE PIPE® EDGE	HP IRON USA		
2"x10'	16074	35.0	\$158.40		
3"x10'	16075	54.1	219.10		
4"x10'	16076	76.0	284.50		
	Part No. Edge HP	HP NH 4 Quarter Bend	I		
2	15410	2.9	\$23.30		
3	15411	3.5	32.70		
4	15412	6.0	48.30		
4x3 Reducing Increasing	15592	5.5	98.00		
	Part No. Edge HP	HP NH 4 Long Quarter	Bend		
2x12	15582	5.4	\$65.70		

\$65./UN	5.4	15582	ZXIZ
101.10 <mark>N</mark>	8.8	15583	2x18
133.00	10.7	15584	2x24
111.70 <mark>N</mark>	7.6	15585	3x12
165.50 <mark>N</mark>	11.2	15586	4x12

) and (Side Inlet		
3	15587	5.1	\$66.00 <mark>N</mark>
4	15588	7.5	108.00 <mark>N</mark>
1	Part No. H Edge HP (2″ Heel I	Quarter Bend	with
3	15415	5.6	\$51.70
4	15416	7.2	65.70
and the second s	Part No. H Edge HP I	IP NH 8 A Double Quart	er Bend
2	15417	4.5	\$52.80
3	15589	7.1	84.80 <mark>N</mark>
4	15590	9.7	111.60 <mark>N</mark>
J		IP NH 8 B Quarter Bend I Low Heel Inl	
3x2	15601	7.8	\$91.60 <mark>N</mark>

N = Non-stock item; Contact customer service for availability.

See page 5 for pipe bundle quantities.

Charlotte Pipe[®] products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry <u>cannot</u> accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry. Charlotte Pipe and Foundry Company strongly recommends that its cast iron pipe and fittings be joined with shielded hubless couplings manufactured in accordance with CISPI 310 or ASTM C 1540. Failures in installations using couplings not recommended by Charlotte Pipe[®] are not the responsibility of this Company.

You can't beat the system.®

PO BOX 35430 CHARLOTTE, NORTH CAROLINA 28235 SALES PHONE (704) 348 6450 (800) 572 4199 TECHNICAL PHONE (800) 438 6091 FAX (800) 553 1605 WWW.CHARLOTTEPIPE.COM

CHARLOTTE PIPE AND FOUNDRY COMPANY*

Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Pri Each
	Part No. H				Part No. H	ID NH 20	
		Fifth Bend		J.W.	Edge HP \		
	Lugern	intil Della			Lagern	ige	
2	15602	2.3	\$38.00 N	2	15436	3.3	\$29.90
3	15603	3.7	53.80 N	3x2	15437	3.4	32.20
4	15604	5.7	84.40 <mark>N</mark>	3	15438	4.6	43.50
				4x2	15439	5.1	46.20
-	Part No. H			4x3	15440	7.3	60.50
7	Edge HP S	Sixth Bend		4	15441	9.1	69.50
2	15418	2.2	\$24.60		Part No. H		
3	15605	3.2	31.80N	Carl and	Edge HP I	Double Wye	
4	15606	5.3	42.60N				
				2	15618	4.5	\$47.30
	Part No. H			3x2	15619	5.5	73.70
14 M	Edge HP I	Eighth Bend		3	15620	7.9	87.30
				4x2	15621	6.9	98.00
2	15419	1.6	\$20.20	4x3	15622	8.9	110.70
3	15420	2.9	27.10	4	15623	12.1	177.30
4	15421	3.9	35.40				
2X12 Long	15607	4.6	62.90 <mark>N</mark>			IP NH 21 A	
2X18 Long	15608	7.3	93.80 <mark>N</mark>		Edge HP l	Jpright Wye	
3X12 Long	15609	7.4	99.50 <mark>N</mark>				
3X18 Long	15610	10.2	157.20 <mark>N</mark>				
4X12 Long	15611	9.7	156.20 <mark>N</mark>				
	Part No. H			2	15447	4.8	\$52.30
-		Sixteenth Ben	d	3x2	15448	5.7	51.20
1 rest	Lagoni			3	15449	9.5	71.60
				4x2	15450	7.7	72.00
2	15424	1.4	\$20.60	4x3	15629	10.1	95.70
3	15425	2.1	24.00	4	15630	12.9	189.40
4	15426	3.4	31.70		Part No. H	IP NH 22	
	Part No. H	IP NH 16				Combination V	Vue and
and the		Short Sweep			Eighth Be		J
2	15428	3.1	\$32.60	2	15451	3.5	\$34.00
3	15429	6.3	42.60	3x2	15452	5.7	42.60
4	15430	8.1	75.50	3	15453	8.5	53.70
0	Part No. H	IP NH 18		4x2	15454	6.6	55.50
		ong Sweep		4x3	15455	9.5	78.90
				4	15456	13.7	103.40
2	15433	5.8	\$51.10				
3	15434	9.4	61.70				
4	15435	12.3	98.20				
4x3 Reducing Increasing	15614	12.4	197.10N				



Size	*UPC# 611942-	Weight	List Price Each	Size	*UPC# 611942-	Weight	List Price Each
V	Part No. I Edge HP	HP NH 24 Double Combi	nation		Part No. I Edge HP	HP NH 30 Sanitary Cros	s
2	15631	6.6	\$81.00N	2	15471	5.0	\$54.90
3x2	15632	7.7	106.10 <mark>N</mark>	3x2	15472	6.2	75.60
3	15633	11.8	124.80 <mark>N</mark>	3	15649	7.6	84.60
4x2	15634	8.3	154.80 <mark>N</mark>	4x2	15650	7.3	107.90
4x3	15635	13.7	162.30 <mark>N</mark>	4x3	15651	8.5	130.20
4	15636	20.5	245.00 <mark>N</mark>	4	15473	11.0	160.40
Y	Part No. I Edge HP Fixture F	Figure Five Do	puble	Illustration Shows Right Hand		Sanitary Tee ns Code, with 2'	″ 90° Sanitary
2	15637	6.0	\$78.20 N			· -	
3	15638	12.1	194.50N	3x3 w/LH	15656	6.7	\$136.70
3x2x3x3 Reducing	15639	10.7	188.40 N	3x3 w/RH	15657	6.3	136.70
4 4x2x4x4 Reducing	15640 15641	22.5 18.5	316.50N 301.50 N	4x4 w/LH 4x4 w/RH	15659 15658	8.7	191.60 191.60
2	15464	2.8	\$32.20	4x4 w/RH & LH	15660	ght and Left Sid	\$242.80
3x2	15465	4.7	35.20		15000	10.7	Ψ242.001
3 4x2 4x3 4	15466 15467 15468 15469	5.8 5.3 7.6 8.5	39.80 50.60 57.90 75.40	Illustration Shows Left Hand	Part No. HP NH 32 B Edge HP Sanitary Tee (New Orleans Code, with 2'' 45° Sani Inlet Above Center)		′ 45° Sanitary
	10107	0.5		3 w/2 LH	15661	8.2	\$210.50
				3 w/2 RH	15662	7.8	210.50
				3 w/2 RH & LH	15663	9.1	407.60
				4 w/2 LH	15665	10.7	321.50
on-stock item; C	ontact custom	er service for :	availabilitu	4 w/2 RH	15664	10.7	321.50
on-stock item, c	ontact custom	er service for a	avanabinty.	4 W/2 K11	13004	10.4	521.501
A V sting with or us					Edge HP	HP NH 33 A Sanitary Cros ns Code, with 2' Center)	
pe or fittings ca vere injury or de	n result in expl			4	15666	10.8	\$242.90
R/GAS .	NEVER test compressed ai or fittings. NEVER test C with compress	ir or gas in Cas ast Iron pipe	t Iron pipe		Edge HP (New Orlea	HP NH 33 C Sanitary Cros ns Code, with 2' t and Left Above	′ 90° Sanitary
the former and the		st Iron pipe a	nd fittings				

3 w/2RH & LH

4 w/2 RH & LH

15667

15668

• ONLY use Cast Iron pipe and fittings for drain, waste and vent or sanitary sewer applications.

\$224.30<mark>N</mark>

282.00<mark>N</mark>

9.0

11.9

CHARLOTTE PIPE AND FOUNDRY COMPANY®

Ŷ		Part No. H Edge HP S (New Orlean Sanitary Inle	anitary Cros s Code, with Tw	s o 2″ 45°				r
- 7	N. A. Statistics					Part No. HP NH 40 A Edge HP Short Reducer		
and the second se		·on			3x2	15477	1.8	\$16.70
		op iew			4x2	15478	2.3	25.40
3	1	5669	9.8	\$296.60N	4x3	15479	2.3	25.40
4	de ew l	5670 Part No. H Edge HP S	13.8 P NH 33 G anitary Cross	396.50N		Part No. H Edge HP I	·· ···· · =	
		(with 3" Ven	nt and Two 2'' 4	5° Inlets)		15404	4 7	¢24.00
	CY&R25274	Top			2 3	15484	4.7	\$34.00 74.60
14.00	and Chan	Top View			4	15485	17.0	132.10
4x3x4x2x2	1	5671	20.3	\$572.10N	2X12 Long	15680	6.1	91.10
4X2X4X2X2	1	50/1	20.5	\$572.10	2X12 Long	15681	8.0	113.70
O)		_	anitary Tapp		Ŋ		IP NH 44 A Deep Seal P Tr	ар
2x1 ¹ / ₂		5990	3.1	\$35.20N				
2x2*		6144	3.8	40.50N	2	15683	7.1	\$79.60 <mark>N</mark>
3x1½* 3x2*		6145	3.6 4.9	47.90N 56.20N	3	15684	11.0	128.30
3x2* 3x3*		6146 6147	7.3	103.80N	4	16200	18.6	203.90
	I		P NH 36 S est Tee with S ead Brass Plu		V	Part No. H Edge HP I	IP NH 45 Running Trap v	with Vent
2		5474	3.3	\$54.30		15/05	20.5	¢000 50N
3	3 1	5475	6.3	90.90	4	15685	20.5	\$223.50 <mark>N</mark>
4		5476 Part No. H Edge HP Ir	10.1 P NH 40 ncreaser-Rec	154.10 lucer	-UP		IP NH 45 A Running Trap ent	with
					4	15686	21.4	\$282.30 <mark>N</mark>
2x3	1	5674	3.3	\$40.10 <mark>N</mark>				
2x4	1	5675	4.4	68.80 <mark>N</mark>	and and the	Part No. H	IP NH 50	
3x4	1	5676	5.0	53.90 <mark>N</mark>			Blind Plug	
					2	15488	0.7	\$11.70
					3	15489	1.1	17.00
				11		15490		



Size		*UPC# 611942-	Weight	List Price Each	Size		*UPC# 611942-	Weight	List Price Each
		Edge HP	HP NH 52 S Tapped Ferrul Naised-Head Galled			3	Part No. I Edge HP	1P NH 54 Two-Way Baff	le Cleanout
	IPS TAP				3x3x4		15692	14.2	\$313.30 <mark>N</mark>
2	11/2	15492	1.1	\$47.30	4x4x4		15693	23.5	303.40 N
2	2	16402	2.1	53.90			10077	2210	
3	2 ¹ / ₂	15493	2.3	60.40			Part No. I	1P NH 56	
4	31/2	15494	3.2	82.90		<i>•</i>	Edge HP	Notched and	Slotted
			HP NH 53 Single Two-Wa	ny Cleanout	4x3x3 ¹ ⁄ ₂	Connects To	Closet Co	3.4	\$48.00N
and the second	and the second s				4x3x372 4x3x8	3" Pipe		6.1	105.40N
					$\frac{4x3x6}{4x4x4}$	3" Pipe	15695	4.9	56.20N
4		15690	16.0	\$238.30 <mark>N</mark>		4" Pipe	15696	,	
					4x4x8	4" Pipe	15697	7.2	135.40 <mark>N</mark>
			HP NH 53 A Double Two-W	'ay Cleanout					
		Ū							

Note: Dimensions and tolerances for No-Hub pipe and fittings are published in Charlotte Pipe's Cast Iron Dimensional Catalog and also Charlotte Pipe's Cast Iron Technical Manual.

TEN FOOT PIPE BUNDLES NO-HUB PIPE

Size	Pieces	Weight	Height
2 x 10	54	1906	11″
3 x 10	36	1944	14″
4 x 10	27	2052	17″

Weights are approximate and are for shipping purposes only.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.



CHARLOTTE® CAST IRON SOIL PIPE AND FITTINGS

SPECIFICATIONS

This is to certify that products manufactured by Charlotte Pipe and Foundry, Cast Iron Division, are manufactured in the United States and conform to the following standards:

EDGE HP NO-HUB (HUBLESS) PIPE AND FITTINGS

All cast iron soil pipe and fittings shall be marked with the collective trademark of the Cast Iron Soil Pipe Institute (CISPI). CISPI Standard 301 ASTM A 888 Meets the performance requirements of EN 877 Listed by NSF[®] International to the UP Code ISO 9001:2015 Certified

NO-HUB (HUBLESS) COUPLINGS

Cast Iron Soil Pipe Institute Standard No. 310 ASTM C 1277 Certified by NSF® International

NO-HUB (HUBLESS) HEAVY DUTY COUPLINGS

ASTM C 1540 Factory Mutual 1680

Charlotte Pipe products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry <u>cannot</u> accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

TERMS AND CONDITIONS OF SALE

Terms and Conditions of Sale can be found at https://charlottepipe.com/terms_and_conditions.aspx

LIMITED WARRANTY

Charlotte Pipe and Foundry Company[®] (Charlotte Pipe[®]) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any defective product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF[®] International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte[®] PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company Attention: Technical Services 2109 Randolph Road Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.


Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.

4/20/21



P0 B0X 35430 CHARLOTTE NORTH CAROLINA 28235 PHONE (704) 348-6450 (800) 438-6091 FAX (800) 553-1605 WWW.CHARLOTTE PIPE.COM



All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

