

ChemDrain® CPVC

List Price Schedule CD-920
Effective September 1, 2020
Supersedes Price Schedule CD-619

Possession of this price list shall not be construed as an offer to sell the products listed.
ChemDrain, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.
© 2005-2020 Charlotte Pipe and Foundry Company.



>> ChemDrain® CPVC Schedule 40 Fittings

For Non-Pressure Applications

ASTM D 1784 & ASTM F 2618

| Size | UPC# 611942- | List Price Each | Size | UPC# 611942- | List Price Each |
|---|-----------------|--------------------|---|-----------------|--------------------|
| <p>Part No. AW 100C Coupling (H x H)</p> | | | <p>Part No. AW 103PC Trap Adapter - Male (SPG x SLIP with Plastic Nut)</p> | | |
| 1½ | 10442 | \$34.36 | 1½ | 11994 | \$28.58 |
| 2 | 10443 | 42.89 | <p>Part No. AW 103RC Trap Adapter - Male with 1½'' CPVC Nut and Washers to Fit 1½'' and 1¼'' Traps (SPG x SLIP with Plastic Nut)</p> | | |
| 3 | 10444 | 54.88 | 1½ | 11002 | \$28.58 |
| 4 | 10445 | 78.09 | <p>Part No. AW 104RC Trap Adapter - Female with 1½'' CPVC Nut and Washers to Fit 1½'' and 1¼'' Traps (H x SLIP with Plastic Nut)</p> | | |
| 6 | 10446 | 123.77 | 1½ | 10911 | \$31.33 |
| 8 | 11283 | 333.79† | <p>Part No. AW 101C Female Adapter (FPT x H)</p> | | |
| | | | <p>Part No. AW 102C Pipe Increaser-Reducer (H x H)</p> | | |
| 1½ | 10447 | \$27.03 | 1½ x 2 | 10451 | \$67.24 |
| 2 | 10448 | 36.82 | 1½ x 3 | 10452 | 70.98 |
| 3 | 10449 | 60.76 | 2 x 3 | 10453 | 78.09 |
| 4 | 10450 | 116.80 | 2 x 4 | 10454 | 85.82 |
| 6 | 10694 | 195.66 | 3 x 4 | 10455 | 93.64 |
| | | | 3 x 6 | 10924 | 131.57 |
| | | | 4 x 6 | 10925 | 158.34 |

H = Hub
SPG = Spigot
MPT = Male Pipe Thread
FPT = Female Pipe Thread



You can't beat the system.®

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

| Size | UPC# 611942- | List Price Each | Size | UPC# 611942- | List Price Each |
|------|-----------------|--------------------|------|-----------------|--------------------|
|------|-----------------|--------------------|------|-----------------|--------------------|



Part No. AW 105XC
Fitting Cleanout Adapter with Cleanout Plug
(Spigot)

| | | |
|----|-------|---------|
| 1½ | 10456 | \$28.46 |
| 2 | 10433 | 33.54 |
| 3 | 10434 | 61.90 |
| 4 | 10435 | 106.48 |
| 6 | 10436 | 184.19 |



Part No. AW 106C
Cleanout Plug
(MPT)

| | | |
|----|-------|--------|
| 1½ | 10695 | \$9.83 |
| 2 | 10696 | 10.76 |
| 3 | 10697 | 18.80 |
| 4 | 10698 | 21.08 |
| 6 | 10699 | 49.18 |



Part No. AW 107C
Flush Bushing
(SPG x H)

| | | |
|--------|-------|---------|
| 2 x 1½ | 10437 | \$36.64 |
| 3 x 1½ | 10438 | 38.72 |
| 3 x 2 | 10439 | 42.22 |
| 4 x 2 | 10440 | 93.70 |
| 4 x 3 | 10441 | 95.88 |
| 6 x 3 | 10926 | 175.87 |
| 6 x 4 | 10462 | 167.73 |
| 8 x 4 | 11287 | 609.62† |
| 8 x 6 | 11288 | 636.00† |



Part No. AW 109C
Male Adapter
(H x MPT)

| | | |
|----|-------|---------|
| 1½ | 10463 | \$26.72 |
| 2 | 10464 | 32.37 |
| 3 | 10465 | 53.20 |
| 4 | 10466 | 110.91 |



Part No. AW 116C
Cap Socket
(Socket)

| | | |
|----|-------|---------|
| 1½ | 10467 | \$26.72 |
| 2 | 10468 | 31.98 |
| 3 | 10469 | 55.26 |
| 4 | 10457 | 112.64 |



Part No. AW 300C
1/4 Bend
(H x H)

| | | |
|----|-------|---------|
| 1½ | 10459 | \$43.98 |
| 2 | 10460 | 54.64 |
| 3 | 10461 | 92.79 |
| 4 | 10472 | 147.63 |
| 6 | 10473 | 382.06 |
| 8 | 11302 | 532.52† |



Part No. AW 302C
1/4 Bend, Street
(SPG x H)

| | | |
|----|-------|---------|
| 1½ | 10474 | \$51.64 |
| 2 | 10475 | 65.56 |
| 3 | 10476 | 87.76 |
| 4 | 10477 | 139.42 |
| 6 | 10702 | 338.29 |

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

| Size | UPC# 611942- | List Price Each | Size | UPC# 611942- | List Price Each |
|------|-----------------|--------------------|------|-----------------|--------------------|
|------|-----------------|--------------------|------|-----------------|--------------------|



Part No. AW 304C
Long Sweep 1/4 Bend
(H x H)

| | | |
|----|-------|----------------|
| 1½ | 10478 | \$45.51 |
| 2 | 10479 | 62.04 |
| 3 | 10480 | 106.13 |
| 4 | 10481 | 152.53 |



Part No. AW 321C
1/8 Bend
(H x H)

| | | |
|----|-------|----------------|
| 1½ | 10482 | \$43.21 |
| 2 | 10483 | 52.64 |
| 3 | 10484 | 96.62 |
| 4 | 10485 | 109.50 |
| 6 | 10486 | 319.82 |
| 8 | 11303 | 461.16† |



Part No. AW 323C
1/8 Bend, Street
(SPG x H)

| | | |
|----|-------|----------------|
| 1½ | 10487 | \$32.73 |
| 2 | 10488 | 37.18 |
| 3 | 10489 | 82.40 |
| 4 | 10490 | 84.57 |
| 6 | 10491 | 303.81 |
| 8 | 11304 | 349.94† |



Part No. AW 324C
1/16 Bend
(H x H)

| | | |
|----|-------|----------------|
| 1½ | 10470 | \$44.09 |
| 2 | 10471 | 52.57 |
| 3 | 10492 | 95.04 |
| 4 | 10493 | 117.07 |



Part No. AW 326C
1/16 Bend, Street
(SPG x H)

| | | |
|----|-------|----------------|
| 1½ | 10494 | \$39.21 |
| 2 | 10495 | 52.57 |
| 3 | 10496 | 95.04 |
| 4 | 10497 | 117.07 |



Part No. AW 327C
Double 1/4 Bend
(H x H x H)

| | | |
|----|-------|----------------|
| 1½ | 10498 | \$88.77 |
| 2 | 10499 | 155.14 |
| 3 | 10500 | 198.34 |



Part No. AW 400C
Sanitary Tee
(All Hub)

| | | |
|----|-------|----------------|
| 1½ | 10501 | \$54.64 |
| 2 | 10502 | 65.46 |
| 3 | 10503 | 130.99 |
| 4 | 10504 | 196.20 |
| 6 | 10505 | 653.99 |
| 8 | 11307 | 911.31† |



Part No. AW 401C
Sanitary Tee, Reducing
(All Hub)

| | | |
|-------------|-------|----------------|
| 2 x 1½ x 1½ | 10506 | \$65.33 |
| 2 x 2 x 1½ | 10507 | 65.33 |
| 2 x 1½ x 2 | 10508 | 68.29 |
| 3 x 3 x 1½ | 10509 | 113.70 |
| 3 x 3 x 2 | 10510 | 122.23 |
| 4 x 4 x 2 | 10511 | 175.30 |
| 4 x 4 x 3 | 10512 | 183.16 |
| 6 x 6 x 4 | 10513 | 457.96 |

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

| Size | UPC# 611942- | List Price Each | Size | UPC# 611942- | List Price Each |
|------|-----------------|--------------------|------|-----------------|--------------------|
|------|-----------------|--------------------|------|-----------------|--------------------|



Part No. AW 428C
Double Sanitary Tee
(All Hub)

| | | |
|----|-------|----------------|
| 1½ | 10514 | \$82.32 |
| 2 | 10515 | 97.08 |
| 3 | 10516 | 129.83 |
| 4 | 10517 | 173.28 |



Part No. AW 429C
Double Sanitary Tee, Reducing
(All Hub)

| | | |
|-----------------|-------|-----------------|
| 2 x 2 x 1½ x 1½ | 10518 | \$108.44 |
| 3 x 3 x 2 x 2 | 10520 | 182.47 |



Part No. AW 444XC
Cleanout Tee with Plug
(H x H)

| | | |
|----|-------|----------------|
| 1½ | 10521 | \$65.07 |
| 2 | 10522 | 71.88 |
| 3 | 10523 | 150.72 |
| 4 | 10524 | 205.27 |
| 6 | 10706 | 554.36 |



Part No. AW 501C
Combination Wye and 1/8 Bend
(One Piece)
(All Hub)

| | | |
|----|-------|----------------|
| 1½ | 10707 | \$72.72 |
| 2 | 10708 | 97.03 |
| 3 | 10709 | 154.92 |
| 4 | 10710 | 220.02 |



Part No. AW 502C
Combination Wye and 1/8 Bend,
Reducing
(One Piece)
(All Hub)

| | | |
|------------|-------|----------------|
| 2 x 2 x 1½ | 10713 | \$87.36 |
| 3 x 3 x 1½ | 10714 | 128.86 |
| 3 x 3 x 2 | 10715 | 139.58 |
| 4 x 4 x 2 | 10716 | 193.28 |
| 4 x 4 x 3 | 10717 | 202.79 |



Part No. AW 503C
Combination Wye and 1/8 Bend
(Two Pieces)
(All Hub)

| | | |
|---|-------|------------------|
| 6 | 10711 | \$594.70 |
| 8 | 11309 | 1,094.24† |



Part No. AW 504C
Combination Wye and 1/8 Bend,
Reducing
(Two Pieces)
(All Hub)

| | | |
|------------|-------|-----------------|
| 6 x 6 x 3 | 10718 | \$450.14 |
| 6 x 6 x 4* | 10719 | 467.48 |



Part No. AW 507C
Double Combination Wye and 1/8 Bend
(Three Pieces)
(All Hub)

| | | |
|---|-------|-----------------|
| 2 | 10721 | \$191.83 |
| 3 | 10722 | 329.70 |
| 4 | 10723 | 624.77 |

* One Piece Short Pattern

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.

| Size | UPC# 611942- | List Price Each | Size | UPC# 611942- | List Price Each |
|------|-----------------|--------------------|------|-----------------|--------------------|
|------|-----------------|--------------------|------|-----------------|--------------------|



Part No. AW 507C
Double Combination Wye and 1/8 Bend,
Reducing
(Three Pieces)
(All Hub)

| | | |
|-----------------|-------|-----------------|
| 2 x 2 x 1½ x 1½ | 10724 | \$165.81 |
| 3 x 3 x 2 x 2 | 10725 | 276.40 |
| 4 x 4 x 2 x 2 | 10726 | 346.12 |
| 4 x 4 x 3 x 3 | 10727 | 346.12 |



Part No. AW 600C
Wye
(All Hub)

| | | |
|----|-------|----------------|
| 1½ | 10525 | \$55.70 |
| 2 | 10526 | 78.14 |
| 3 | 10527 | 139.27 |
| 4 | 10528 | 202.99 |
| 6 | 10529 | 515.32 |
| 8 | 11311 | 560.91† |



Part No. AW 601C
Reducing Wye
(All Hub)

| | | |
|------------|-------|----------------|
| 2 x 2 x 1½ | 10531 | \$78.14 |
| 3 x 3 x 1½ | 10532 | 119.91 |
| 3 x 3 x 2 | 10533 | 129.82 |
| 4 x 4 x 2 | 10535 | 186.84 |
| 4 x 4 x 3 | 10536 | 194.86 |
| 6 x 6 x 4 | 10537 | 334.63 |
| 8 x 8 x 4 | 11312 | 389.82† |
| 8 x 8 x 6 | 11313 | 433.84† |



Part No. AW 611C
Double Wye
(All Hub)

| | | |
|----|-------|-----------------|
| 1½ | 10538 | \$104.52 |
| 2 | 10539 | 110.49 |
| 3 | 10540 | 199.74 |
| 4 | 10541 | 455.64 |
| 6 | 10542 | 792.38 |



Part No. AW 612C
Double Wye, Reducing
(All Hub)

| | | |
|-----------------|-------|-----------------|
| 2 x 2 x 1½ x 1½ | 10543 | \$165.79 |
| 3 x 3 x 2 x 2 | 10544 | 204.01 |
| 4 x 4 x 3 x 3 | 10545 | 403.63 |



Part No. AW 706XC
P-Trap with Solvent Weld Joint
(H x H)

| | | |
|----|-------|----------------|
| 1½ | 10546 | \$85.77 |
| 2 | 10547 | 119.69 |
| 3 | 10548 | 217.26 |
| 4 | 10552 | 386.17 |



Part No. AW 707XC
P-Trap with Solvent Weld Joint &
Cleanout
(H x H)

| | | |
|----|-------|----------------|
| 1½ | 10550 | \$95.97 |
|----|-------|----------------|



Part No. AW 708PC
P-Trap with Union and Plastic Nut
(H x H)

| | | |
|----|-------|----------------|
| 1½ | 10728 | \$74.68 |
| 2 | 10729 | 129.36 |



Part No. AW 711PC
P-Trap with Union and 1½'' Nut
(SLIP x H with Plastic Nut)

| | | |
|----|-------|-----------------|
| 1½ | 10837 | \$163.26 |
|----|-------|-----------------|

Part No. AW 712C has been moved to page six.

Part No. AW 712PC has been moved to page six.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

† Different discount applies. Please contact sales office.

>> **Specialty Items and Drains**

Different Discount Applies to these items.

| Size | UPC# 611942- | List Price Each | Size | UPC# 611942- | List Price Each |
|------|-----------------|--------------------|------|-----------------|--------------------|
|------|-----------------|--------------------|------|-----------------|--------------------|



Part No. AW 1C †
ChemDrain Low-VOC Solvent Cement

| | | |
|-------|-------|---------|
| Quart | 10693 | \$49.04 |
|-------|-------|---------|



Part No. AW 95C †
Transition Coupling - ChemDrain CPVC to Steel, Cast Iron, Plain-end Glass or Any Other Schedule 40 or 80 IPS Size Plastic or Metallic Pipe
300 Series Stainless Steel with Fluoroelastomer Gasket

| | | |
|----|-------|----------|
| 1½ | 10583 | \$388.79 |
| 2 | 10586 | 409.26 |
| 3 | 10587 | 447.43 |
| 4 | 10588 | 487.01 |
| 6 | 10691 | 881.24 |
| 8 | 11622 | 1,231.83 |



Part No. AW 96C †
Transition Coupling - ChemDrain CPVC to Plain-end High-silicon Iron
300 Series Stainless Steel with Fluoroelastomer Gasket

| | | |
|---|-------|----------|
| 2 | 10688 | \$409.26 |
| 3 | 10690 | 447.43 |
| 4 | 10689 | 487.01 |

† Different discount applies. Please contact sales office.

NSF Listed. Meets All Requirements of ASTM D 1784 and ASTM F 2618.

CPVC piping products are not recommended for use with compressed air or gases.



Part No. AW 712C †
Jar Trap
(SPG x H)

| | | |
|----|-------|----------|
| 1½ | 10838 | \$147.59 |
|----|-------|----------|



Part No. AW 712PC †
Jar Trap with Tail Piece Adaptor
(SLIP x HUB)

| | | |
|----|-------|----------|
| 1½ | 10839 | \$176.16 |
|----|-------|----------|



Part No. AW 1512PC †
CPVC Tail Piece with Nut
(May be cut to length)

| | | |
|---------|-------|---------|
| 1½ x 12 | 10636 | \$95.90 |
|---------|-------|---------|

NOTICE

Floor drains with CPVC tops are rated as "Light Duty" per ASME A 112.6.3. Any metallic screws or hardware are 304 SS. All floor drains are supplied with 1/2" FPT tapped connection for a trap primer. All drains and clean-outs are based on 4" body with smaller connection sizes factory bushed.

! WARNING

Testing with or use of compressed air or gas in PVC / ABS / CPVC pipe or fittings can result in explosive failures and cause severe injury or death.

AIR/GAS



- NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC pipe or fittings.
- NEVER test PVC / ABS / CPVC pipe or fittings with compressed air or gas, or air over water boosters.
- ONLY use PVC / ABS / CPVC pipe or fittings for water or approved chemicals.
- Refer to warnings on PPFA's website and ASTM D 1785.

Terms of Sale

We are pleased to present our list price schedule for use in ordering Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products. To determine current prices, please refer to the prices shown in the list price schedule. You may seek further clarification from our local manufacturers' agent or the factory sales office. **All prices in list price schedules are subject to change without notice. Orders will be billed at the prevailing price at the time of shipment.** All quotations, sales, and agreements are subject to strikes, accidents, transportation failures or other causes beyond our control. Any tax, effective under present or future laws, shall be added as an extra to the price of the product and shall be paid by the purchaser. **Possession of product information or list price schedules shall not be construed as an offer to sell the product listed.**

ARBITRATION: CHARLOTTE PIPE AND CUSTOMER AGREE THAT ANY DISPUTE, CLAIM OR CONTROVERSY OF ANY NATURE, WHETHER BASED ON CONTRACT, TORT, STATUTE, OR ANY OTHER LEGAL OR EQUITABLE THEORY, ARISING OUT OF OR RELATED TO THE SALE OF PRODUCTS FROM CHARLOTTE PIPE TO CUSTOMER SHALL BE RESOLVED THROUGH BINDING ARBITRATION ADMINISTERED PURSUANT TO TITLE 9 OF THE U.S. CODE BY JAMS UNDER ITS COMPREHENSIVE ARBITRATION RULES AND PROCEDURES, AND JUDGMENT ON THE AWARD ENTERED BY THE ARBITRATOR(S) MAY BE ENTERED BY ANY COURT HAVING JURISDICTION THEREOF. EITHER PARTY MAY APPLY TO THE ARBITRATOR SEEKING INJUNCTIVE RELIEF UNTIL THE ARBITRATION AWARD IS ENTERED OR THE MATTER IS RESOLVED. EITHER PARTY ALSO MAY, WITHOUT WAIVING ANY REMEDY AVAILABLE TO IT, SEEK FROM ANY COURT OF COMPETENT JURISDICTION ANY PROVISIONAL OR INTERIM RELIEF THAT IS NECESSARY TO PROTECT ITS RIGHTS PENDING THE ARBITRATOR(S)' DETERMINATION OF THE MERITS OF THE DISPUTE, CLAIM OR CONTROVERSY.

CLASS ACTION WAIVER: CHARLOTTE PIPE AND CUSTOMER AGREE THAT THERE WILL BE NO RIGHT OR AUTHORITY FOR ANY CLAIM, DISPUTE AND/OR CONTROVERSY COVERED UNDER THE PARTIES' AGREEMENT TO ARBITRATE TO BE BROUGHT, HEARD, OR ARBITRATED AS A CLASS ACTION AND/OR COLLECTIVE ACTION AND/OR REPRESENTATIVE ACTION. NOR SHALL THE ARBITRATOR(S) HAVE ANY AUTHORITY TO HEAR OR ARBITRATE ANY SUCH CLASS AND/OR COLLECTIVE ACTION AND/OR REPRESENTATIVE ACTION. REGARDLESS OF ANYTHING ELSE IN THESE TERMS AND CONDITIONS OR BY VIRTUE OF ANY ARBITRATION RULES OR PROCEDURES OF THE AAA THAT NOW APPLY OR ANY AMENDMENTS AND/OR MODIFICATIONS TO THOSE RULES, THE ENFORCEABILITY AND VALIDITY OF THIS CLASS ACTION WAIVER MAY BE DETERMINED ONLY BY A COURT AND NOT BY AN ARBITRATOR. NOTWITHSTANDING ANY OTHER CLAUSE CONTAINED IN THESE TERMS AND CONDITIONS, THIS CLAUSE ENTITLED CLASS ACTION WAIVER SHALL NOT BE SEVERABLE FROM THESE TERMS AND CONDITIONS IN ANY CASE IN WHICH THE DISPUTE TO BE ARBITRATED IS BROUGHT AS A CLASS AND/OR COLLECTIVE ACTION. THIS CLASS ACTION WAIVER AND THE AGREEMENT TO ARBITRATE ANY CLAIM, DISPUTE OR CONTROVERSY PRECLUDES CUSTOMER FROM LITIGATING IN COURT OR ARBITRATING ANY CLAIMS AGAINST CHARLOTTE PIPE AS A REPRESENTATIVE OR MEMBER OF A CLASS OR IN A PRIVATE ATTORNEY GENERAL CAPACITY.

Limited Warranty

Charlotte Pipe and Foundry Company® (Charlotte Pipe®) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any defective product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose.** No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.

This Limited Warranty will not apply if:

- 1) The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF® International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.



Charlotte, Charlotte Pipe and "You can't beat the system" are registered trademarks of Charlotte Pipe and Foundry Company.

anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.

- 7) The Products fail due to the freezing of water in the Products.
- 8) The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- 9) Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte® PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company
Attention: Technical Services
2109 Randolph Road
Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

4/24/15

WARNING

Testing with or use of compressed air or gas in PVC / ABS / CPVC pipe or fittings can result in explosive failures and cause severe injury or death.

AIR/GAS



- NEVER test with or transport/store compressed air or gas in PVC / ABS / CPVC pipe or fittings.
- NEVER test PVC / ABS / CPVC pipe or fittings with compressed air or gas, or air over water boosters.
- ONLY use PVC / ABS / CPVC pipe or fittings for water or approved chemicals.
- Refer to warnings on PPA's website and ASTM D 1785.

You can't beat the system.®