	CHARLOTTE PIPE AND FOUNDRY COMPANY
	DIMENSIONAL CATALOG
C a a	necTite® Push-Fit DWV
Fitti	
ABS	-DWV Pipe and Fittings
PVC	-DWV Pipe and Fittings
	Sewer Pipe
PVC	Schedule 30 DWV Thin 3.25 in. O.D. Pipe and
(Upda	ted June 2, 2025)
You	can't beat the system.

DWV

DC-DWV

Plastic DWV Pipe and Fitting Dimensions

This catalog accurately reflects dimensional information to the best of our knowledge. If the dimensions on your job are critical, please verify dimensional information with our factory.

This dimensional catalog accurately reflects our product line at the time the catalog was printed. However, we add and delete items on an ongoing basis to better serve our customers. Please refer to our current list price sheets for an accurate listing of items offered.

Charlotte Pipe® products are manufactured to the applicable ASTM standard. Charlotte Pipe and Foundry cannot accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.



All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

Table of Contents

ABS "Foam Core" Schedule 40 DWV Pipe Data	4
ABS Plus [®] "Foam Core" Schedule 40 DWV Pipe Data	5
PVC ``Foam Core" Schedule 40 DWV Pipe Data	6
PVC Schedule 40 DWV Pipe Data	7
D 3034 PVC Sewer Pipe Data	8
PVC D 2729 Sewer and Drain Pipe Data	9
ConnecTite [®] Push-Fit DWV Fittings	10-11
PVC and ABS DWV Fittings Dimensions	12-66
PVC Thin Wall Sch. 30 Pipe Data	67
PVC Thin Wall Sch. 30 Fittings	
Dimensions	68-74
Certification	75-76
Warranty	77



Download our Tech Tools App for dimensional info, tech calculators and more on your mobile device.

Charlotte Pipe, ABS Plus and ConnecTite are registered trademarks of Charlotte Pipe and Foundry Company.





ABS Schedule 40 DWV Pipe (For Non-Pressure Applications)

ABS SCHED	ABS SCHEDULE 40 FOAM CORE (BLACK) PLAIN END ASTM F 628							
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER Skid (Ft.)	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)		
ABS 3112	1½″ x 10′	03132	2590	1.900	0.145	27.1		
ABS 3112	11⁄2″ x 20′	03133	5180	1.900	0.145	27.1		
ABS 3200	2″ x 10′	03134	1670	2.375	0.154	37.7		
ABS 3200	2″ x 20′	03135	3340	2.375	0.154	37.7		
ABS 3300	3″ x 10′	03136	750	3.500	0.216	74.5		
ABS 3300	3″ x 20′	03137	1500	3.500	0.216	74.5		
ABS 3400	4″ x 10′	03138	480	4.500	0.237	107.1		
ABS 3400	4″ x 20′	03139	960	4.500	0.237	107.1		
ABS 3600	6″ x 10′	03140	200	6.625	0.280	187.8		
ABS 3600	6″ x 20′	03141	400	6.625	0.280	187.8		

NSF Listed. Meets All Requirements of ASTM F 628.



NOT FOR PRESSURE

Do not use ABS / ABS Plus[®] / PVC cellular core (foam core) pipe for pressure applications. The use of cellular core pipe in pressure applications may result in system failure and property damage.





ABS Plus[®] Foam Core DWV Pipe

ABS Plus is a registered trademark of Charlotte Pipe and Foundry Company.

ABS Plus Schedule 40 DWV Pipe (For Non-Pressure Applications)

ABS PLUS SC	HEDULE 40 FO	PLAIN END) AS	TM F 1488		
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID (FT.)	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)
APA 17112	1½″ x 10′	12495	2590	1.900	0.145	31.4
APA 17112	1½″ x 20′	12494	5180	1.900	0.145	31.4
APA 17200	2″ x 10′	12497	1670	2.375	0.154	41.9
APA 17200	2″ x 20′	12496	3340	2.375	0.154	41.9
APA 17300	3″ x 10′	12499	750	3.500	0.216	84.0
APA 17300	3″ x 20′	12498	1500	3.500	0.216	84.0
APA 17400	4″ x 10′	12501	480	4.500	0.237	118.80
APA 17400	4″ x 20′	12500	960	4.500	0.237	118.80

NSF Listed. Meets All Requirements of ASTM F 1488.



NOT FOR PRESSURE

Do not use ABS / ABS Plus[®] / PVC cellular core (foam core) pipe for pressure applications. The use of cellular core pipe in pressure applications may result in system failure and property damage.





PVC Foam Core Pipe

PVC Schedule 40 DWV Pipe (For Non-Pressure Applications)

PVC SCHEDU	PVC SCHEDULE 40 FOAM CORE (WHITE) PLAIN END							
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID (FT.)	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)		
PVC 4112	1 ¹ /2″ x 10′	04178	1650	1.900	0.145	32.3		
PVC 4112	11⁄2″ x 20′	04177	3300	1.900	0.145	32.3		
PVC 4200	2" x 10'	04174	1110	2.375	0.154	43.9		
PVC 4200	2" x 20'	04173	2220	2.375	0.154	43.9		
PVC 4300	3" x 10'	03934	1130	3.500	0.216	89.7		
PVC 4300	3" x 20'	03935	1000	3.500	0.216	89.7		
PVC 4400	4" x 10'	03936	670	4.500	0.237	123.8		
PVC 4400	4" x 20'	03937	1340	4.500	0.237	123.8		
PVC 4600	6" x 10'	03938	330	6.625	0.280	235.0		
PVC 4600	6" x 20'	03939	660	6.625	0.280	235.0		
PVC 4800	8″ x 20′	03941	360	8.625	0.322	371.0		
PVC 4910	10" x 20'	03942	220	10.750	0.365	566.3		
PVC 4912	12″ x 20′	03943	80	12.750	0.406	700.0		

PVC SCHEDULE 40 FOAM CORE (WHITE) BELL-END								
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID (FT.)	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)		
PVC 4300B	3″ x 20′	04782	1000	3.500	0.216	89.7		
PVC 4400B	4″ x 10′	04783	670	4.500	0.237	123.8		
PVC 4400B	4″ x 20′	04784	1340	4.500	0.237	123.8		
PVC 4600B	6" x 10'	09904	330	6.625	0.280	235.0		
PVC 4600B	6" x 20'	04786	660	6.625	0.280	235.0		

NOTE: When ordering, please specify plain end or bell end.

NSF Listed. Meets All Requirements of ASTM F 891.



NOT FOR PRESSURE

Do not use ABS / ABS Plus[®] / PVC cellular core (foam core) pipe for pressure applications. The use of cellular core pipe in pressure applications may result in system failure and property damage.





NSE

PVC Schedule 40 DWV Pipe

PVC Schedule 40 DWV Pipe

PVC SCHEDU	LE 40 (WHITE)	PLA	IN END	PVC 11	20 A	STM D 2665
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER Skid	AVG. OD (IN.)	MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)
PVC 7100*	1 ¹ /4″x10′	03945	2120′	1.660	.140	42.4
PVC 7100*	1 ¹ / ₄ ″x20′	03946	4240′	1.660	.140	42.4
PVC 7112*	1 ¹ /2″x10′	03947	1650′	1.900	.145	51.8
PVC 7112*	1 ¹ /2″x20′	03948	3300′	1.900	.145	51.8
PVC 7200*	2"x10'	03949	1110′	2.375	.154	69.5
PVC 7200*	2"x20'	03950	2220′	2.375	.154	69.5
PVC 7300*	3"x10'	03951	1130′	3.500	.216	144.2
PVC 7300*	3"x20'	03952	1000′	3.500	.216	144.2
PVC 7400†	4"x10'	03953	670′	4.500	.237	205.5
PVC 7400†	4"x20'	03954	1340′	4.500	.237	205.5
PVC 7500†	5"x20'	04837	760′	5.563	.258	272.5
PVC 7600†	6"x10'	03955	330′	6.625	.280	361.2
PVC 7600†	6"x20'	03956	660′	6.625	.280	361.2
PVC 7800†	8″x10′	13087	140′	8.625	.322	543.6
PVC 7800†	8″x20′	03958	280′	8.625	.322	543.6
PVC 7910†	10"x20'	03959	220′	10.750	.365	770.7
PVC 7912†	12"x20'	03961	120′	12.750	.406	1019.0
PVC 7914†	14"x20'	04862	60′	14.000	.437	1205.0
PVC 7916†	16"x20'	04918	60′	16.000	.500	1575.7

7

* Dual Marked ASTM D 1785 & ASTM D 2665.

† Triple Marked ASTM D 1785 & ASTM D 2665 & ASTM F 480.

NSF Listed. Meets All Requirements of ASTM D 1784, ASTM D 1785, and ASTM D 2665.







PVC Sewer Pipe

PVC SDR 35 PSM Pipe

ASTM D 3034 & ASTM F 477

SDR-35	GASKETED - PS 46						
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID (FT.)	LAYING Length	WT. PER 100 FT. (LBS.)	AVG. OD (IN.)	MIN. WALL (IN.)
S/M 6004G	4″x14′	11920	938	14'-0''	110.4	4.215	.120
S/M 6004G	4"x20'	04012	1340	20'-0"	109.7	4.215	.120
S/M 6006G	6″x14′	11921	462	14'-0"	249.6	6.275	.180
S/M 6006G	6"x20'	04016	660	20'-0"	247.0	6.275	.180
S/M 6008G	8″x14′	11922	196	14'-0"	451.0	8.400	.240

Weight is approximate and is for shipping purposes only.

SDR-35	SOLVENT WELD - PS 46						
PART NO.	NOM. SIZE	NOM. SIZE UPC # QTY. PER LAYING WT. PER AVG. 0D MIN. WALL 611942- SKID (FT.) LENGTH 100 FT. (LBS.) (IN.) (IN.)					
S/M 6004	4"x10'	04008	670	10'-0"	108.3	4.215	.120
S/M 6004	4″x20′	04009	1340	20'-0"	108.3	4.215	.120
S/M 6006	6"x10	04013	330	10'-0"	241.7	6.275	.180
S/M 6006	6″x20′	04014	660	20'-0"	241.7	6.275	.180

Weight is approximate and is for shipping purposes only.

Meets All Requirements of ASTM D 3034.

SDR 35 Gaskets meet or exceed ASTM F 477. Gasketed joints meet ASTM D 3212.





NOT FOR PRESSURE

Do not use PVC Sewer pipe for pressure applications. The use of sewer pipe in pressure applications may result in system failure and property damage.



PVC Sewer and Drain Pipe

PVC ASTM D 2729 Pipe

	SOLVENT WELD BELLED END ASTM D 2729							
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID	AVG. OD (IN.)	MIN. WALL (IN.)	BELL DEPTH (IN.)	WT. PER 100 FT. (LBS.)	
PVC 30030	3" x 10'	10903	1130′	3.250	0.070	3.00	52.8	
PVC 30040	4″ x 10′	10905	670′	4.215	0.075	3.50	70.4	
PVC 30060	6″ x 10′	15149	330′	6.275	0.100	4.00	129.0	

Perforated PVC ASTM D 2729 Pipe

SOLVENT WELD BELLED END ASTM D 2729							
PART NO.	NOM. SIZE	UPC # 611942-	QTY. PER SKID	AVG. OD (IN.)	MIN. WALL (IN.)	BELL DEPTH (IN.)	WT. PER 100 FT. (LBS.)
PVC 30030P	3″ x 10′	11814	1130′	3.250	0.070	3.00	52.8
PVC 30040P	4" x 10'	11815	670′	4.215	0.075	3.50	70.4

Perforated pipe is supplied with two rows of 1/2" diameter holes every five inches. Rows are parallel to the pipe axis and are 120° apart.

Weight is approximate and is for shipping purposes only.

Pipe listed in this section meets or exceeds the requirements of ASTMD 2729.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.





NOT FOR PRESSURE


Do not use PVC Sewer pipe for pressure applications. The use of sewer pipe in pressure applications may result in system failure and property damage.



CHARLOTTE PIPE AND FOUNDRY COMPANY®

PART NO. CTT 100

ConnecTite Coupling HUB X HUB							
SIZE	Α	В					
11/2	1/8	2 ¹⁵ /32					
2	1⁄8	2 ¹⁹ /32					
3	6/32	3 ²¹ / ₃₂					



PART NO. CTT 300

ConnecTite 1/4 Bend		
HUB X HUB		
SIZE A		
11/2 13/4		
2 25/16		
3 3		



PART NO. CTT 321

ConnecTite 1/8 Bend

HUB X HUB		
SIZE	A	
11/2	13/32	
2	1 ¹⁵ /32	
3	1 ¹¹ /16	



* ConnecTite fittings may be used in PVC-DWV and ABS-DWV systems.

ConnecTite is a registered trademark of Charlotte Pipe and Foundry Company.

CHARLOTTE PIPE AND FOUNDRY COMPANY®

PART NO. CTT 400


ConnecTite Sanitary Tee ALL HUB			
SIZE	Α	В	
11/2	1 ²³ /32	2 ²¹ / ₃₂	
2	29/32	3 ¹⁹ /32	
3	31/32	4 ²⁵ / ₃₂	



PART NO. CTT 800 S

ConnecTite Closet Flange

HUB				
SIZE	Α	В	С	D
4 x 3	7	2 ¹⁵ /32	7/16	1 ²³ /32




* ConnecTite fittings may be used in PVC-DWV and ABS-DWV systems.

ConnecTite is a registered trademark of Charlotte Pipe and Foundry Company.



PVC and ABS DWV Fittings

HUB DIMENSIONS



		ABS		
SIZE	Α	В	C	D
11/2	1.910	1.895	.687	.156
2	2.385	2.370	.750	.156
3	3.515	3.495	1.500	.218
4	4.515	4.495	1.750	.250
6	6.647	6.614	3.000	.281

PVC

		110		
SIZE	Α	В	C	D
11⁄4	1.675	1.650	.687	.156
1 ¹ /2	1.915	1.895	.687	.156
2	2.390	2.370	.750	.156
3	3.520	3.495	1.500	.218
4	4.520	4.495	1.750	.250
6	6.647	6.614	3.000	.281
8	8.655	8.610	4.000	.322
10	10.776	10.737	5.000	.365
12	12.778	12.736	6.000	.406
14	14.035	13.985	7.000	.437
16	16.045	15.980	8.000	.500

CHARLOTTE PIPE AND FOUNDRY COMPANY®

PART NO. 100

Coupling HUB X HUB			
SIZE	Α	В	
11/4	1⁄8	15⁄8	
11/2 (PVC)	1/8	1%16	
11/2 (ABS)	1/8	15⁄8	
2 (PVC)	¹⁵ ⁄64	13⁄4	
2 (ABS)	1/8	1 ¹³ ⁄16	
3	³ /16	3 ³ ⁄16	
4	1/4	33⁄4	
6	1⁄4	61⁄4	
8 (PVC)	1/4	81/4	
10 (PVC)	5/16	103⁄8	
12 (PVC)	3⁄8	137/16	
14 ^(F) (PVC)	3	17	
16 ^(F) (PVC)	3 3/8	19 ¾	



(F) Fabricated

Female Adapter			
SIZE	A		
11/4 (PVC)	1/8		
11/2 (PVC)	1⁄4		
11/2 (ABS)	3/16		
2 (PVC)	1/4		
2 (ABS)	5/32		
3 (PVC)	5/16		
3 (ABS)	7/32		
4	¹¹ / ₃₂		
6 (PVC)	1/4		
6 (ABS)	³ / ₃₂		
8 (PVC)	9⁄16		
10 ^(F) (PVC)	2 7/8		
12 ^(F) (PVC)	3 ³ ⁄16		



PART NO. PVC 101 X

Female Adapter with Cleanout Plug

	FPT X HUB			
SIZE				
8 (PVC)	See Part No. 101 and 106			
10 ^(F) (PVC)				
12 ^(F) (PVC)				

(F) Fabricated

CHARLOTTE PIPE AND FOUNDRY COMPANY®

PART NO. 102

Pipe Increaser–Reducer HUB X HUB			
SIZE	A	N	
11/2 x 2 (PVC)	2 ⁵ / ₃₂	17/32	
11/2 x 2 (ABS)	2 ³ / ₃₂	5⁄8	
1½ x 3	3 ¹¹ / ₃₂	13/32	
2 x 3 (PVC)	35/32	7/8	
2 x 3 (ABS)	3 ¹⁷ / ₃₂	11/8	
2 x 4 (PVC)	4	13⁄8	
2 x 4 (ABS)	4 ¹ / ₁₆	13⁄8	
3 x 4	43⁄16	¹⁵ ⁄16	
3 x 6 (PVC)	61/2	2	
4 x 6 (PVC)	6%32	13⁄4	
4 x 8 (PVC)	7 ½	1 ²³ /32	
6 x 8 (PVC)	8 ¹³ / ₃₂	1 ¹³ / ₃₂	
4 x 10** (PVC)	11 ²⁵ /64	4 ¹⁵ /32	
4 x 12** (PVC)	133⁄8	5 ¹⁹ /32	
4 x 14 ^(F) (PVC)	19	9 ³ /4	
4 x 16 ^(F) (PVC)	205⁄8	101/4	
6 x 10 (PVC)	9 ²⁷ / ₃₂	17⁄8	
6 x 12** (PVC)	133⁄8	4 ³ /8	
6 x 14 ^(F) (PVC)	203⁄4	10 ¹⁵ /32	
6 x 16 ^(F) (PVC)	221/8	10 ²³ ⁄32	
8 x 10 (PVC)	103⁄4	11/16	
8 x 12 (PVC)	123⁄4	2 ¹ /16	
8 x 14 ^(F) (PVC)	221/2	113⁄8	
8 x 16 ^(F) (PVC)	241/4	121⁄8	
10 x 12 (PVC)	123⁄4	1 ¹¹ /16	
10 x 14 ^(F) (PVC)	17¾	53⁄4	
10 x 16 ^(F) (PVC)	25	12	
12 x 14 ^(F) (PVC)	16 ¹¹ / ₁₆	3 ³ ⁄16	
12 x 16 ^(F) (PVC)	20¾	67/16	
14 x 16 ^(F) (PVC)	191/8	47/16	



(F) Fabricated

** Assembled from two molded components


Trap Adapter–Male, Less Washer & Metal Nut DWV SPIGOT X TUBULAR SLIP SIZE A 14 × 414 (DVC) 134

1½ x	1¼ (PVC)	¹³ ⁄64	
11/2		¹³ ⁄64	
2		3⁄16	



Trap Adapter—Male, with Washer & Polyethylene Nut DWV SPIGOT X TUBULAR SLIP


SIZE	A	
11⁄2 x 11⁄4	13/64	
11/2	¹³ ⁄64	
2 (PVC)*	³ ⁄16	



PART NO. 103 R

Trap Adapter-Male, with 1¹/2^{''} PVC Nut & Washer & 1¹/2^{''} x 1¹/4^{''} Washer DWV SPIGOT X TUBULAR SLIP WITH PVC NUT


 SIZE	A	
11/2	3⁄16	



PART NO. 103 W

Trap Adapter-Male, with Washer & PVC Nut

DWV SPIGO	DWV SPIGOT X TUBULAR SLIP WITH PVC NUT			
SIZE	Α			
1½ x 1¼	¹³ ⁄64			
11/2	¹³ ⁄64			
2	3⁄16			



* Plastic nut on 2" fitting

PART NO. 103 X

Trap Adapter-Male, with Washer & **Chrome Nut** DWV SPIGOT X TUBULAR SLIP SIZE A 11/2 x 11/4 13/64 11/2 13/64

3/16

PART NO. 104

2 (PVC)

Trap Adapter—Female NOTE: NOT A MALE ADAPTER.

DV	DWV HUB X TUBULAR SLIP			
SIZE	Α			
11⁄2 x 11⁄4	5/16			
11/2	³ ⁄16			




PART NO. 104 P

Trap Adapter—Female, with Washer					
& Polyethylene Nut					
SIZE	A A	BULAR SLIP	ł		
11/4 (PVC)	³ ⁄16				
11⁄2 x 11⁄4	⁵ ⁄16				
11/2	3⁄16				


PART NO. 104 R

Trap Adapter–Female, with 1¹/₂" PVC Nut & Washer & 1¹/₂" x 1¹/₄" Washer DWV HUB X TUBULAR SLIP WITH PVC NUT

SIZE	Α	
11/2	3/16	








PART NO. 104 W

Trap Adapter—Female, with Washer & PVC Nut DWV HUB X TUBULAR SLIP WITH PVC NUT

SIZE	Α	
11/4 (PVC)	³ ⁄16	
11/2 x 11/4	5⁄16	
11/2	³ ⁄16	
2	³ /32	



PART NO. 104 X

Trap Adapter—Female, with Washer & Chrome Nut

SIZE	Α	
11/4 (PVC)	3/16	
11/2 x 11/4	5/16	
11/2	3/16	
2	³ / ₃₂	

PART NO. 105

Fitting Cleanout Adapter SPIGOT X FPT				
SIZE	A	В		
11/4 (PVC)	³ ⁄16	3/4		
11/2 (PVC)	5/32	3⁄4		
11/2 (ABS)	³ ⁄16	²³ / ₃₂		
2 (PVC)	5/32	7/8		
2 (ABS)	1/16	27/32		
3 (PVC)	7/32	1 ¹⁴ /32		
3 (ABS)	7/32	15/32		
4 (PVC)	1⁄4	7/8		
4 (ABS)	7/32	1%32		
6 (PVC)	5⁄16	1 ¹ /16		
8 (PVC)	3/8	11/2		
10 ^(F) (PVC)	¹⁵ ⁄16	1 ²¹ / ₃₂		
12 ^(F) (PVC)	11/8	2		



(F) Fabricated

- I |-- A

PART NO. 105 X

Fitting Cleanout Adapter with Cleanout Plug SPIGOT X FPT	
SIZE A	
For dimensions see part numbers 105 and 106.	uuu

PART NO. 106

Cleanout Plug MPT			
SIZE	Α	В	
11/2	13⁄8	5⁄8	
2	13⁄8	5⁄8	
21/2 (ABS)	11/2	3⁄4	
3	13⁄4	3⁄4	
4	11/8	7/8	
6 (PVC)	2	1	
6 (ABS)	11/8	³¹ / ₃₂	
8 (PVC)	23/8	13/8	
10 (PVC)	27/16	17/16	
12 (PVC)	2 ¹⁷ /32	117/32	



PART NO. PVC 106 A

Cleanout Plug with O-Ring

MPT				
SIZE	Α	В		
2	1%16	¹¹ / ₁₆		
3	1 ¹⁵ ⁄16	²³ / ₃₂		
4	2	3⁄4		



	J sh Bushing SPIGOT X HUB	ł
SIZE	C	
11/2 x 11/4	³ /16	
2 x 11⁄4	5/16	
2 x 11/2 (PVC)	5/16	
2 x 11/2 (ABS)	1/8	
3 x 11/2 (PVC)	1	
3 x 11/2 (ABS)	^{25/} 32	
3 x 2 (PVC)	7/8	
3 x 2 (ABS)	²³ / ₃₂	
4 x 2 (PVC)	11/8	
4 x 2 (ABS)	1 ^{3/} 16	
4 x 3 (PVC)	1/2	
4 x 3 (ABS)	1/4	
6 x 4 (PVC)	13⁄4	
6 x 4 (ABS)	1 ²¹ / ₃₂	
8 x 4 (PVC)	27/8	
8 x 6 (PVC)	15⁄8	
10 x 4** (PVC)	47/16	
10 x 6** (PVC)	35/32	
10 x 8 (PVC)	11/2	
12 x 4** (PVC)	5 ^{5/} 32	
12 x 6** (PVC)	4 ⁵ /32	
12 x 8 (PVC)	21/2	
12 x 10 (PVC)	11/2	



** Assembled from two molded components

PART NO. PVC 107

Concentric Reducer Bushing SPIGOT X HUB				
SIZE	C			
14 x 4 ^(F) (PV0	C) 8			
14 x 6 ^(F) (PV0	C) 8 ⁶³ / ₆₄			
14 x 8 ^(F) (PV0	C) 97/16			
14 x 10 ^(F) (P)	/C) 95/8			
14 x 12 ^(F) (P)	/C) 73/8			
16 x 4 ^(F) (PV0	C) 8 ³ / ₄			
16 x 6(F) (PV0	C) 9 ¹ / ₄			
16 x 8 ^(F) (PVC	c) 10 ¹ / ₄			
16 x 10 ^(F) (P)	/C) 101/8			
16 x 12 ^(F) (P)	/C) 105∕8			
16 x 14 ^(F) (P)	/C) 91⁄4			



PVC & ABS DWV FITTINGS

PART NO. 108

Flush Bushing (Cleanout Adapter)

SPIGOT X FPT			
SIZE	C		
2 x 1½	5⁄16		
8 x 6 ^(CP) (PVC)	15⁄/8		

PART NO. PVC 108 X

Flush Bushing (Cleanout Adapter) with Plug

SPIGOT				
SIZE	Α	В	С	
10 x 8 (PVC)	2 3/8	1 ¾	3 1/8	
12 x 8 (PVC)	2 3/8	1 3⁄8	4 1/8	



(F) Fabricated

^(CP) PVC 108, 8"x6" is available only as a component part of PVC 444X. Note: If PVC or ABS is not listed for a specific size, that size fitting is available in PVC and ABS materials, and the dimensions listed are the same for both materials.

Male Adapter					
MPT X HUB Note: Not a trap adapter. Will not accept a tail piece. See part number 104					
SIZE	A				
11/4 (PVC)	³ ⁄16				
11/4 x 11/2 (PVC)	³ ⁄16				
11/2	³ ⁄16				
2	³ ⁄16				
3	3⁄8				
4	3⁄8				



(Octagon shoulders for tightening purposes.)

PART NO. 110

Flush Cleanout Plug & PVC 110 B Flush Cleanout Plug with Threaded Brass Insert

	MPI					
SIZE	Α	В				
2 (PVC)	5/8	1/2				
2 (ABS)	¹¹ / ₁₆	1/2				
3 (PVC)	3/4	3/4				
3 (ABS)	27/32	3/4				
4 (PVC)	3⁄4	3/4				
4 (ABS)	7/8	3/4				





PART NO. PVC 110 A

Flush Cleanout Plug with O-Ring

	мрт				
SIZE	Α	В			
2	²⁷ / ₃₂	²¹ / ₃₂			
3	11/32	¹³ /16			
4	1	3⁄4			



Male Fitting Adapter				
	MPT X S	PIGOT		
SIZE	Α	В		
11/2	1 ¹³ ⁄16	3⁄4		
11/2 x 11/4 (PVC)	1 ¹¹ /16	¹¹ /16		
2 (PVC)	1 ¹⁵ /16	7/8		
2 (ABS)	11⁄8	7/8		
3 (PVC)	3 ¹ /16	11/2		



PART NO. PVC 113

Tray Plug Adapter			
SIZE	Α	В	
11/2 (PVC)	29/16	17/32	

PART NO. ABS 113 S

Tray Plug Adapter

SPIGOT			
SIZE	Α	В	
11/2 (ABS)	35/16	1/4	

PART NO. ABS 114

Threaded Cap

FPI		
SIZE	Α	
11/2 (ABS)	7⁄8	







(F) Fabricated

PART NO. PVC 115


Adapter Coupling

SDR	SDR 35 HUB X DWV HUB			
SIZE	Α			
8 ^(F) (PVC)	13⁄4			
10 ^(F) (PVC)	31/2			
10 x 8 ^(F) (PVC)	31/2			
12 ^(F) (PVC)	1			

PART NO. 116

Сар			
A	C		
1 ¹¹ /16	13⁄32		
11⁄4	11/16		
1 ²⁷ /32	15/32		
13⁄16	³¹ / ₃₂		
2 ¹⁵ /16	1 ²⁹ / ₃₂		
2 ³ / ₃₂	1 ²⁷ / ₃₂		
31/8	21/32		
2 ¹¹ /32	13⁄4		
43⁄4	35/8		
3 ¹⁵ /32	3 ¹ / ₃₂		
6 ¹³ /32	4		
73⁄4	5		
9 7⁄16	6		
5½	5 ¹ ⁄16		
5 ³ ⁄4	5¼		
	sock A 111/16 11/4 127/32 13/16 21/5/16 23/32 31/6 211/32 43/4 315/32 613/32 73/4 97/16 51/2	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	





PART NO. 117

Adapter Coupling (Adapts Sewer and Drain Spigot to DWV Spigot) HUB X HUB			
SIZE	A		
3 x 3** (PVC)	1⁄8		
4 x 3	3⁄4		
4 x 4 (PVC)	1/2		
4 x 4 (ABS)	3⁄8		



(F) Fabricated

** Assembled from two molded components

PART NO. PVC 117 X

Adapter Bushing

(Adapts Sewer and Drain Hub to DWV Spigot)

51 6 X 1165		
SIZE	Α	
4 x 3 (PVC)	1⁄4	

PART NO. 118

Adapter Bushing (Adapts DWV Hub to Sewer and Drain Spigot) DWV SPIGOT X HUB

SIZE	A	В	
3	1⁄4	13⁄4	
4	1/4	2	



PVC & ABS DWV FITTINGS

PART NO. 119

No-Hub Adapter (Adapts Cast Iron No-Hub Spigot to DWV Spigot)

SPIGOT X HUB		
SIZE	Α	
11/2 (PVC)	127/32	
2 (PVC)	1 ²³ / ₃₂	
2 (ABS)	15%8	
2 x 11/2 (PVC)	1 ¹¹ / ₁₆	
3	1 ¹³ ⁄16	
4	127/32	
4 x 3 (PVC)	25/32	

Α-

PART NO. PVC 120

Adapter Bushing

DWV SPIGOT X SDR 35 HUB		
SIZE	Α	
8 ^(F) (PVC)	5/ ₈	
10 ^(F) (PVC)	5/ ₈	
12 ^(F) (PVC)	5/ ₈	

PART NO. 122

Spigot Adapter, Cast Iron

(Adapts Cast Iron Spigot to DWV Spigot)

HUB X HUB		
SIZE	Α	
2 x 2	³ /8	
3 x 3 (PVC)	7/16	
4 x 4 (PVC)	1/2	
4 x 4 (ABS)	⁷ / ₁₆	



PART NO. 123

Hub Adapter, Cast Iron (Adapts DWV Spigot to Cast Iron Hub)

HUB X SPIGUT		
SIZE	Α	
2 x 2 ^(P)	3 ²³ / ₃₂	
3 x 3 ^(P) (PVC)	45/64	
4 x 4 ^(P)	4 ²⁵ / ₆₄	



(P) Plain End: Joint can be made with compression gasket only.

- A -

PART NO. PVC 123 R

Hub Adapter, Cast Iron, Increaser

HUB X SPIGOT			
SIZE	SIZE A		
11/2 x 2(P) (PVC)	31/2		
3 x 4 ^(P) (PVC)	4		

PART NO. 130

Repair Coupling HUB X HUB		
SIZE	A	
11/2 (PVC)	15⁄8	
11/2 (ABS)	11/2	
2 (PVC)	11/8	
2 (ABS)	1 ¹³ ⁄16	
3	3 ³ ⁄16	
4 (PVC)	33/4	
4 (ABS)	317/32	
6 (PVC)	61⁄4	
8 ^(F) (PVC)	8 ³ /16	
10 ^(F) (PVC)	103⁄16	
12 ^(F) (PVC)	123⁄16	




(P) Plain End: Joint can be made with compression gasket only.

(F) Fabricated


PART NO. PVC 131

Test Cap ^(C1)		
SIZE	Α	
11/2 (PVC)	9/32	
2 (PVC)	9/32	
3 (PVC)	5⁄16	
4 (PVC)	3⁄8	



PART NO. PVC 132

Outside	Outside Diameter Test Cap ^(C2)		
SIZE	A		
11/2 (PVC)	⁹ ⁄16		
2 (PVC)	9⁄16		
3 (PVC)	⁹ ⁄16		
4 (PVC)	⁹ ⁄16		



PART NO. 300

	1/4 Be	nd
(Sanitary 90° EII)		
SIZE	ALL HUE	3
11/4 (PVC)	1%16	
11/2	13⁄4	
2 (PVC)	2 5⁄16	
2 (ABS)	21/4	
3	31/16	
4	31/8	
6	5	
8 (PVC)	6	
10 (PVC)	9 %32	
12 (PVC)	11	
14 ^(F) (PVC)	16¾	
16 ^(F) (PVC)	20%16	

(C1) Inserts into pipe

(C2) Inserts over pipe

(F) Fabricated



PART NO. PVC 300 A

Sł	Short 1/4 Bend ^(N) (90° EII) ALL HUB			
SIZE	В			
8 ^(N) (PVC)	41/2			
10 ^(N) (PVC)	61⁄4			
12 ^(N) (PVC)	7 5⁄16			




PART NO. 300 R

1/4 Bend, Reducing ALL HUB				
S	IZE	Α	В	
2 x	11⁄2	27/16	2⁵/ 16	

PART NO. 300S

HUB X HUB				
SIZE	Α	В	С	
3 x 3 x 11/2 (PVC)	35⁄64	11⁄8	¹⁵ ⁄16	
3 x 3 x 2	35/64	11/8	¹⁵ ⁄16	






(N) Not a sanitary pattern

PART NO. PVC 301

Vent 1/4 Bend, Street HUB X SPIGOT				
SIZE	Α	В		
8 ^(F) (PVC)	41/2	131/2		
10 ^(F) (PVC)	6¼	183⁄4		
12 ^(F) (PVC)	7 5⁄16	18 ¹³ ⁄16		



PART NO. 302

1/4 Bend, Street (Sanitary 90° Street Ell) SPIGOT X HUB			
SIZE	A	В	
11/4 (PVC)	15⁄8	2 5⁄16	
11/2	13⁄4	21/2	
2	25/16	33⁄16	
3	31/16	4%16	
4	37⁄8	55/8	
6 (PVC)	5 ³ ⁄16	81/8	
8 (PVC)	61/8	10	
10 ^(F) (PVC)	147/16	19¾	
12 ^(F) (PVC)	163⁄8	19	
14 ^(F) (PVC)	16¼	23%16	
16 ^(F) (PVC)	197⁄8	237/16	



(F) Fabricated

1/4 Bend, with Low Heel Inlet

ALL HUB				
SIZE	Α	В		
3 x 3 x 1 ¹ / ₂ (PVC)	3 ¹ / ₁₆	43⁄16		
3 x 3 x 11/2 (ABS)	3 ¹ / ₁₆	41⁄8		
3 x 3 x 2	31/16	47⁄16		
4 x 4 x 2	31/8	57/16		




PART NO. 304

Long Sweep 1/4 Bend HUB X HUB			
SIZE	Α		
11/2	23/4		
2	31⁄4		
3 (PVC)	41/16		
3 (ABS)	4		
4	4 ¹⁵ /16		
6 (PVC)	9		



PART NO. PVC 305

Long Sweep 1/4 Bend with High Heel Inlet ALL HUB				
SIZE	Α	В	С	
3 x 3 x 2 (PVC)	4 ¹ / ₁₆	51%	21/4	



Long Sweep 1/4 Bend with Low Heel Inlet ALL HUB				
SIZE	Α	В		
3 x 3 x 1½ (ABS)	4	4 ¹⁹ /32		
3 x 3 x 2 (PVC)	4 ¹ / ₁₆	4 ¹⁵ /16		
3 x 3 x 2 (ABS)	3 ¹⁵ ⁄16	4 ¹³ ⁄16		



PART NO. 309

Long Sweep 1/4 Bend, Street HUB X SPIGOT				
SIZE	Α	В		
11/2 (PVC)	2 ³ /4	3 ¹⁹ /32		
11⁄2 (ABS)	2 ²⁵ /32	3 ¹⁵ / ₃₂		
2	31/4	4 ¹ /8		
3	45/32	5 %16		
4 (PVC)	4 ¹⁵ ⁄16	611/16		




PART NO. 310

1/4 Bend, Street with Low Heel Inlet					
HL	HUB X SPIGOT X HUB				
SIZE A B C					
3 x 3 x 2	3 ½16	5 ¹⁵ /16	4%16		



PART NO. PVC 311

Long Sweep 1/4 Bend, with Side Inlet				
	ALL H	UB		
SIZE A B C				
3 x 3 x 2 (PVC) 4 ¹ / ₁₆ 1 ³ / ₈ 1 ³ / ₄				



PART NO. 319

1/6 Bend (60° EII) HUB X HUB		
SIZE	A	
11/2	1	
2 (PVC)	15⁄16	
2 (ABS)	11⁄4	
3	1 ¹¹ /16	
4 (PVC)	21/16	
4 (ABS)	2	

PART NO. 320

1/6 Bend, Street (60° Street Ell) HUB X SPIGOT				
SIZE	SIZE A B			
11/2	1	13⁄4		
2	15/16	2 ³ ⁄16		
3	1 ¹¹ /16	3 ³ ⁄16		
4 (PVC)	2 ¹ / ₁₆	3 ¹³ /16		



CHARLOTTE PIPE AND FOUNDRY COMPANY®

PART NO. 321

	1/8 Bend (45° EII) HUB X HUB	
SIZE	A	
11/4 (PVC)	1	
11/2	11⁄8	
2	11/2	
3	13⁄4	
4	2 ³ ⁄16	
6	21/16	
8 (PVC)	21/16	
10 (PVC)	31/8	
12 (PVC)	331/64	
14 ^(F) (PVC)	81/4	
16 ^(F) (PVC)	105/16	



PART NO. 323

1/8 Bend, Street

(45° Street Ell) SPIGOT X HUB			
SIZE	Α	В	
11/4 (PVC)	1	13⁄4	
11/2 (PVC)	11/8	11/8	
11/2 (ABS)	11/16	11⁄8	
2 (PVC)	11/2	2 ³ ⁄16	
2 (ABS)	1 ¹⁵ /32	21⁄8	
3	13⁄4	31/4	
4	2 ³ /16	3 ¹⁵ /16	
6 (PVC)	2 ¹ /16	55/64	
6 (ABS)	21/16	5	
8 (PVC)	2	6 ³ ⁄32	
10 (PVC)	31/8	85/32	
12 (PVC)	3 ³¹ / ₆₄	91/2	
14 ^(F) (PVC)	9¾	15%16	
16 ^(F) (PVC)	105⁄16	18½	



(F) Fabricated

CHARLOTTE PIPE AND FOUNDRY COMPANY®

PART NO. 324

	1/16 Bend (22 ¹ /2° EII) HUB X HUB	
SIZE	A	
11/2	1/2	
2 (PVC)	¹¹ / ₁₆	
2 (ABS)	1/2	
3	¹³ /16	
4	1	
6	11/2	
8 (PVC)	11/2	
10 (PVC)	2	
12 (PVC)	2	
14 ^(F) (PVC)	5 ¹ /4	
16 ^(F) (PVC)	5 ¹³ ⁄16	

A A A


PART NO. 326

1/16 Bend, Street (22 ¹ /2 [°] Street Ell) SPIGOT X HUB			
SIZE	A	В	
11/2	1/2	11⁄4	
2	11/16	11/2	
3	¹³ /16	2⁵/ 16	
4	1	23⁄4	
6 (PVC)	11/2	5 ³ ⁄64	
8 (PVC)	17/16	51/16	
10 ^(F) (PVC)	5 ¹¹ / ₁₆	113⁄4	
12 ^(F) (PVC)	51/2	14½16	
14 ^(F) (PVC)	6%16	131/8	
16 ^(F) (PVC)	85/16	16¾	



(F) Fabricated

Double 1/4 Bend ALL HUB			
SIZE	A	В	
11/2	13⁄4	13⁄4	
2 (PVC)	2⁵/ 16	2⁵/ 16	
2 (ABS)	21/4	2 5⁄16	
3 (PVC)	31/16	31/16	
3 (ABS)	3	3	
2 x 11/2 x 11/2 (PVC)	1 ¹⁵ /16	2 ³⁄16	
2 x 11/2 x 11/2 (ABS)	1 ²⁹ /32	2	



PART NO. PVC 328

1/32 Bend		
HUB X HUB		
	A	
8 ^(F) (PVC)	5 ¹ /8	
10 ^(F) (PVC)	57/8	
12 ^(F) (PVC)	5 ^{11/} 16	



Closet Bend, Reducing HUB X HUB				
SIZE	Α	В		
3 x 4 (PVC)	3	3 ³ /8		
3 x 4 (ABS)	3 ³ /32	37/16		



PART NO. 330

Closet Bend, Reducing				
HUB X SPIGOT				
SIZE	Α	В		
3 x 4	5	3 ^{11/} 32		



PART NO. 330 X

Closet Bend, Reducing with Test Cap HUB X SPIGOT			
SIZE	A	В	
3 x 4	5	3 ^{11/} 32	

PART NO. 331

Vant	F 11
vent	

(90° Short Turn Ell) HUB X HUB			
SIZE	A		
11/2	13/16		
2	11/2		
3	11/8		







CHARLOTTE PIPE AND FOUNDRY COMPANY®

PART NO. 333

Vent Ell, Street (90° Short Turn Street Ell) HUB X SPIGOT				
SIZE	A	В		
11/2 (PVC)	17/32	1 ¹⁵ /16		
11/2 (ABS)	13/16	1 ¹⁵ /16		
2	11/2	23⁄8		
3 (PVC)	17⁄8	31/2		



PART NO. 400


Sanitary Tee				
A	B			
1%16	25⁄16			
13⁄4	23/4			
1 ²³ /32	2 ²¹ / ₃₂			
25/16	3 ¹ ¹ / ₁₆			
2 ⁵ /16	3 ¹⁹ / ₃₂			
3 ¹ /16	41/8			
31/32	4 ¹³ ⁄16			
31/8	6 ¹ /8			
5	8 ¹ / ₂			
6	101/2			
16 ¹³ /32	16½			
19½	19½			
	ALLH A 1%16 1%14 1 ²³ /32 25/16 25/16 31/16 31/32 37/8 5 6 16 ¹³ /32	ALL HUB A B $1^9/_{16}$ $2^5/_{16}$ $1^{3/4}$ $2^{3/4}$ $1^{23/32}$ $2^{21/_{32}}$ $2^{5/_{16}}$ $3^{11/_{16}}$ $2^{5/_{16}}$ $3^{11/_{16}}$ $2^{5/_{16}}$ $3^{11/_{32}}$ $3^{1/_{16}}$ $4^{1/_{8}}$ $3^{1/_{32}}$ $4^{13/_{16}}$ $3^{1/_{32}}$ $6^{1/_{8}}$ 5 $8^{1/_{2}}$ 6 $10^{1/_{2}}$ $16^{1^3/_{32}}$ $16^{1/_{2}}$		



(F) Fabricated

PART NO. PVC 400 A

Straight Tee ^(N) ALL HUB					
SIZE	A	В	C	E	
8 ^(N) (PVC)	9	41/2	41/2	41/2	
10 ^(N) (PVC)	121/2	6¼	6¼	6 ⁵ /16	
12 ^(N) (PVC)	147⁄16	71/32	71/32	71⁄4	
14 ^{(N)(F)} (PVC)	21	101/2	101/2	115⁄%	
16 ^{(N)(F)} (PVC)	237/8	11 ¹⁵ ⁄16	11 ¹⁵ ⁄ ₁₆	14 ³ ⁄16	



PART NO. 401

Sanitary Tee, Reducing				
	ALL HUB			
SIZE	Α	В	C	
2 x 11/2 x 11/2 (PVC)	2 ³⁄16	31/8	1 ¹⁵ ⁄16	
2 x 11/2 x 11/2 (ABS)	25/32	3 ¹ / ₁₆	1 ²⁹ /32	
2 x 11/2 x 2 (PVC)	25/16	3 ¹¹ / ₁₆	25⁄16	
2 x 11/2 x 2 (ABS)	2%32	3 ¹⁹ / ₃₂	21/4	
2 x 2 x 11/2 (PVC)	2 ³ ⁄16	3 ¹ / ₃₂	1 ¹⁵ ⁄16	
2 x 2 x 11/2 (ABS)	2 ³ ⁄16	3	1 ¹⁵ ⁄16	
3 x 3 x 11/2 (PVC)	29⁄16	2 ¹¹ / ₁₆	13⁄4	
3 x 3 x 11/2 (ABS)	21/2	25/8	1 ²³ /32	
3 x 3 x 2 (PVC)	27/8	35⁄16	21/8	
3 x 3 x 2 (ABS)	27/8	31⁄4	21/32	
4 x 4 x 11/2 (PVC)	31/4	3 ¹ / ₁₆	2	
4 x 4 x 2	35⁄16	3 ³ ⁄16	2 ¹ /16	
4 x 4 x 3 (PVC)	3 %16	43⁄4	3	
4 x 4 x 3 (ABS)	3 ¹⁷ / ₃₂	4 ²¹ / ₃₂	2 ³¹ /32	
6 x 6 x 4 (PVC)	427/32	63/64	3 ²⁵ /32	
6 x 6 x 4 (ABS)	4%32	5 ²⁵ /32	3 ¹⁹ / ₃₂	
8 x 8 x 4** (PVC)	9½	107/16	6	
8 x 8 x 6** (PVC)	7 ¾	10 ³¹ / ₆₄	63/64	



(F) Fabricated


(N) Not a sanitary pattern

** Assembled from two molded components

PART NO. PVC 401 A

Straight Tee, Reducing ^(N)

HUB	0	
Α	В	C
71/8	101⁄2	5¼
61/8	101⁄2	5¼
91⁄4	10¾	5 ³ ⁄16
8	103⁄8	5 ³ ⁄16
611/32	103⁄8	5 ³ ⁄16
9 ²⁷ / ₃₂	101⁄4	51/8
8 ²⁹ /32	101⁄4	51⁄8
75/32	101⁄4	51⁄8
7 ³⁄16	127/16	67/32
10 ¹¹ /16	10	5
111⁄4	12	6
115⁄8	15	71/2
12	17	81/2
123⁄8	19	9½
12 ¹⁵ ⁄16	103/8	5 ³ ⁄16
121/4	14	7
125⁄8	16	8
13	18	9
137/16	19¾	97⁄8
	A 7% 6% 9¼ 8 61½ 92% 82%32 75%32 73%16 1011%6 111% 123%8 121%16 121%16 121%4 125% 13	A B $77_{/6}$ $101/2$ $67_{/6}$ $101/2$ $91/4$ $103/6$ 8 $103/6$ $611/_{32}$ $103/6$ $927/_{32}$ $101/4$ $8^{29}/_{32}$ $101/4$ $8^{29}/_{32}$ $101/4$ $75/_{32}$ $101/4$ $75/_{32}$ $101/4$ $10^{11}/_{16}$ 10 $111/4$ 12 $115/6$ 15 12 17 $123/6$ 19 $12^{15}/_{16}$ $103/6$ $121/4$ 14 $125/8$ 16 13 18



(F) Fabricated

(N) Not a sanitary pattern

** Assembled from two molded components

*** Assembled from three molded components

Sanitary Tee, Street SPIGOT X HUB X HUB				
SIZE	Α	В	С	
11/2 (PVC)	13⁄4	31/2	2 ¹ / ₂	
11/2 (ABS)	1 ²³ / ₃₂	3 ¹³ / ₃₂	2 ¹⁵ /32	
2 (PVC)	25/16	4%16	37/32	
2 (ABS)	25/16	4 ¹⁵ /32	3 ¹ /8	
3	3	63⁄8	4%16	
4	31/8	71/8	51/8	



_

PART NO. 404

Sanitary Tee, Street Reducing SPIGOT X HUB X HUB					
Α	В	С			
25/32	4	2 ²⁷ / ₃₂			
2 ³ /16	4	2 ³ /4			
25/16	4 ¹⁷ / ₃₂	31/8			
21/8	4	27/8			
2 ⁵ /32	3 ¹⁵ ⁄16	27/8			
29/16	4 ³ ⁄16	31⁄4			
27/8	43⁄4	35/8			
35⁄16	4 ¹⁵ ⁄16	3 ¹³ ⁄16			
	A 25/32 23/16 25/16 21/8 25/32 29/16 21/8 25/32 29/16 27/8	$\begin{array}{c c c c c c c c c c c c c c c c c c c $	$\begin{array}{c c c c c c c c c c c c c c c c c c c $		




Tee Cross ALL HUB					
SIZE	Α	В	С		
6 x 6 x 4 x 4 ^(F) (PVC)	5 ¹¹ / ₁₆	9 ¹ /4	45⁄8		
6 x 6 x 6 x 6 (F) (PVC)	61⁄8	103⁄4	53/8		
8 x 8 x 4 x 4 ^(F) (PVC)	65/16	81/8	47/16		
8 x 8 x 6 x 6 ^(F) (PVC)	77/32	101/8	51/16		
8 x 8 x 8 x 8 x 8 ^(F) (PVC)	85/16	131⁄8	6%16		
10 x 10 x 4 x 4 ^(F) (PVC)	73⁄4	12	6		
10 x 10 x 6 x 6 ^(F) (PVC)	8½	111/2	5 ³ /4		
10 x 10 x 8 x 8 ^(F) (PVC)	87/8	131/2	63⁄4		
10 x 10 x 10 x 10 ^(F) (PVC)	8	18¾	9 ³ ⁄16		
12 x 12 x 4 x 4 ^(F) (PVC)	87⁄8	10	5		
12 x 12 x 6 x 6 ^(F) (PVC)	<u>93⁄4</u>	12	6		
12 x 12 x 8 x 8 ^(F) (PVC)	97⁄8	15¾	71/8		
12 x 12 x 10 x 10 ^(F) (PVC)	10¼	16	8		
12 x 12 x 12 x 12 ^(F) (PVC)	9½	21	101⁄2		



PART NO. 416

Sanitary Tee with Left Side Inlet

	ALL HUB			
SIZE	Α	В	С	
3 x 3 x 3 x 1½	31/16	47⁄8	3 ¹¹ / ₁₆	
3 x 3 x 3 x 2 (PVC)	3 ¹ / ₁₆	47⁄8	3 ¹¹ /16	
3 x 3 x 3 x 2 (ABS)	3 ¹ / ₃₂	4 ¹³ ⁄16	3 ²³ /32	
4 x 4 x 4 x 2 (PVC)	37⁄8	61⁄8	5	



(F) Fabricated

Sanitary Tee with Right Side Inlet

ALL HUB					
SIZE	A B	C			
3 x 3 x 3 x 1½	31/16 47/8	3 ¹¹ /16			
3 x 3 x 3 x 2 (PVC)	31/16 47/8	311/16			
3 x 3 x 3 x 2 (ABS)	31/32 427/32	35/8			
4 x 4 x 4 x 2 (PVC)	37/8 61/8	5			





PART NO. 418

Sanitary Tee with Left & Right Side Inlets

	ALL HUB	-	
SIZE	A	В	C
3 x 3 x 3 x 2 x 2	3 ¹ /16	41⁄8	3 ¹¹ /16
4 x 4 x 4 x 2 x 2 (PVC)	37/8	61/8	5

PART NO. 428

Double Sanitary Tee (Sanitary Cross) ALL HUB				
SIZE	Α	В		
11/2 (PVC)	13⁄4	2 ³ /4		
11/2 (ABS)	1 ²³ /32	25/8		
2 (PVC)	25/16	3 ¹¹ /16		
2 (ABS)	2 ⁵ /16	3%16		
3	31⁄16	47⁄8		
4 (PVC)	31/8	6 ¹ /8		
4 (ABS)	327/32	61/32		

A A A

Note: If PVC or ABS is not listed for a specific size, that size fitting is available in PVC and ABS materials, and the dimensions listed are the same for both materials.

T B

Double Sanitary Tee, Reducing (Sanitary Cross) ALL HUB					
SIZE	A	В	C		
2 x 2 x 11/2 x 11/2 (PVC)	2 ³ ⁄16	31/8	1 ¹⁵ /16		
2 x 2 x 11/2 x 11/2 (ABS)	25/32	35/32	2		
3 x 3 x 1 ¹ / ₂ x 1 ¹ / ₂ (PVC)	21/16	2 ¹¹ /16	13⁄4		
3 x 3 x 11/2 x 11/2 (ABS)	21/2	2 ¹⁹ /32	15⁄8		
3 x 3 x 2 x 2 (PVC)	27/8	35⁄16	21/8		
3 x 3 x 2 x 2 (ABS)	2 ²⁹ /32	37/32	25/32		
4 x 4 x 2 x 2 (PVC)	35⁄16	3 ³ ⁄16	21/16		
4 x 4 x 2 x 2 (ABS)	3%32	31⁄8	2		
4 x 4 x 3 x 3 (PVC)	3%16	43⁄4	3		
4 x 4 x 3 x 3 (ABS)	35/8	4 ²¹ / ₃₂	2 ³¹ / ₃₂		




PART NO. PVC 431

Double Sanitary Tee Street, Reducing (Sanitary Cross) SPIGOT X HUB X HUB X HUB

SIZE	Α	В	С
3 x 3 x 1 ¹ / ₂ x 1 ¹ / ₂ (PVC)	2%16	4 ³ /16	31/4



Double Sanitary Tee with Side Inlet (Sanitary Cross) ALL HUB						
SIZE A B C						
3 x 3 x 3 x 3 x 2 (PVC)	31/16	47⁄8	3 ¹¹ /16			
4 x 4 x 4 x 4 x 2 (PVC)	31/8	6½	5			






PART NO. PVC 439

Double Sanitary Tee with Left & Right Side Inlets (Sanitary Cross)

ALL HUB						
SIZE	Α	В	С			
3x3x3x3x2x2 (PVC)	31/16	47⁄8	311/16			
4x4x4x4x2x2 (PVC)	31/8	61/8	5			



PART NO. 441

Vent Tee ALL HUB				
SIZE	A	В		
11/2 (PVC)	13⁄16	23/8		
11/2 (ABS)	17⁄32	2 ¹³ /32		
2	11/2	3		
3 (PVC)	17⁄8	33⁄4		
3 (ABS)	1 ¹⁵ ⁄16	3¾		
4 (PVC)	21/2	5		



PART NO. PVC 444 A

Cleanout Tee with O-Ring Plug HUB X HUB X FPT						
	SIZE	A	В	С		
2		21/4	3	11/2		
3		2 ¹¹ /16	31/8	1 ¹⁵ /16		
4		33/8	5½	29/16		



See Part No. PVC 106 A for plug dimensions.

PART NO. 444 X

Cleanout Tee with Cleanout Plug					
	X HUB X FF				
SIZE	A	В	C		
11/2	1 ¹⁵ /16	23⁄8	13/16		
2	21/4	3	11/2		
3	2 ¹¹ /16	31/8	1 ¹⁵ ⁄16		
4	33/8	51⁄8	29/16		
6 (PVC)	4	8	4		
6 x 6 x 4** (PVC)	8	8	4		
8 (PVC)	51⁄4	101⁄2	55/32		
8 x 8 x 4 ^(F) (PVC)	7 ¾	9 ¹ / ₄	45/8		
8 x 8 x 6*** (PVC)	101/2	101/2	5¼		
10 (PVC)	81⁄4	121/2	61⁄4		
10 x 10 x 4 ^(F) (PVC)	87⁄8	9 ³ ⁄4	47/8		
10 x 10 x 6 ^(F) (PVC)	105⁄%	113⁄4	51/8		
10 x 10 x 8 (PVC)	103⁄8	103⁄/8	5 ³ ⁄16		
12 (PVC)	9 ¹ / ₄	143⁄8	7 ³ ⁄16		
12 x 12 x 4 ^(F) (PVC)	9 ¹¹ / ₁₆	10	5		
12 x 12 x 6** (PVC)	9 5⁄16	121⁄8	61/16		
12 x 12 x 8 (PVC)	115⁄32	101⁄4	61/32		
12 x 12 x 10 ^(F) (PVC)	135/16	12½	61⁄4		



See Part No. 106 for plug dimensions.

(F) Fabricated

** Assembled from two molded components

*** Assembled from three molded components

Cleanout Tee HUB X HUB X FPT							
SIZE	A	В	C				
11/2 (PVC)	1 ¹⁵ /16	23⁄8	13⁄16				
11/2 (ABS)	1 ³¹ / ₃₂	21/2	11/4				
2	21⁄4	3	11/2				
3 (PVC)	2 ¹¹ /16	31/8	1 ¹⁵ ⁄16				
3 (ABS)	2 ¹¹ / ₁₆	3 ¹³ /16	1 ¹⁵ /16				
4 (PVC)	33⁄8	5 ¹ /8	29/16				
4 (ABS)	33⁄8	5	21/2				
6 (PVC)	4	8	4				
8 (PVC)	5 ¹ /4	101/2	55/32				
10 (PVC)	81⁄4	121/2	61⁄4				
10 x 10 x 6 ^(F) (PVC)	10%	113⁄4	57/8				
12 (PVC)	9 ¹ /4	14¾	7 ¾16				



PART NO. PVC 445 A

Flush Cleanout Tee with O-Ring For dimensions see Part Numbers 445 and 110 A.



PART NO. PVC 445 X

Flush Cleanout Tee with Cleanout Plug

For dimensions see Part Numbers 445 and 110.



(F) Fabricated

Horizontal Twin Tee						
ALL HUB						
SIZE A B C D						
3 x 3 x 1 ¹ / ₂ x 1 ¹ / ₂ (PVC)	7/8	13⁄4	13/32	29/16		





PART NO. 448

Two-Way Cleanout				
	ALL HUB			
SIZE	Α			
3	4 ¹ / ₁₆			
4	4 ¹⁵ / ₁₆			
6 (PVC)	6 ¹ /8			


PART NO. PVC 449

Sanitary Tee with 2" Left Hand Sanitary Inlet on Center ALL HUB SIZE A B

217E	<u>A</u>	D	
2 (PVC)	25/16	3 ¹¹ /16	



Double Fixture Fitting						
ALL HU	JB					
SIZE	Α	В	C			
2 (PVC)	31/2	45⁄8	41/4			
2 (ABS)	3 ¹⁵ / ₃₂	4 ¹⁷ / ₃₂	47/32			
2 x 11/2 x 11/2 x 11/2 (PVC)	27/8	31/2	31/8			
2 x 11/2 x 11/2 x 11/2 (ABS)	2 ²⁷ /32	3%16	3 ³ /32			
2 x 11/2 x 2 x 2 (ABS)	3 ¹⁵ /32	4 ¹⁷ / ₃₂	47/32			
2 x 2 x 11/2 x 11/2 (PVC)	27/8	31/2	31/8			
2 x 2 x 1 ¹ / ₂ x 1 ¹ / ₂ (ABS)	2 ²⁷ /32	3 ¹³ /32	31/16			
3 (PVC)	4 ¹⁵ /16	63⁄4	61/4			
3 (ABS)	47⁄8	65⁄/8	61/8			
3 x 2 x 3 x 3 (ABS)	47⁄8	65⁄8	61⁄4			



PART NO. 501

Combination Wye & 1/8 Bend (One Piece)

	ALL F	IUR		
SIZE	Α	В	С	
11/2 (PVC)	3 ¹⁵ /16	31/2	3 ¹⁵ ⁄16	
11/2 (ABS)	37⁄8	31/2	3 ¹³ ⁄16	
2 (PVC)	5½	47/16	51⁄8	
2 (ABS)	55/32	47/16	5	
3 (PVC)	7%16	61/2	7%16	
3 (ABS)	7 ¹⁷ / ₃₂	6 ¹⁵ /32	71/16	
4 (PVC)	10	8½	10	
4 (ABS)	9 ³¹ / ₃₂	8 ¹⁵ /32	9 ²⁷ / ₃₂	




PART NO. 502							
Combination Wye & 1/8 Bend, Reducing ^(One Piece)							
ALL							
SIZE	Α	В	C				
2 x 11/2 x 11/2 (PVC)	43⁄16	31/2	3 ¹⁵ /16				
2 x 11/2 x 11/2 (ABS)	4 ¹ /8	317/32	33⁄4				
2 x 2 x 11/2 (PVC)	4 ³ ⁄16	31 /2	3 ¹⁵ /16				
2 x 2 x 11/2 (ABS)	41/8	37/16	37⁄8				
3 x 3 x 1½	43⁄4	31 /2	3 ¹⁵ /16				
3 x 3 x 2	5 ¹¹ /16	47/16	51⁄8				
4 x 4 x 2	61/16	47/16	51/16				
4 x 4 x 3 (PVC)	8 ¹ /16	61/2	7%16				
4 x 4 x 3 (ABS)	7 ²⁹ /32	6 ¹³ / ₃₂	7 5⁄16				
6 x 6 x 4 (PVC)	*	*	*				



Combination Wye & 1/8 Bend

W	0	۲	1	ecesj	

	ALL HUB					
SIZE	Α	В	C			
6 [∞] (PVC)	11 ¹⁵ /32	101/8	11%4			
8 [∞] (PVC)	14 ¹⁹ /32	141⁄8	14 ²³ /32			
10 [∞] (PVC)	181⁄2	161/2	181⁄4			
12 [∞] (PVC)	211/2	19½	211/2			
14 ^{(F)[∞]} (PVC)	367/8	321/2	37 ³ /16			
16 ^{(F)∞} (PVC)	391/2	351/2	39 ¹³ /16			




* Refer to PVC 504 for dimensional data

(F) Fabricated

 ∞ Fitting shipped with street bend strapped to fitting.

Combination Wye & 1/8 Bend, Reducing (Two Pieces)

	ALL HUB						
SIZE	A	В	C				
<u>6 x 6 x 3[∞] (PVC)</u>	87/8	71/8	8				
6 x 6 x 4 ⁽¹⁾ (PVC)	8 ¹³ ⁄16	81/2	73⁄4				
8 x 8 x 4 [∞] (PVC)	1117/32	101/2	101/2				
8 x 8 x 6 [∞] (PVC)	12½	101/2	11 ³ ⁄16				
10 x 10 x 4§ (PVC)	16 ³ ⁄16	141⁄4	15 ²⁷ /64				
10 x 10 x 6§ (PVC)	15 ³¹ / ₃₂	141⁄4	15%4				
10 x 10 x 8 [∞] (PVC)	151/16	141⁄4	14 ²⁵ /32				
12 x 12 x 4§ (PVC)	16¾	131/2	15 ¹ 1/32				
12 x 12 x 6§ (PVC)	167/16	131/2	155⁄64				
12 x 12 x 8°° (PVC)	16 ³ ⁄32	13 ¹⁷ / ₃₂	145⁄8				
12 x 12 x 10 [∞] (PVC)	19 ¹⁵ /32	171/16	18 ³ ⁄16				
14 x 14 x 4 ^{(F)[∞]} (PVC)	1547/64	12 ³¹ /32	11 ³¹ /32				
14 x 14 x 6 ^{(F)[∞]} (PVC)	177/32	15 ²¹ /32	15 ¹⁹ ⁄64				
14 x 14 x 8 ^{(F)[∞]} (PVC)	18 ²¹ /32	18½	181/2				
14 x 14 x 10 ^{(F)[∞]} (PVC)	22 ¹ /2	203⁄4	221/4				
14 x 14 x 12 ^{(F)[∞]} (PVC)	21 ³ /16	25½	26 ³ /8				
<u>16 x 16 x 4(F)[∞] (PVC)</u>	16½	129⁄16	127/8				
16 x 16 x 6 ^{(F)[∞]} (PVC)	185⁄8	1541/64	15 ³ ⁄16				
<u>16 x 16 x 8(F)[∞] (PVC)</u>	1911/16	185⁄8	19 ³ /16				
<u>16 x 16 x 10^{(F)[∞]} (PVC)</u>	231/4	23	22 ¹⁵ /16				
16 x 16 x 12 ^{(F)[∞]} (PVC)	26 ³ /16	27 ³ /16	2713/16				
<u>16 x 16 x 14^{(F)[∞]} (PVC)</u>	371⁄8	2713/16	331/4				



CHARLOTTE PIPE AND FOUNDRY COMPANY®

- (1) One piece short pattern
- (F) Fabricated
- § Fitting shipped with any required bushing(s) installed, street bend strapped to fitting; assembled from molded components.
- ∞ Fitting shipped with street bend strapped to fitting.

Double Combination Wye & 1/8 Bend (Three Pieces or Five Pieces)

Α	В	C
41/8	43/8	4 ¹⁵ /16
7 ½	65/8	7%16
65/64	4 ¹⁵ ⁄16	5 ¹¹ / ₆₄
9 ¹³ / ₃₂	8¼	9 ⁵ / ₃₂
75⁄16	5	6
8 ¹⁹ ⁄64	65⁄8	7 ¹⁹ / ₃₂
107/16	101/8	111/8
	4 ⁷ / ₈ 7 ¹ / ₂ 6 ⁵ / ₆₄ 9 ¹³ / ₃₂ 7 ⁵ / ₁₆ 8 ¹⁹ / ₆₄	$\begin{array}{c ccccccccccccccccccccccccccccccccccc$



Combination Wye & 1/8 Bend with Left Side Inlet


ALL HUB							
SIZE A B C D E							
3 x 3 x 3 x 2 (PVC)	6 ⁵ ⁄16	7 ³¹ / ₆₄	5¼	33⁄8	11/8		


PART NO. PVC 516


Combination Wye & 1/8 Bend with Right Side Inlet

ALL HUB					
SIZE	Α	В	С	D	Е
3 x 3 x 3 x 2 (PVC)	6 ⁵ ⁄16	7 ³¹ / ₆₄	5¼	33/8	11/8

§ Fitting shipped with any required bushing(s) installed, street bend strapped to fitting; assembled from molded components.










Combination Wye & 1/8 Bend with Left & Right Side Inlets ALL HUB SIZE B C D E 3X3X3X2X2 (PVC) 65/16 7³¹/₆₄ 5¹/₄ 3³/₈ 1⁷/₈



PART NO. 600

(45' Wye (45' Wye) ALL HUB						
SIZE	A	В	С			
11⁄4 (PVC)	35⁄8	11/16	29/16			
11/2 (PVC)	4	11/8	27/8			
11/2 (ABS)	4 ¹ / ₃₂	11/8	2 ¹⁵ /16			
2	5	13⁄8	35/8			
3	65/8	11 %	5			
4 (PVC)	8¼	11⁄8	63/8			
4 (ABS)	81/16	13⁄4	65/16			
6 (PVC)	103/16	13⁄4	87/16			
6 (ABS)	9 ¹⁵ /16	1 ²³ /32	8 ³ ⁄16			
8 (PVC)	141⁄8	23/8	113⁄4			
10 (PVC)	16½	27/8	135%			
12 (PVC)	197/16	3 ¹ /2	16			
14 ^(F) (PVC)	313/8	8	221/4			
16 ^(F) (PVC)	36 5⁄16	103⁄4	25 ³ ⁄16			



(F) Fabricated

Wye, Reducing (45 ⁻ Wye) ALL HUB					
SIZE	A	В	C		
2 x 11/2 x 11/2 (PVC)	31/2	11/16	2 ¹⁵ /16		
2 x 11/2 x 11/2 (ABS)	47/32	11/32	33/8		
2 x 1½ x 2	41/2	1	37/16		
2 x 2 x 11/2 (PVC)	43⁄8	11/16	37/16		
2 x 2 x 11/2 (ABS)	41⁄4	11/32	33/8		
3 x 3 x 11/2 (PVC)	41⁄4	1/2	45⁄16		
3 x 3 x 11/2 (ABS)	43⁄16	1/2	4%2		
3 x 3 x 2 (PVC)	5	7/8	45⁄8		
3 x 3 x 2 (ABS)	5	¹³ /16	4 ²¹ / ₃₂		
4 x 4 x 11/2**	5	0	6		
4 x 4 x 2 (PVC)	4 ³¹ / ₃₂	¹¹ / ₃₂	5 ¹⁷ / ₃₂		
4 x 4 x 2 (ABS)	5	1/4	59⁄16		
4 x 4 x 3 (PVC)	65⁄8	11/16	6		
4 x 4 x 3 (ABS)	619/32	1	6		
6 x 6 x 3 (PVC)	71⁄8	1⁄4	71/2		
6 x 6 x 4 (PVC)	67⁄8	³ ⁄16	71/2		
6 x 6 x 4 (ABS)	6 ²⁵ /32	7/32	7 7⁄16		
8 x 8 x 4 (PVC)	101/2	1	9½		
8 x 8 x 6 (PVC)	101/2	1	9 ¹³ /16		
10 x 10 x 4** (PVC)	141⁄4	13/8	15 ¹⁵ ⁄16		
10 x 10 x 6** (PVC)	141⁄4	13/8	15		
10 x 10 x 8 (PVC)	14¼	13⁄8	131/16		



Part No. 601 Continued next page

** Assembled from two molded components.

PART NO. 601, continued

Wye, Reducing

ALL HUB		
Α	В	С
13½	1/2	16 ²³ ⁄32
13½	1/2	15 ²⁹ ⁄64
13 ¹⁹ / ₃₂	1/2	131⁄8
17 ¹ ⁄ ₁₆	11⁄8	15 ³ ⁄32
123⁄8	1 ³⁷ /64	15 ²³ ⁄64
15 ⁵¹ /64	¹⁵ ⁄64	18 ³⁷ ⁄64
1549⁄64	31/64	16 ⁵¹ /64
18 ⁵⁷ ⁄64	343/64	18 ²⁹ /32
251/8	5%16	20
12 ¹¹ /16	1%16	15¼
15¾	3⁄16	17 ³ ⁄16
187/16	1%16	18¾
23	31/2	195⁄8
263/8	4½	213⁄4
27 ¹ / ₂	5¼	231/16
	LL HÜB A 13½ 13½ 13½ 13½ 13½ 13½ 13% 23% 15% 4 15% 4 15% 4 25% 12% 15% 15% 4 15% 4 15% 4 25% 12% 16 3%	$\begin{array}{c c c c c c c c c c c c c c c c c c c $



PART NO. 602


Wye, Street (45 [°] Wye) SPIGOT X HUB X HUB					
SIZE	Α	В	С		
11/2 (PVC)	43⁄4	11⁄8	27/8		
11/2 (ABS)	45/8	11⁄8	227/32		
2	51/8	21⁄4	35/8		
3	8½	31/8	5		
4 (PVC)	9 ¹⁵ /16	35/8	6 ¹ /4		
4 (ABS)	9 ²⁹ / ₃₂	35⁄8	6¼		



** Assembled from two molded components.

Wye, Street, Reducing (45° Wye) SPIGOT X HUB X HUB					
SIZE	Α	В	C		
3 x 3 x 11/2 (PVC)	5¾	2	47/32		
3 x 3 x 2	61/2	23/8	45⁄8		
4 x 4 x 2 (PVC)	6 ²³ ⁄32	21/8	5 ¹⁵ ⁄64		
4 x 4 x 3	8 ¾	2 ¹³ /16	6		






PART NO. 611

Double Wye (Double 45' Wye) ALL HUB					
SIZE	A	В	C		
11/2 (PVC)	4	11/8	27/8		
11/2 (ABS)	3 ¹⁵ /16	15/32	2 ²⁷ / ₃₂		
2 (PVC)	5	13⁄8	35/8		
2 (ABS)	5	11/2	3 ¹¹ / ₁₆		
3 (PVC)	65⁄8	15⁄8	5		
3 (ABS)	617/32	1%16	5		
4 (PVC)	8 ¹ /4	11/8	63/8		
4 (ABS)	85/32	1 ¹⁵ /16	6 ⁵ ⁄16		
6 (PVC)	10 ³ ⁄16	13⁄4	87/16		
8 ^(F) (PVC)	19 ¹ ⁄16	41/8	135⁄8		
10 ^(F) (PVC)	22¹/ 16	5 ¹¹ /16	16¼		
12 ^(F) (PVC)	195⁄16	67⁄8	251/8		
14 ^(F) (PVC)	287/16	71⁄8	203⁄8		

PART NO. PVC 611 S

Double Wye with 2^{''} Side Inlet (Double 45° Wye) ALL HUB


SIZE	Α	В	С	D
3 x 3 x 3 x 2 (PVC)	65⁄/8	15⁄8	5	13⁄4



(F) Fabricated


Double Wye, Reducing (Double 45° Wye)

ALL HUB					
Α	В	C			
43⁄8		37/16			
45⁄16	³¹ / ₃₂	31/2			
41/4		45/16			
4 ¹⁵ /16	7⁄8	45⁄8			
5	3⁄8	5%16			
65⁄8	11/16	6			
6%16	1	61/32			
103⁄16	13⁄4	73⁄4			
101/16	¹³ /16	10 ¹³ /16			
13	11/2	125⁄8			
11 ³ ⁄16	27/16	14			
14 ¹⁵ ⁄16	3⁄4	145⁄8			
18	37/16	15½ 16			
11 ¹³ ⁄16	1	14			
15 ¹¹ /16	⁷ / ₁₆	17 ¹ /8			
181/8	3 ¾16	161/2			
21 ¹¹ /16	37/8	18 ¹ / ₁₆			
15	1	16 ³ ⁄16			
19	27/16	17 ¹⁹ / ₃₂			
211/8	4	183⁄4			
25 ³ ⁄16	5	197⁄8			
159⁄16	17/32	17 ²¹ / ₃₂			
183⁄4	11/2	18 ³ ⁄16			
21%16	1%16	205/8			
26 ¹¹ / ₁₆	47/16	213⁄4			
	$\begin{array}{c} \textbf{A} \\ 4\frac{3}{8} \\ 4\frac{5}{16} \\ 4\frac{14}{14} \\ 4\frac{15}{16} \\ 5 \\ 6\frac{5}{16} \\ 10\frac{3}{16} \\ 10\frac{3}{16} \\ 10\frac{14}{15} \\ 10\frac{14}{15} \\ 11\frac{11}{16} \\ 11\frac{15}{11} \\ 18\frac{15}{11} \\ 18\frac{5}{12} \\ 19\frac{11}{15} \\ 19\frac{15}{19} \\ 21\frac{7}{18} \\ 25\frac{3}{16} \\ 15\frac{9}{16} \\ 18\frac{3}{14} \\ 21\frac{9}{16} \end{array}$	A B 43% $11/16$ $45/16$ $31/32$ $41/4$ $1/2$ $415/16$ $7/6$ 5 $3/8$ $65/8$ $11/16$ $69/16$ 1 $103/16$ $13/4$ $101/16$ $13/4$ $101/16$ $13/4$ $101/16$ $27/46$ $113/16$ $27/46$ $111^{13/16}$ 1 $151^{11}/16$ $7/48$ $18/8$ $33/16$ $211^{11/46}$ $7/48$ $18/8$ $33/16$ $211^{11/46}$ $7/48$ $15^{11/46}$ $7/48$ $15^{11/46}$ $7/48$ $15^{11/46}$ 1 19 $27/16$ $211^{11/46}$ 3 15 1 19 $27/16$ $217/8$ 4 $253/16$ 5 $159/16$ $17/32$ $183/4$ $11/2$ </td			




(F) Fabricated

Wye with Left Side Inlet ALL HUB						
SIZE A B C D						
3 x 3 x 3 x 2 (PVC)	65/8	11 %	5	21/4	13⁄4	
4 x 4 x 4 x 2 (PVC) 8 ¹ / ₄ 1 ⁷ / ₈ 6 ³ / ₈ 2 ¹ / ₂ 3 ⁵ / ₁						




PART NO. PVC 626

Wye with Right Side Inlet					
SIZE	Α	В	С	D	Е
3 x 3 x 3 x 2 (PVC)	65⁄8	15⁄8	5	21/4	13⁄4
4 x 4 x 4 x 2 (PVC)	81⁄4	11⁄8	63/8	21/2	35/16



PART NO. 700

Return Bend					
SIZE	Α	В	C		
11/2 (PVC)	31/2	13⁄4	13⁄4		
11/2 (ABS)	3 ¹⁵ /32	117/32	1 ¹⁷ / ₃₂		
2	5	21/4	21/4		
3 (PVC)	6¾	3 ¹ /16	3 ¹ /16		
3 (ABS)	6 ²⁵ /32	2 ³¹ / ₃₂	2 ³¹ / ₃₂		
4 (PVC)	81/2	3 ¹¹ / ₁₆	3 ¹¹ / ₁₆		
4 (ABS)	87/16	3 ¹¹ /16	3 ¹¹ /16		



PART NO. ABS 704 P

Tail Piece Adapter with Plastic Nut &


Packing Ring

	SPIGOT X S	LIP
SIZE	Α	
11/2 (ABS)	2 ³ /16	

PART NO. 706 X

P-Trap with Solvent Weld Joint


•	HUB X	HUB		
SIZE	A	В	С	
11/2	45⁄8	355/64	1 ³¹ / ₆₄	
2	6 ¹⁹ /32	43⁄4	21/4	
3	8 ¹⁵ /16	6 ²⁷ / ₃₂	3 ¹ /16	
4	11 ¹³ ⁄64	8 ³ ⁄16	3 ¹¹ /16	



PART NO. 707 X

P-Trap with Cleanout & Solvent Weld Joint


	HUB X	HUB		
SIZE	Α	В	С	
11/2 (PVC)	45⁄8	3 ¹⁵ /16	13⁄4	
11⁄2 (ABS)	4 ²¹ / ₃₂	3½	1%16	
2 (PVC)	63⁄4	4 ¹¹ / ₁₆	2 ⁵ /16	
2 (ABS)	6 ²⁵ ⁄32	4 ¹¹ / ₁₆	21/4	




PART NO. 708 P

P-Trap with Union & Plastic Nut

	HUB X	HUB		
SIZE	Α	В	С	
11⁄4 (PVC)	4%16	31/2	13⁄8	
11/2 (PVC)	45⁄8	3 ¹⁵ /16	13⁄4	
11/2 (ABS)	4 ²⁹ / ₃₂	43⁄32	1%16	
2 (PVC)	6 ¹³ ⁄16	47⁄8	23/8	
2 (ABS)	6 ²⁵ /32	45⁄8	21/4	





PART NO. 708 X

P-Trap with Union & Chrome Nut

	HUB X	HUB		
SIZE	Α	В	С	
11/2 (PVC)	45⁄8	3 ¹⁵ /16	13⁄4	
11/2 (ABS)	4 ²⁹ /32	4 ³ ⁄32	1%16	

a

B

PART NO. PVC 709 X

P-Trap with Cleanout, Union &

	CITUTI			
	HUB X	HUB		
SIZE	Α	В	С	
11/2 (PVC)	45/8	3 ¹⁵ /16	11/2	


Low Profile P-Trap with Solvent Weld


	HUB X	HUB		
SIZE	Α	В	С	
2 (PVC)	6 ¹³ ⁄16	4%16	2 ³ /8	

PART NO. 711 P

L.A. Pattern P-Trap Furnished with a 1¹/2^{''} and 1¹/2^{''} x 1¹/4^{''} Polyethylene Nut/Washer Combination

	SLIP UNIO	N X HUB		
SIZE	Α	В	С	
11⁄2 (PVC)	43⁄4	4 ¹⁵ ⁄64	37/16	
11⁄2 (ABS)	49⁄16	41⁄8	3 ¹⁷ / ₃₂	






PART NO. 711 W

L.A. Pattern P-Trap Furnished with a 11/2" ABS or PVC Nut, a 11/2" Washer and a 11/2" x 11/4" Washer

	SLIP Unio	n X HUB		
SIZE	Α	В	С	
11/2 (PVC)	43/4	4 ¹⁵ ⁄64	37/16	
11/2 (ABS)	55/32	4 ¹⁵ ⁄64	3 ⁴⁵ ⁄64	




PART NO. PVC 711 X

L.A. Pattern P-Trap Furnished with a $1^{1/2}$ " Chrome Nut, a $1^{1/2}$ " Washer

and a $1^{1/2}$ x $1^{1/4}$ Washer

u	a	۰.	1	2	~	-	/	4		a	э	
		9	SI	IP	llni	on	x	нυ	IR			

	SLIP UNIO	N X HUB		
SIZE	Α	В	С	
11/2 (PVC)	43⁄4	4 ¹⁵ ⁄64	37/16	



P V C & A B S D W V F I T T I N G S


PART NO. 720 X

Drum Trap нив х нив						
SIZE	Α	В				
3 x 6 x 11/2 (PVC)	4 ¹³ ⁄16	1 ¹¹ /16				
3 x 6 x 11/2 (ABS)	4 ²¹ / ₃₂	1 ²³ / ₃₂				

PART NO. 800 & 800 K

Closet Flange HUB END					
SIZE	Α	В	С		
4 x 3 (PVC) (OI)	7	11/4	7/16		
4 x 3 (ABS)	7	11⁄4	7⁄16		
4 x 4*	7	11⁄4	⁷ / ₁₆		






PART NO. 800 S


Closet Flange with Stop HUB END						
SIZE	Α	В	С	D		
4 x 3 (PVC) (OI)	7	21⁄4	7/16	11/2		
4 x 3 (ABS)	7	21⁄4	7/16	11/2		

PART NO. 801

_

Closet Flange, Reducing SPIGOT					
SIZE	Α	В	С	D	
4 x 3 (PVC)	7	23/4	1 ²¹ /32	7/16	
4 x 3 (ABS)	71/ ₃₂	23⁄4	1%16	⁷ ⁄16	






(OI) For PVC only, fits over 3" pipe or inside 4" pipe.

* Part No. 800K, 4x4" is not available in ABS.

PART NO. ABS 808

_	Male Closet Flange				
	SIZE	Α	В	С	
	4 x 3 (ABS)	7	2 ¹¹ /16	¹⁵ /32	

PART NO. PVC 810 K



Closet Flange, Adjustable with Plastic Ring					
SIZE	Α	В	C		

7

11/8 7/16

PART NO. ABS 811 P

4 x 3 (PVC) (OI)


Closet Flange, A	djusta	able wit	h Plast	tic Ring		
HUB END						
SIZE	Α	В	С			

 SILE	A	D	L L	
4 x 3 (ABS)	7	11⁄8	⁷ / ₁₆	
4 x 4 (ABS)	7	11/8	⁷ /16	

PART NO. 811

Closet Flange, Adjustable with Metal Ring

HUB END						
SIZE	A	В	С			
4 x 3 (PVC) (OI)	7	11⁄4	1⁄4			
4 x 3 (ABS)	7	11⁄4	1⁄4			
4 x 4	7	11/8	1⁄4			



R

(OI) For PVC only, fits over 3" pipe or inside 4" pipe.

PART NO. PVC 811 K


Closet Flange, Adjustable with Metal Ring HUB END

SIZE	Α	В	С	
4 x 3 (PVC) (OI)	7	11/4	1⁄4	

PART NO. 812

Closet Flange, Adjustable with Metal Ring


SPIGOT						
SIZE	Α	В	С			
4 x 3 (PVC)	7	25/8	1/4			
4 x 3 (ABS)	7	23/4	1/4			
4 x 4 (PVC)	7	25/8	1/4			
4 x 4 (ABS)	7	2 ¹³ /32	1/4			



PART NO. 812 P

Closet Flange, Adjustable with Plastic Ring

SPIGOT					
SIZE	Α	В	С		
4 x 3 (PVC)	7	25/8	1/4		
4 x 3 (ABS)	7	23⁄4	1/4		
4 x 4 (PVC)	7	25/8	⁷ /16		



PART NO. 815

Flush Closet Flange

HUB					
SIZE	Α	В	С		
4 x 3 (PVC) (OI)	7	27/8	7/16		
4 x 3 (ABS)	7	27/8	7⁄16		

(OI) For PVC only, fits over 3" pipe or inside 4" pipe.

PART NO. 815 K

Flush Closet Flange with Knockout

HUB						
SIZE	A	В	С			
4 x 3 (PVC) (OI)	7	27/32	7/16			
4 x 3 (ABS)	7	27/32	7/16			

PART NO. 820

Offset Closet Flange, Adjustable with Metal Ring (1¹/2" Offset)

1/2 UffSet

		пор			
SIZE	Α	В	С	D	E
4 x 3 (PVC) (^{OI)} 7	45⁄16	1⁄4	11/2	25/16
4 x 3 (ABS)	7	45⁄16	1⁄4	11/2	25/16

PART NO. 820 P

Offset Closet Flange , Adjustable with Plastic Ring

(1 1/2" Offset)

		HOD			
SIZE	Α	В	С	D	E
4 x 3 (PVC) (OI)	7	45⁄16	7/16	11/2	25/16
4 x 3 (ABS)	7	45/16	7/16	11/2	25/16


PART NO. ABS 824

Closet Flange, Adjustable with Metal Ring
& 4" Extended Spigot

SPIGOT					
SIZE	Α	В	С		
4 (ABS)	7	4 ¹ 1⁄16	1⁄4		



(OI) For PVC only, fits over 3" pipe or inside 4" pipe.







B

i B

1 2


PART NO. 900

Swiv	vel Tray P with Wa SPG X	asher	apter	A	
SIZE	Α	В			
11/2	1 ²³ /32	¹⁵ / ₃₂			

PART NO. ABS 900 X

Swivel Tray Plug Adapter with Washer, Extended SPG X FPT

5PG X FP1				
SIZE	Α	В		
11/2 (ABS)	27/16	15/32		



PART NO. ABS 910

Swivel Tray Plug Adapter with Washer HX FPT

SIZE	Α	В	
11⁄2 (ABS)	1 ¹³ ⁄16	⁹ ⁄16	



Thin Wall PVC DWV Pipe

PVC Thin Wall Schedule 30 Pipe

PVC SCHE	DULE 30 (Whit	AST	FM D 2949			
PART NO.	NOM. SIZE	UPC # QTY. PER AVG. OD 611942- SKID (IN.)			MIN. WALL (IN.)	WT. PER 100 FT. (LBS.)
PVC 9300	3″x10′	03963	1250′	3.25	.125	80.2

Weight is approximate and is for shipping purposes only.

Pipe listed in this section meets or exceeds the requirements of ASTM D 2949.

All products manufactured by Charlotte Pipe and Foundry Company are proudly made in the U.S.A.

MADE IN


Comparison of the provided and the

THIN WALL PVC DWV



PVC Thin Wall Schedule 30 Fittings

HUB DIMENSIONS



PVC Thin Wall SCH 30 Fittings Hub Dimensional Tolerances

SIZE	A	В	C	D
3.25 O.D.	3.265	3.245	1.500	0.140
3.23 U.D.	±.008	±.008	MIN.	MIN.

IPS Hub Dimensional Tolerances

SIZE	Α	В	C	D
$1^{1}/_{2}$	1.915	1.894	0.750	0.156
1/2	+.010/005	±.006	MIN.	MIN.
2	2.390	2.369	0.875	0.156
2	+.010/005	±.006	MIN.	MIN.
3	3.520	3.498	1.500	0.218
5	+.010/005	±.008	MIN.	MIN.
4	4.520	4.491	1.500	0.250
4	+.010/005	±.009	MIN.	MIN.

Coupling HUB X HUB						
SIZE	SIZE A B C					
3 3/16 37/32 117/32						

PART NO. PVC 1101

Female Adapter						
	FTP X HUB					
SIZE	Α	В	С			
3	3⁄16	11/2	1 ¹⁷ /32			

PART NO. PVC 1102

Pipe	Pipe Increaser-Reducer					
-	HUB X	HUB				
SIZE	Α	В	С	N		
1½x3	23/4	3⁄4	11/2	11/4		
2 x 3	23/4	7/8	11/2	11⁄4		
4 x 3	47/32	1%16	13⁄4	27/32		

PART NO. PVC 1105X

Fitting Cleanout Adapter with Cleanout Plug SPIGOT

SIZE	Α	В
3	7/32	1 ¹⁷ /32

Male Adapter					
	MPT X	HUB			
SIZE	Α	В	С		
3	5⁄16	11/2	11/2		












Reducer Bushing HUB X SPIGOT						
SIZE	Α	В	С			
3 x 1½	25/16	11/2	3⁄4			
3 x 2	27/16	11/2	²⁹ / ₃₂			
4 x 3	21⁄8	13⁄4	15⁄8			



PART NO. PVC 1116

Сар ѕоскет				
SIZE	Α	С		
3	25/16	1 ¹⁵ ⁄16		



PART NO. PVC 1117

Adapter Coupling

(Ac	apts S&D Hub	to DWV Hub)
	SPIGOT X SP	PIGOT
SIZE	Α	
4 x 3	9⁄16	

PART NO. PVC 1129

Hub Adapter

(Adapts 3″ IPS Hub to 3″ Thin Wall Pipe) SPIGOT X HUB						
SIZE	SPIGUI A	R				
3 x 3	11/2	125/32				

Repair Coupling HUB X HUB				
	SIZE	Α		
	3	33/16		





1/4 Bend					
HUB X HUB					
SIZE	Α	В			
3	27/8	117/32			

PART NO. PVC 1302

1/4 Bend, Street SPIGOT X HUB					
SIZE	SIZE A B C				
3	27/8	4%22	1 ¹⁷ /32		

PART NO. PVC 1319

	1/6 Ben	d
	HUB X HUE	3
SIZE	A	
3	11/2	

PART NO. PVC 1321

1/8 Bend нив х нив				
SIZE	Α	В		
3	11⁄32	1 ¹⁷ /32		

1/8 Bend, Street SPIGOT X HUB					
SIZE	Α	В	С		
3	11/32	217/32	1 ¹⁷ /32		
















1/16 Bend HUB X HUB			
SIZE	Α		
3	¹¹ / ₁₆		

PART NO. PVC 1400

Sanitary Tee HUB X HUB					
SIZE A B C					
3	2 ³¹ /32	41/2	1 ¹⁷ /32		

PART NO. PVC 1401

Sanitary Tee, Reducing HUB X HUB					
SIZE	Α	В	С	D	Е
3 x 1½	29⁄16	2 ¹¹ /16	1 ¹¹ /16	11/2	3⁄4
3 x 2	27/32	33/8	131/32	11/2	7/8



c



PART NO. PVC 1418

Sanitary Tee with Right & Left Side Inlets

ALL HUB						
SIZE A B C						
3 x 3 x 3 x 1½ x 1½	2 ¹⁵ /16	4 ¹³ / ₃₂	2 ¹⁵ /16			
3 x 3 x 3 x 2 x 2	2 ¹⁵ /16	4 ¹³ / ₃₂	2 ¹⁵ /16			





Double Sanitary Tee, Reducing HUB X HUB						
SIZE	Α	В	С	D	E	
3 x 1½	2 ¹ /4	2 ²¹ /32	1 ²⁵ /32	1 ¹⁷ / ₃₂	²⁵ / ₃₂	

PART NO. PVC 1444 X

Cleanout Tee with Cleanout Plug					
HUB X HUB X FTP					
SIZE	Α	В	С		
3	2 ³ /4	33⁄4	11/8		






See Part No. 106 for plug dimensions.

PART NO. PVC 1600


Wye нив х нив					
SIZE	Α	В	С	D	
3	47/8	3⁄4	4 ¹ /8	1 ¹⁷ /32	




PART NO. PVC 1601

Wye, Reducing нив х нив						
SIZE	A	В	С	D	E	
3 x 1½	3 ¹¹ / ₁₆	3⁄8	31/2	1 ¹⁷ / ₃₂	²⁵ / ₃₂	
3 x 2	3 ¹¹ / ₁₆	1⁄4	43⁄8	117/32	7/8	

Double Wye HUB X HUB					
SIZE	C	D			
3	4 ²⁹ / ₃₂	¹³ ⁄16	4 ¹ /8	1 ¹⁷ /32	





Ď

b

PART NO. PVC 1800

Closet Flange					
SIZE	Α	В	С	D	
4 x 3	7	11⁄4	7/16	1%16	



Closet Flange HUB							
SIZE	Α	В	С	D			
4 x 3	7	11⁄4	⁷ / ₁₆	1%16			

PART NO. PVC 1811

4 x 3


Closet Flange, Adjustable with Metal Ring HUB SIZE A B C D

11/4


11/2

1/4

6³/4



	Closet Flange	, Adjust	able wi	th Met	al Ring		
SPIGOT							
	SIZE	Α	В	С	D		
	4 x 3	63/4	11/4	1/4	11/2		



This is to certify that all Plastic Pipe and Fittings manufactured by Charlotte Pipe and Foundry Company are manufactured in the United States and conform to the following standards:

PVC SCH. 40 SOLID WALL PIPE

ASTM D 1784, ASTM D 1785, ASTM D 2665 FHA UM 79a FEDERAL SPECIFICATION L-P-320a NSF STANDARD NO. 14 AND 61

PVC SCH. 40 DWV CELLULAR CORE PIPE

ASTM D 4396, ASTM F 891 NSF STANDARD NO. 14

PVC SCH. 40 DWV FITTINGS

ASTM D 1784, ASTM D 2665, ASTM D 3311, ASTM F 1866 FHA UM 79a FEDERAL SPECIFICATION L-P-320a NSF STANDARD NO. 14

ConnecTite[®] PUSH-FIT DWV FITTINGS

ASME A112.4.4, IAPMO IGC 334 NSF STANDARD NO. 14

PVC SDR-21 AND SDR-26 PRESSURE PIPE

ASTM D 1784, ASTM D 2241 NSF STANDARD NO. 14 AND 61

PVC SCH. 40 PRESSURE FITTINGS

ASTM D 1784, ASTM D 2466 NSF STANDARD NO. 14 AND 61

PVC SCH. 40 WELL CASING PIPE

ASTM D 1784, ASTM F 480 NSF STANDARD NO. 14 AND 61

PVC SCH. 80 PIPE

ASTM D 1784, ASTM D 1785, PVC 1120 NSF STANDARD NO. 14 AND 61

PVC SCH. 80 FITTINGS

ASTM D 1784, ASTM D 2467, ASTM D 2464, ASTM F 1970 NSF STANDARD NO. 14 AND 61

PVC SDR 35 SEWER MAIN PIPE

ASTM D 1784, ASTM D 3034 SDR 35 ASTM D 3212, ASTM F 477

PVC SEWER AND DRAIN PIPE

ASTM D 1784, ASTM D 2729

PVC THIN WALL PIPE & FITTINGS

ASTM D 1784, ASTM D 2949 NSF STANDARD NO. 14

CPVC FLOWGUARD GOLD® CTS PIPE & FITTINGS

ASTM D 1784, ASTM D 2846 FHA UM-61a NSF STANDARD NO. 14. AND 61 CSA LISTED ON SPECIFIED ITEMS

CPVC CHEMDRAIN® SCH. 40 PIPE & FITTINGS

ASTM D 1784, ASTM F 2618 NSF STANDARD NO. 14

CORZAN[®] CPVC SCH. 80 PIPE

ASTM D 1784, ASTM F441/F 441M NSF STANDARD NO. 14. AND 61

ABS SCH. 40 DWV CELLULAR CORE PIPE

ASTM D 3965, ASTM F 628 NSF STANDARD NO. 14

ABS PLUS[®] SCH. 40 DWV CELLULAR CORE PIPE

ASTM D 3965, ASTM D 4396, ASTM F 1488 NSF STANDARD NO. 14.

ABS SCH. 40 DWV FITTINGS

ASTM D 3965, ASTM D 2661, ASTM D 3311 FHA UM 79a FEDERAL SPECIFICATION L-P-322b NSF STANDARD NO. 14



LIMITED WARRANTY

Charlotte Pipe and Foundry Company[®] (Charlotte Pipe[®]) Products are warranted to be free from manufacturing defects and to conform to currently applicable ASTM standards for a period of five (5) years from date of delivery. Buyer's remedy for breach of this warranty is limited to replacement of, or credit for, the defective product. This warranty excludes any expense for removal or reinstallation of any product and any other incidental, consequential, or punitive damages. **This limited warranty is the only warranty made by seller and is expressly in lieu of all other warranties, express and implied, including any warranties of merchantability and fitness for a particular purpose. No statement, conduct or description by Charlotte Pipe or its representative, in addition to or beyond this Limited Warranty, shall constitute a warranty. This Limited Warranty may only be modified in writing signed by an officer of Charlotte Pipe.**

This Limited Warranty will not apply if:

- The Products are used for purposes other than their intended purpose as defined by local plumbing and building codes, and the applicable ASTM standard.
- 2) The Products are not installed in good and workmanlike manner consistent with normal industry standards; installed in compliance with the latest instructions published by Charlotte Pipe and good plumbing practices; and installed in conformance with all applicable plumbing, fire and building code requirements.
- 3) This limited warranty does not apply when the products of Charlotte Pipe are used with the products of other manufacturers that do not meet the applicable ASTM or CISPI standards or that are not marked in a manner to indicate the entity that manufactured them.
- 4) In hubless cast iron installations, this warranty will not apply if products are joined with unshielded hubless couplings. Charlotte Pipe requires that its hubless cast iron pipe and fittings be joined only with shielded hubless couplings manufactured in accordance with CISPI 310, ASTM C 1277 and certified by NSF[®] International or with Heavy Duty Couplings meeting ASTM C 1540.
- 5) The Products fail due to defects or deficiencies in design, engineering, or installation of the piping system of which they are a part.
- 6) The Products have been the subject of modification; misuse; misapplication; improper maintenance or repair; damage caused by the fault or negligence of anyone other than Charlotte Pipe; or any other act or event beyond the control of Charlotte Pipe.
- 7) The Products fail due to the freezing of water in the Products.
- The Products fail due to contact with chemical agents, fire stopping materials, thread sealant, plasticized vinyl products, or other aggressive chemical agents that are not compatible.
- Pipe outlets, sound attenuation systems or other devices are permanently attached to the surface of Charlotte[®] PVC, ABS or CPVC products with solvent cement or adhesive glue.

Charlotte Pipe products are manufactured to the applicable ASTM or CISPI standard. Charlotte Pipe and Foundry **cannot** accept responsibility for the performance, dimensional accuracy, or compatibility of pipe, fittings, gaskets, or couplings not manufactured or sold by Charlotte Pipe and Foundry.

This Limited Warranty will not apply unless written notice of a claim is mailed to Charlotte Pipe at the address below within 30 days of discovery of the allegedly defective product.

Any Charlotte Pipe products alleged to be defective **must** be made available to Charlotte Pipe at the following address for verification, inspection and determination of cause:

Charlotte Pipe and Foundry Company Attention: Technical Services 2109 Randolph Road Charlotte, North Carolina 28207

Purchaser must obtain a return materials authorization and instructions for return shipment to Charlotte Pipe of any product claimed defective or shipped in error.

Any Charlotte Pipe product **proved** to be defective in manufacture will be replaced F.O.B. point of original delivery, or credit will be issued, at the discretion of Charlotte Pipe.

5/19/23

Charlotte and Charlotte Pipe are registered trademarks of Charlotte Pipe and Foundry Company.





CHARLOTTE PIPE AND FOUNDRY COMPANY

P0 B0X 35430 CHARLOTTE NORTH CAROLINA 28235 PHONE (704) 348-6450 (800) 572-4199 FAX (800) 553-1605 WWW.CHARLOTTEPIPE.COM

